

# MOTORCYCLE TYRES

*Product range 2025*



**KEEP ON RIDING**

mitas-moto.com     @mitasmoto

**Mitas**



Thibaut Nogues

# LEGEND

|                                                                                       |                         |                                                                                       |                                         |
|---------------------------------------------------------------------------------------|-------------------------|---------------------------------------------------------------------------------------|-----------------------------------------|
|    | New product             |    | Higher loads                            |
|    | New size                |    | Race tyre / Race tyre PRO               |
|    | Mud + snow              |    | Straight line stability                 |
|    | OEM                     |    | Grip and control at extreme lean angles |
|    | Gran Turismo            |    | Fast and easy steering                  |
|    | DOT                     |    | Lifetime / durability                   |
|    | Not for highway service |    | Racetrack use                           |
|    | Discontinued            |    | Wet conditions                          |
|  | Mousse                  |  | Puncture resistance                     |
|  | Tube                    |  | Winter                                  |
|  | Front                   |  | Bidirectional rear tyre                 |
|  | Rear                    |  | Tyre warmer                             |
|  | Solo rider              | <b>TL*</b>                                                                            | On tube type rim fit a tube.            |





9 RACING



SPORT FORCE+RS   SPORT FORCE+EV   SPORT FORCE+   MC-50   TOURING FORCE-SP   TOURING FORCE   CUSTOM FORCE

18 STREET



STREET FORCE   MC-32   MC-25 BOGART   MC-9   MC-7   H-06   H-04   H-03   H-02

22 CLASSIC



H-06   H-04   H-03   H-02




28 ADVENTURE



TOURING FORCE   TERRA FORCE-R   ENDURO TRAIL-SP   ENDURO TRAIL-ADV 2   ENDURO TRAIL-ADV   MC 24 INVADER   ENDURO TRAIL+

28 ADVENTURE



ENDURO TRAIL   MC 23 ROCKRIDER   ENDURO TRAIL -XT   ENDURO TRAIL -XT+   ENDURO TRAIL-RALLY   E-05   E-06

47 RALLY



ENDURO TRAIL-RALLY


48 ADVENTURE CLASSIC



E-05   E-06



52 ENDURO



TERRA FORCE-EF   TERRA FORCE-EF PRO   TERRA FORCE-EF 2 SM   TERRA FORCE-EX SM   TERRA FORCE-EX MH



52 ENDURO



TERRA FORCE-EX XT   TERRA FORCE-EX HT   ENDURO HYBRID   STONE KING   TERRA FORCE-MX SAND 2   TERRA FORCE-MX SAND   TERRA FORCE-MX SM

66 MOTOCROSS



TERRA FORCE-MX MH

72 PITCROSS



TERRA FORCE-MX IT

73 SPEEDWAY



SPEEDWAY

75 FLAT TRACK



FLAT TRACK



78 SCOOTER



TOURING FORCE-SC 2   TOURING FORCE-SC   MC-20 MONSUM   MC-17   MC-19   MC-32 WIN SCOOT   MC-35 S-RACER 2.0   MC-34   MC-20 MONSUM

88 CLASSIC



MC-12   MC-22 ELEGANCE   B-13   S-05   B-14   MC-5   B-8   B-7   B-4   B-3   MC-11   MC-2   MC-51 MEDITERRA   H-02

91 MOPED



MC-12   MC-22 ELEGANCE   B-13   S-05   B-14   MC-5   B-8   B-7   B-4   B-3   MC-11   MC-2   MC-51 MEDITERRA   H-02



96 TUBES



98 MOUSSE





106 **DISCONTINUED** (AVAILABLE UNTIL THE STOCK RUNS OUT)



A motorcyclist wearing a black jacket and helmet is riding a red and black motorcycle on a winding asphalt road. The road is bordered by a metal guardrail and a steep, rocky mountain slope. The background shows more rugged mountain peaks under a clear sky. The motorcycle has 'KIM' written on the side.

*Experience the journey, breathe in the freedom. Allow yourself to wander as sometimes the unexpected detours turn out to be the most captivating roads one can take.*



ON-ROAD TYRE APPLICATION



SPORT FORCE+RS



- Designed for race tracks, ready to be used on public roads.
- Racing Soft compound ensures optimal grip at extreme lean angles at a service temperature of 80°C.
- Tested by Randy Krummenacher to deliver incredible lap times on Super Sports and Sport Naked motorcycles.



| COLD TYRE PRESSURE                                                                    |                                                                                       |                                                                                                   |                                                                                                   |                                                                                                  |                                                                                                  |                                                                                       | HOT TYRE PRESSURE                                                                     |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| bar / psi                                                                             |  | <br>1000cc → | <br>→ 1000cc | <br>→ 650cc | <br>→ 400cc |  |  |
|  | 2.5 bar / 36.3 psi                                                                    | 2.5 bar / 36.3 psi                                                                                | 2.4 bar / 34.8 psi                                                                                | 2.3 bar / 33.4 psi                                                                               | 2.1 bar / 30.5 psi                                                                               | 1.9 - 2.2 bar / 27.6 - 31.9 psi                                                       | 2.1 - 2.4 bar / 30.5 - 34.8 psi                                                       |
|  | 2.6 bar / 37.7 psi                                                                    | 2.6 bar / 37.7 psi                                                                                | 2.5 bar / 36.3 psi                                                                                | 2.4 bar / 34.8 psi                                                                               | 2.3 bar / 33.4 psi                                                                               | 1.3 - 1.6 bar / 18.9 - 23.2 psi                                                       | 1.6 - 1.9 bar / 23.2 - 27.6 psi                                                       |

| Inch  | Code     | Tyre size  | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  |
|-------|----------|------------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|
|       |          |            |       |              |                     |                           | Design                          |                  | Max. in service |                  |
|       |          |            |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |
| FRONT |          |            |       |              |                     |                           |                                 |                  |                 |                  |
| 17    | 70000003 | 110/70ZR17 | (54W) | TL           | 3.00                | 3.00-3.50                 | 110                             | 586              | 118             | 596              |
| 17    | 70001045 | 120/70ZR17 | (58W) | TL           | 3.50                | 3.50-3.75                 | 122                             | 600              | 131             | 612              |
| REAR  |          |            |       |              |                     |                           |                                 |                  |                 |                  |
| 17    | 70000004 | 140/70ZR17 | 66W   | TL           | 3.75                | 3.75-4.50                 | 139                             | 628              | 149             | 642              |
| 17    | 70000005 | 150/60ZR17 | (66W) | TL           | 4.25                | 4.00-4.50                 | 151                             | 612              | 162             | 624              |
| 17    | 70001046 | 180/55ZR17 | (73W) | TL           | 5.50                | 5.50-6.00                 | 178                             | 630              | 190             | 644              |
| 17    | 70001296 | 180/60ZR17 | (75W) | TL           | 5.00                | 5.00-5.50                 | 180                             | 648              | 193             | 664              |
| 17    | 70001047 | 190/55ZR17 | (75W) | TL           | 6.00                | 5.50-6.00                 | 190                             | 642              | 203             | 656              |
| 17    | 70001297 | 200/55ZR17 | (78W) | TL           | 6.25                | 6.00-6.50                 | 200                             | 652              | 214             | 668              |





SPORT

SPORT FORCE+EV



•••••



•••••



•••••



•••••



•••••



•••••



50MIN @ 80°C



- Designed for public roads, ready to be used on the race track.
- Multi compound technology (MCTT) for improved traction at high service temperatures and optimal grip at extreme lean angles.
- Recommended for Super Sports, Sports Naked and Sport Touring motorcycles.

| COLD TYRE PRESSURE |                    |                    |                    |                    |                    |                               | HOT TYRE PRESSURE               |
|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|-------------------------------|---------------------------------|
| bar / psi          |                    |                    |                    |                    |                    |                               |                                 |
|                    | 1000cc →           | → 1000cc           | → 650cc            | → 400cc            |                    |                               |                                 |
|                    | 2.5 bar / 36.3 psi | 2.5 bar / 36.3 psi | 2.4 bar / 34.8 psi | 2.3 bar / 33.4 psi | 2.1 bar / 30.5 psi | 2.0 - 2.3 bar / 29 - 33.4 psi | 2.2 - 2.5 bar / 31.9 - 36.3 psi |
|                    | 2.6 bar / 37.7 psi | 2.6 bar / 37.7 psi | 2.5 bar / 36.3 psi | 2.4 bar / 34.8 psi | 2.3 bar / 33.4 psi | 1.7 - 2.0 bar / 24.7 - 29 psi | 2.0 - 2.3 bar / 29 - 33.4 psi   |

| Inch  | Code     | Tyre size  | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  |
|-------|----------|------------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|
|       |          |            |       |              |                     |                           | Design                          |                  | Max. in service |                  |
|       |          |            |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |
| FRONT |          |            |       |              |                     |                           |                                 |                  |                 |                  |
| 17    | 70000078 | 120/70ZR17 | (58W) | TL           | 3.50                | 3.50-3.75                 | 122                             | 600              | 131             | 612              |
| REAR  |          |            |       |              |                     |                           |                                 |                  |                 |                  |
| 17    | 70000079 | 160/60ZR17 | (69W) | TL           | 4.50                | 4.25-5.00                 | 161                             | 624              | 172             | 638              |
| 17    | 70000080 | 180/55ZR17 | (73W) | TL           | 5.50                | 5.50-6.00                 | 178                             | 630              | 190             | 644              |
| 17    | 70001056 | 180/60ZR17 | (75W) | TL           | 5.00                | 5.00-5.50                 | 180                             | 648              | 193             | 664              |
| 17    | 70000081 | 190/50ZR17 | (73W) | TL           | 6.00                | 5.50-6.00                 | 190                             | 622              | 203             | 636              |
| 17    | 70000082 | 190/55ZR17 | (75W) | TL           | 6.00                | 5.50-6.00                 | 190                             | 642              | 203             | 656              |
| 17    | 70001057 | 200/55ZR17 | (78W) | TL           | 6.25                | 6.00-6.50                 | 200                             | 652              | 214             | 668              |



SPORT FORCE+



- Designed to be a safe and predictable choice for every day riding on paved roads.
- Special compound designed to reach optimal service temperature extremely fast.
- Recommended for Super Sports, Sports Naked and Street Naked motorcycles.

| COLD TYRE PRESSURE |                    |                    |                    |                    |                    |                    |                    |                    |
|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| RADIAL TYRES       |                    |                    |                    |                    |                    | DIAGONAL TYRES     |                    |                    |
| bar / psi          |                    | <br>1000cc →       | <br>→ 1000cc       | <br>→ 650cc        | <br>→ 400cc        |                    | <br>→ 200cc        | <br>→ 400cc        |
|                    | 2.6 bar / 37.7 psi | 2.6 bar / 37.7 psi | 2.5 bar / 36.3 psi | 2.3 bar / 33.4 psi | 2.2 bar / 31.9 psi | 2.2 bar / 31.9 psi | 2.0 bar / 29 psi   | 2.2 bar / 31.9 psi |
|                    | 2.9 bar / 42.1 psi | 2.9 bar / 42.1 psi | 2.7 bar / 39.2 psi | 2.5 bar / 36.3 psi | 2.4 bar / 34.8 psi | 2.5 bar / 36.3 psi | 2.2 bar / 31.9 psi | 2.4 bar / 34.8 psi |

SPORT FORCE+

| Inch  | Code     | Tyre size  | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 |
|-------|----------|------------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|
|       |          |            |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |
|       |          |            |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |
| FRONT |          |            |       |              |                     |                           |                                 |                  |                 |                  |               |
| 17    | 70001251 | 100/80-17  | 52S   | TL/TT        | 2.50                | 2.15-2.75                 | 101                             | 592              | 111             | 604              | 70001340      |
| 17    | 70001229 | 100/80-17  | 52H   | TL/TT        | 2.50                | 2.15-2.75                 | 101                             | 592              | 111             | 604              | 70001340      |
| 17    | 70001231 | 110/70-17  | 54H   | TL/TT        | 3.00                | 3.00-3.50                 | 110                             | 586              | 118             | 596              |               |
| 17    | 70001409 | 110/70-17  | 54S   | TL/TT        | 3.00                | 3.00-3.50                 | 110                             | 586              | 118             | 596              |               |
| 17    | 70000068 | 110/70ZR17 | (54W) | TL           | 3.00                | 3.00-3.50                 | 110                             | 586              | 118             | 596              |               |
| 17    | 70000069 | 120/60ZR17 | (55W) | TL           | 3.50                | 3.50-3.75                 | 122                             | 576              | 131             | 586              |               |
| 17    | 70000070 | 120/65ZR17 | (56W) | TL           | 3.50                | 3.50-3.75                 | 122                             | 588              | 131             | 598              |               |
| 17    | 70000071 | 120/70ZR17 | (58W) | TL           | 3.50                | 3.50-3.75                 | 122                             | 600              | 131             | 612              |               |
| REAR  |          |            |       |              |                     |                           |                                 |                  |                 |                  |               |
| 17    | 70001250 | 130/70-17  | 62S   | TL/TT        | 3.50                | 3.00-4.00                 | 129                             | 614              | 142             | 626              | 70001338      |
| 17    | 70001233 | 130/70-17  | 62H   | TL/TT        | 3.50                | 3.00-4.00                 | 129                             | 614              | 142             | 626              | 70001338      |
| 17    | 70001407 | 140/70-17  | 66S   | TL/TT        | 3.75                | 3.75-4.50                 | 139                             | 628              | 149             | 642              | 70001338      |
| 17    | 70001234 | 140/70-17  | 66H   | TL/TT        | 3.75                | 3.75-4.50                 | 139                             | 628              | 149             | 642              | 70001338      |
| 17    | 70000072 | 140/70ZR17 | 66W   | TL           | 3.75                | 3.75-4.50                 | 139                             | 628              | 149             | 642              |               |
| 17    | 70001254 | 150/60-17  | 66H   | TL/TT        | 4.25                | 4.00-4.50                 | 151                             | 612              | 162             | 624              | 70001338      |
| 17    | 70001408 | 150/60-17  | 66S   | TL/TT        | 4.25                | 4.00-4.50                 | 151                             | 612              | 162             | 624              | 70001338      |
| 17    | 70000073 | 150/60ZR17 | (66W) | TL           | 4.25                | 4.00-4.50                 | 151                             | 612              | 162             | 624              |               |
| 17    | 70000074 | 160/60ZR17 | (69W) | TL           | 4.50                | 4.25-5.00                 | 161                             | 624              | 172             | 638              |               |
| 17    | 70000075 | 180/55ZR17 | (73W) | TL           | 5.50                | 5.50-6.00                 | 178                             | 630              | 190             | 644              |               |
| 17    | 70000076 | 190/50ZR17 | (73W) | TL           | 6.00                | 5.50-6.00                 | 190                             | 622              | 203             | 636              |               |
| 17    | 70000077 | 190/55ZR17 | (75W) | TL           | 6.00                | 5.50-6.00                 | 190                             | 642              | 203             | 656              |               |





MC-60



- Designed to be a safe and predictable choice for every day riding on paved roads.
- Special compound designed to reach optimal service temperature extremely fast.
- Recommended for Retro and Street Naked motorcycles.

| Inch  | Code     | Tyre size | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|-------|----------|-----------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|       |          |           |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|       |          |           |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 17    | 70000058 | 80/100-17 | 46S   | TL'          | 1.85                | 1.60-2.15                 | 80                              | 592              | 88              | 604              | 70001340      | 70001334      |
| 17    | 70000047 | 100/80-17 | 52H   | TL'          | 2.50                | 2.15-2.75                 | 101                             | 592              | 111             | 604              | 70001336      | 70001335      |
| 17    | 70000048 | 100/90-17 | 55S   | TL'          | 2.50                | 2.15-2.75                 | 101                             | 612              | 111             | 634              | 70001335      |               |
| 17    | 70000051 | 110/70-17 | 54H   | TL'          | 3.00                | 2.50-3.50                 | 110                             | 586              | 121             | 596              | 70001336      |               |
| 17    | 70000052 | 110/80-17 | 57H   | TL'          | 2.50                | 2.15-3.00                 | 109                             | 608              | 120             | 620              | 70001336      |               |
| 18    | 70000049 | 100/90-18 | 56H   | TL'          | 2.50                | 2.15-2.75                 | 101                             | 637              | 111             | 649              | 70001346      |               |
| 19    | 70000050 | 100/90-19 | 57H   | TL'          | 2.50                | 2.15-2.75                 | 101                             | 663              | 111             | 675              | 70001351      | 70001352      |
| REAR  |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 17    | 70000054 | 130/70-17 | 62H   | TL'          | 3.50                | 3.00-4.00                 | 129                             | 614              | 142             | 626              | 70001337      |               |
| 17    | 70000055 | 130/80-17 | 65H   | TL'          | 3.00                | 2.50-3.50                 | 129                             | 640              | 142             | 654              | 70001337      |               |
| 17    | 70000056 | 140/70-17 | 66H   | TL'          | 3.75                | 3.50-4.50                 | 139                             | 628              | 153             | 642              | 70001337      |               |
| 17    | 70000057 | 140/80-17 | 69H   | TL'          | 3.50                | 2.75-3.75                 | 142                             | 656              | 156             | 672              | 70001337      |               |
| 18    | 70000053 | 120/90-18 | 65H   | TL'          | 2.75                | 2.50-3.00                 | 119                             | 673              | 131             | 689              | 70001343      | 70001344      |



TOURING FORCE-SP

2025



- Engineered for superior performance and safety on all paved road surfaces.
- Utilizing Multi Compound Technology (MCTT) for extended service life and high silica content for superior grip on both dry and wet road surfaces, enhancing durability and safety.
- Recommended for lighter Super Sports, Sports Naked and Sports Touring motorcycles. Available for Maxi scooters.

| COLD TYRE PRESSURE |                    |                    |                    |                    |                    |
|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| bar / psi          |                    |                    |                    |                    |                    |
|                    | 2.5 bar / 36.3 psi | 2.5 bar / 36.3 psi | 2.4 bar / 34.8 psi | 2.3 bar / 33.4 psi | 2.2 bar / 31.9 psi |
|                    | 2.9 bar / 42.1 psi | 2.7 bar / 39.2 psi | 2.5 bar / 36.3 psi | 2.5 bar / 36.3 psi | 2.4 bar / 34.8 psi |

| Inch  | Code     | Tyre size  | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  |
|-------|----------|------------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|
|       |          |            |       |              |                     |                           | Design                          |                  | Max. in service |                  |
|       |          |            |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |
| FRONT |          |            |       |              |                     |                           |                                 |                  |                 |                  |
| 15    | 70001406 | 120/70R15  | 56V   | TL           | 3.50                | 3.50-3.75                 | 122                             | 549              | 131             | 561              |
| 17    | 70001385 | 120/60ZR17 | (55W) | TL           | 3.50                | 3.50-3.75                 | 122                             | 576              | 131             | 586              |
| 17    | 70001386 | 120/70ZR17 | (58W) | TL           | 3.50                | 3.50-3.75                 | 122                             | 600              | 131             | 612              |
| REAR  |          |            |       |              |                     |                           |                                 |                  |                 |                  |
| 15    | 70001405 | 160/60R15  | 67V   | TL           | 4.50                | 4.25-5.00                 | 161                             | 573              | 172             | 587              |
| 17    | 70001387 | 160/60ZR17 | (69W) | TL           | 4.50                | 4.25-5.00                 | 161                             | 624              | 172             | 638              |
| 17    | 70001388 | 180/55ZR17 | (73W) | TL           | 5.50                | 5.50-6.00                 | 178                             | 630              | 190             | 644              |
| 17    | 70001389 | 190/50ZR17 | (73W) | TL           | 6.00                | 5.50-6.00                 | 190                             | 622              | 203             | 636              |
| 17    | 70001390 | 190/55ZR17 | (75W) | TL           | 6.00                | 5.50-6.00                 | 190                             | 642              | 203             | 656              |







STREET FORCE

2025



- Designed for safe and predictable everyday riding on paved roads, regardless of weather conditions.
- The special compound quickly reaches its optimal service temperature, ensuring reliable performance.
- Ideal for small capacity SuperMoto and Sports/Touring motorcycles.

| Inch       | Code     | Tyre size | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|------------|----------|-----------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|            |          |           |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|            |          |           |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT      |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 17         | 70001230 | 100/80-17 | 52H   | TL/TT        | 2.50                | 2.15-2.75                 | 101                             | 592              | 111             | 604              | 70001336      | 70001335      |
| 17         | 70001252 | 100/80-17 | 52S   | TL/TT        | 2.50                | 2.15-2.75                 | 101                             | 592              | 111             | 604              | 70001336      | 70001335      |
| 18         | 70001398 | 100/90-18 | 56V   | TL/TT        | 2.50                | 2.15-2.75                 | 101                             | 637              | 111             | 649              |               |               |
| REAR       |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 17         | 70001232 | 130/70-17 | 62H   | TL/TT        | 3.50                | 3.00-4.00                 | 129                             | 614              | 142             | 626              | 70001337      |               |
| 17         | 70001253 | 130/70-17 | 62S   | TL/TT        | 3.50                | 3.00-4.00                 | 129                             | 614              | 142             | 626              | 70001337      |               |
| 17         | 70001397 | 150/70B17 | 69V   | TL/TT        | 4.25                | 3.50-4.50                 | 151                             | 642              | 166             | 656              |               |               |
| FRONT/REAR |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 17         | 70001118 | 2.25-17   | 39P   | TL/TT        | 1.5                 | 1.20-1.60                 | 62                              | 558              | 66              | 566              | 70001339      |               |
| 17         | 70001120 | 2.50-17   | 43P   | TL/TT        | 1.6                 | 1.20-1.85                 | 68                              | 574              | 72              | 596              | 70001340      |               |
| 17         | 70001124 | 2.75-17   | 47P   | TL/TT        | 1.85                | 1.35-1.85                 | 75                              | 584              | 80              | 594              | 70001340      |               |
| 17         | 70001489 | 100/70-17 | 49S   | TL/TT        | 2.75                | 2.50-3.00                 | 100                             | 572              | 110             | 582              |               |               |

WHITE WALL

|            |          |         |     |       |      |           |    |     |    |     |          |  |
|------------|----------|---------|-----|-------|------|-----------|----|-----|----|-----|----------|--|
| FRONT/REAR |          |         |     |       |      |           |    |     |    |     |          |  |
| 17         | 70001119 | 2.25-17 | 39P | TL/TT | 1.5  | 1.20-1.60 | 62 | 558 | 66 | 566 | 70001340 |  |
| 17         | 70001123 | 2.50-17 | 43P | TL/TT | 1.6  | 1.20-1.85 | 68 | 574 | 72 | 596 | 70001339 |  |
| 17         | 70001125 | 2.75-17 | 47P | TL/TT | 1.85 | 1.35-1.85 | 75 | 584 | 80 | 594 |          |  |

MC-32



- Designed with a M+S (Mud & Snow) pattern to be safe and predictable even in off-road conditions.
- Special durable compound designed to perform in ON and OFF road conditions.
- Sizes available for Standard motorcycles.
- OE fitment: TANGO SCRAMBLER 2022, VALENTI SCRAMBLER SO1 2023

| Inch  | Code     | Tyre size | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|-------|----------|-----------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|       |          |           |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|       |          |           |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 17    | 70000085 | 100/80-17 | 52R   | TL'          | 2.50                | 2.15-2.75                 | 101                             | 592              | 111             | 604              | 70001336      | 70001335      |
| REAR  |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 17    | 70000086 | 130/70-17 | 62R   | TL'          | 3.50                | 3.00-4.00                 | 129                             | 614              | 142             | 626              | 70001337      |               |

MC-32



- Designed with a M+S (Mud & Snow) pattern to be safe and predictable during winter road conditions.
- Cold resistant compound designed for increased traction and optimal grip at low temperatures.
- Suitable for stud installation.

| Inch                                                                                  | Code     | Tyre size | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|---------------------------------------------------------------------------------------|----------|-----------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|                                                                                       |          |           |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|                                                                                       |          |           |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
|  |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| FRONT                                                                                 |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 17                                                                                    | 70000093 | 100/80-17 | 52R   | TL'          | 2.50                | 2.15-2.75                 | 101                             | 592              | 111             | 604              | 70001336      | 70001335      |
| REAR                                                                                  |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 17                                                                                    | 70000095 | 130/70-17 | 62R   | TL'          | 3.50                | 3.00-4.00                 | 129                             | 614              | 142             | 626              | 70001337      |               |

SIPES

|       |          |           |     |     |      |           |     |     |     |     |          |          |
|-------|----------|-----------|-----|-----|------|-----------|-----|-----|-----|-----|----------|----------|
| FRONT |          |           |     |     |      |           |     |     |     |     |          |          |
| 17    | 70000093 | 100/80-17 | 52R | TL' | 2.50 | 2.15-2.75 | 101 | 592 | 111 | 604 | 70001336 | 70001335 |
| REAR  |          |           |     |     |      |           |     |     |     |     |          |          |
| 17    | 70000095 | 130/70-17 | 62R | TL' | 3.50 | 3.00-4.00 | 129 | 614 | 142 | 626 | 70001337 |          |







# H-06



- Designed to be a safe and dynamic choice for a comfortable ride on paved roads.
- Versatile tread pattern designed to provide optimal grip and offers longer service life.
- Recommended for Classic motorcycles.

| Inch       | Code     | Tyre size           | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|------------|----------|---------------------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|            |          |                     |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|            |          |                     |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| REAR       |          |                     |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 18         | 70000919 | 4.00-18             | 64S   | TT           | 2.50                | 2.15-3.00                 | 108                             | 671              | 117             | 685              | 70001349      | 70001345      |
| FRONT/REAR |          |                     |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 16         | 70000910 | 2.75-16 (2 3/4-16)  | 46P   | TT           | 1.85                | 1.40-1.85                 | 75                              | 562              | 81              | 574              | 70001328      |               |
| 16         | 70000914 | 3.25-16 (3 1/4-16)  | 55P   | TT           | 2.15                | 1.85-2.50                 | 89                              | 588              | 96              | 600              | 70001327      | 70001332      |
| 18         | 70000915 | 3.25-18 (90/100-18) | 59P   | TT           | 2.15                | 1.85-2.50                 | 89                              | 639              | 96              | 651              | 70001347      | 70001346      |
| 18         | 70000918 | 3.50-18             | 62P   | TT           | 2.15                | 2.15-2.50                 | 93                              | 649              | 100             | 663              | 70001346      |               |
| 19         | 70000912 | 2.75-19 (80/100-19) | 43P   | TT           | 1.85                | 1.40-1.85                 | 75                              | 639              | 81              | 651              | 70001353      |               |
| 19         | 70000913 | 3.00-19             | 49P   | TT           | 1.85                | 1.60-2.15                 | 80                              | 653              | 86              | 665              | 70001351      |               |
| 19         | 70000916 | 3.25-19 (90/110-19) | 54P   | TT           | 2.15                | 1.85-2.50                 | 89                              | 665              | 96              | 677              | 70001351      |               |

## REINFORCED

|            |          |                     |     |    |      |           |    |     |     |     |          |  |
|------------|----------|---------------------|-----|----|------|-----------|----|-----|-----|-----|----------|--|
| FRONT/REAR |          |                     |     |    |      |           |    |     |     |     |          |  |
| 16         | 70000917 | 3.50-16             | 58P | TT | 2.15 | 2.15-2.50 | 93 | 598 | 100 | 612 | 70001327 |  |
| 18         | 70000911 | 2.75-18 (80/100-18) | 48P | TT | 1.85 | 1.40-1.85 | 75 | 613 | 81  | 625 | 70001347 |  |



# H-04



- Designed to be a safe and predictable choice for every day riding on paved roads.
- Special compound designed to offer stability and the best grip.
- Recommended for Classic motorcycles.

| Inch       | Code     | Tyre size           | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|------------|----------|---------------------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|            |          |                     |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|            |          |                     |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT/REAR |          |                     |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 16         | 70000908 | 2.50-16 (70/100-16) | 41P   | TT           | 1.50                | 1.35-1.60                 | 64                              | 542              | 70              | 554              | 70001328      | 70001329      |
| 18         | 70000909 | 3.25-18             | 59P   | TT           | 2.15                | 1.85-2.50                 | 89                              | 639              | 96              | 651              | 70001347      | 70001346      |

# H-03



- Designed to be a safe and reliable choice for daily riding on paved roads.
- Special compound designed to provide stability and optimal grip.
- Recommended for Classic motorcycles.

| Inch       | Code     | Tyre size           | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|------------|----------|---------------------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|            |          |                     |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|            |          |                     |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT/REAR |          |                     |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 18         | 70000905 | 3.00-18             | 52P   | TT           | 1.85                | 1.60-2.15                 | 80                              | 627              | 86              | 639              | 70001347      |               |
| 18         | 70000906 | 3.25-18 (90/100-18) | 59P   | TT           | 2.15                | 1.85-2.50                 | 89                              | 639              | 96              | 651              | 70001347      | 70001346      |
| 18         | 70000907 | 3.50-18             | 62P   | TT           | 2.15                | 2.15-2.50                 | 93                              | 649              | 100             | 663              | 70001346      |               |

## REINFORCED

|            |          |         |     |    |      |           |    |     |    |     |          |  |
|------------|----------|---------|-----|----|------|-----------|----|-----|----|-----|----------|--|
| FRONT/REAR |          |         |     |    |      |           |    |     |    |     |          |  |
| 18         | 70000904 | 2.75-18 | 48P | TT | 1.85 | 1.40-1.85 | 75 | 613 | 81 | 625 | 70001347 |  |
| 18         | 70001439 | 3.00-18 | 52S | TT | 1.85 | 1.60-2.15 | 80 | 627 | 86 | 639 | 70001347 |  |



# H-02



- Designed to be a safe and reliable choice for daily riding on paved roads.
- Versatile tread pattern deisgned to provide great grip in wet and dry weather conditions.
- Recommended for Classic motorcycles and available in SUPER SIDE version for sidecars.

| Inch       | Code     | Tyre size | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 |
|------------|----------|-----------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|
|            |          |           |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |
|            |          |           |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |
| FRONT/REAR |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |
| 19         | 70000899 | 2.50-19   | 41P   | TT           | 150                 | 135-160                   | 64                              | 619              | 70              | 631              | 70001353      |
| 19         | 70000900 | 3.00-19   | 57P   | TT           | 185                 | 215-250                   | 80                              | 653              | 86              | 665              | 70001351      |
| 19         | 70000901 | 3.50-19   | 63P   | TT           | 215                 | 215-250                   | 93                              | 675              | 100             | 689              | 70001351      |
| 19         | 70000903 | 4.00-19   | 71P   | TT           | 250                 | 215-300                   | 108                             | 697              | 117             | 711              | 70001351      |

# SUPER SIDE

|            |          |         |     |    |      |           |     |     |     |     |          |
|------------|----------|---------|-----|----|------|-----------|-----|-----|-----|-----|----------|
| FRONT/REAR |          |         |     |    |      |           |     |     |     |     |          |
| 19         | 70000902 | 4.00-19 | 71P | TT | 2.50 | 2.15-3.00 | 108 | 697 | 117 | 711 | 70001351 |






*A rush of adrenaline, the heart beats faster, enchanting trails and endless adventures. Fuel your soul and grant yourself the chance to venture the world.*





ADVENTURE TYRE APPLICATION



\* Mitas ENDURO TRAIL-ADV is not distributed in the following countries: France, UK, Italy, Germany, USA, China, Thailand and Indonesia.

DAKAR

Tyre with a stronger carcass and higher puncture resistance. Suitable for higher loads, longer adventure trips and extreme conditions.

TOURING FORCE

ON

100 OFF

●●●●●

●●●●○

●●●●○

●●●●●

●●●●●

●●●●●

- Designed for all-round performance and safety on all types of paved roads.
- Multi compound technology (MCTT) for a longer service life and high silica content for optimal grip in both dry and wet road conditions.
- Recommended for Super Sports, Sports Naked, Sports Touring, Maxi Scooters and Dual-Purpose Adventure Touring motorcycles.

| Inch  | Code     | Tyre size  | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  |
|-------|----------|------------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|
|       |          |            |       |              |                     |                           | Design                          |                  | Max. in service |                  |
|       |          |            |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |
| FRONT |          |            |       |              |                     |                           |                                 |                  |                 |                  |
| 19    | 70000531 | 110/80ZR19 | (59W) | TL           | 2.50                | 2.50-3.00                 | 109                             | 659              | 117             | 671              |
| 19    | 70000533 | 120/70ZR19 | (60W) | TL           | 3.50                | 3.00-3.75                 | 122                             | 651              | 131             | 663              |
| REAR  |          |            |       |              |                     |                           |                                 |                  |                 |                  |
| 17    | 70000534 | 150/70ZR17 | (69W) | TL           | 4.25                | 4.00-4.50                 | 151                             | 642              | 162             | 656              |
| 17    | 70000535 | 170/60ZR17 | (72W) | TL           | 4.50                | 4.50-5.50                 | 168                             | 636              | 180             | 650              |





TERRA FORCE-R

ON 90 10 OFF



- Classified for 90% on-road use and designed for all-round performance and confidence on paved and gravel roads.
- Multi compound technology (MCTT) combined with functional tread pattern offer excellent traction on wet and dry roads.
- Recommended for Dual-Purpose Adventure Touring motorcycles.
- 100/90-19 and 130/80-17 sizes have been rebranded to ENDURO TRAIL-SP
- OE fitment: KTM 1290 SUPER ADVENTURE S 2021

| Inch  | Code     | Tyre size          | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|-------|----------|--------------------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|       |          |                    |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|       |          |                    |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT |          |                    |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 19    | 70000523 | 110/80R19          | 59V   | TL'          | 2.50                | 2.50-3.00                 | 109                             | 659              | 117             | 671              |               |               |
| 19    | 70000524 | 120/70ZR19         | 60W   | TL           | 3.50                | 3.00-3.75                 | 122                             | 651              | 131             | 663              |               |               |
| 21    | 70000529 | 90/90-21 (3.00-21) | 54H   | TL/TT        | 2.15                | 1.85-2.50                 | 90                              | 695              | 99              | 707              | 70001356      | 70001355      |
| 21    | 70000530 | 90/90-21 (3.00-21) | 54V   | TL/TT        | 2.15                | 1.85-2.50                 | 90                              | 695              | 99              | 707              | 70001356      | 70001355      |
| REAR  |          |                    |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 17    | 70000521 | 120/90-17          | 64H   | TL'          | 2.75                | 2.50-3.00                 | 119                             | 648              | 131             | 664              | 70001337      |               |
| 17    | 70000525 | 140/80R17          | 69V   | TL'          | 3.50                | 3.50-3.75                 | 142                             | 656              | 152             | 672              |               |               |
| 17    | 70000526 | 150/70R17          | 69V   | TL'          | 4.25                | 4.00-4.50                 | 151                             | 642              | 162             | 656              |               |               |
| 17    | 70000528 | 170/60ZR17         | 72W   | TL           | 4.50                | 4.50-5.50                 | 168                             | 636              | 180             | 650              |               |               |
| 18    | 70000527 | 150/70R18          | 70V   | TL/TT        | 4.25                | 4.00-4.50                 | 151                             | 667              | 162             | 681              | 70001345      |               |

ENDURO TRAIL-SP 2025

ON 90 10 OFF



- 90% on-road use for all-round performance and confidence on both paved and gravel roads.
- Multi Compound Technology (MCTT) combined with a functional tread pattern, offers excellent traction on wet and dry surfaces.
- Recommended for Dual-Purpose Adventure Touring motorcycles.
- ENDURO TRAIL-SP is a rebranding of the TERRA FORCE-R pattern that will gradually be rolled out to all sizes.

| Inch  | Code     | Tyre size | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|-------|----------|-----------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|       |          |           |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|       |          |           |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 19    | 70001293 | 100/90-19 | 57H   | TL/TT        | 2.50                | 2.15-2.75                 | 101                             | 663              | 111             | 675              | 70001351      | 70001352      |
| 19    | 70001381 | 100/90-19 | 57V   | TL/TT        | 2.50                | 2.15-2.75                 | 101                             | 663              | 111             | 675              |               |               |
| REAR  |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 17    | 70001294 | 130/80B17 | 65H   | TL/TT        | 3.00                | 2.50-3.50                 | 129                             | 640              | 142             | 654              | 70001337      |               |





ENDURO TRAIL - ADV 2

2025

ON

70

30

OFF



- Classified for 70% on-road use and designed for all-round performance and confidence on paved roads as well as off-road.
- Multi compound tread technology with a chevron pattern ensures ultimate grip and durability in ON/OFF.
- Recommended for Dual-Purpose Adventure Touring motorcycles.

| Inch  | Code     | Tyre size          | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 |
|-------|----------|--------------------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|
|       |          |                    |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |
|       |          |                    |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |
| FRONT |          |                    |       |              |                     |                           |                                 |                  |                 |                  |               |
| 16    | 70001454 | 120/70-16          | 57S   | TL/TT        | 3.50                | 2.75-3.75                 | 122                             | 574              | 134             | 586              |               |
| 17    | 70001457 | 120/70R17          | 58V   | TL/TT        | 3.5                 | 3.00-3.75                 | 122                             | 600              | 131             | 612              |               |
| 21    | 70001415 | 90/90-21 (3.00-21) | 54V   | TL/TT        | 2.15                | 1.85-2.50                 | 90                              | 695              | 99              | 707              | 70001356      |
| REAR  |          |                    |       |              |                     |                           |                                 |                  |                 |                  |               |
| 14    | 70001455 | 150/70-14          | 66S   | TL/TT        | 4.25                | 3.50-4.50                 | 151                             | 566              | 166             | 580              |               |
| 15    | 70001459 | 160/60R15          | 67V   | TL/TT        | 4.5                 | 4.25-5.00                 | 161                             | 573              | 172             | 587              |               |
| 18    | 70001411 | 150/70R18          | 70V   | TL/TT        | 4.25                | 3.50-4.50                 | 151                             | 667              | 166             | 693              | 70001345      |

ENDURO TRAIL - ADV

ON

70

30

OFF



- Classified for 70% on-road use and designed for all-round performance and confidence on paved roads as well as off-road.
- Multi compound tread technology with a longitudinal pattern ensures ultimate grip and durability in ON/OFF.
- Recommended for Dual-Purpose Adventure Touring motorcycles.

\* Mitas ENDURO TRAIL-ADV is not distributed in the following countries:  
France, UK, Italy, Germany, USA, China, Thailand and Indonesia.

| Inch  | Code     | Tyre size          | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 |
|-------|----------|--------------------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|
|       |          |                    |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |
|       |          |                    |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |
| FRONT |          |                    |       |              |                     |                           |                                 |                  |                 |                  |               |
| 19    | 70001201 | 110/80R19          | 59V   | TL/TT        | 2.50                | 2.50-3.00                 | 109                             | 659              | 117             | 671              | 70001351      |
| 19    | 70001096 | 120/70ZR19         | 60W   | TL/TT        | 3.50                | 3.00-3.75                 | 122                             | 651              | 131             | 663              | 70001350      |
| 21    | 70001202 | 90/90-21 (3.00-21) | 54V   | TL/TT        | 2.15                | 1.85-2.50                 | 90                              | 695              | 99              | 707              | 70001356      |
| REAR  |          |                    |       |              |                     |                           |                                 |                  |                 |                  |               |
| 17    | 70001199 | 150/70R17          | 69V   | TL/TT        | 4.25                | 4.00-4.50                 | 151                             | 642              | 162             | 656              | 70001337      |
| 17    | 70001095 | 170/60ZR17         | 72W   | TL/TT        | 4.50                | 4.50-5.50                 | 168                             | 636              | 180             | 650              | 70001337      |
| 18    | 70001200 | 150/70R18          | 70V   | TL/TT        | 4.25                | 4.00-4.50                 | 151                             | 667              | 162             | 681              | 70001345      |





MC-24 INVADER

ON 70 30 OFF

●●●●○

●●●●○

●●●●○

●●●●○

●●●●○

●●●●○

●●●●○



- Classified for 70% on-road use and designed for all-round performance and confidence on paved roads as well as off-road.
- Heavy-Duty compound combined with a deep crossed pattern ensure traction and predictable performance in ON/OFF.
- Recommended for Dual-Purpose Adventure Touring motorcycles.

| Inch  | Code     | Tyre size          | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|-------|----------|--------------------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|       |          |                    |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|       |          |                    |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT |          |                    |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 19    | 70000538 | 100/90-19          | 57S   | TL'          | 2.50                | 2.15-2.75                 | 101                             | 663              | 111             | 675              | 70001351      | 70001352      |
| 21    | 70000542 | 90/90-21 (3.00-21) | 54S   | TT           | 2.15                | 1.85-2.50                 | 90                              | 695              | 99              | 707              | 70001356      | 70001355      |
| REAR  |          |                    |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 17    | 70000540 | 120/90-17          | 64S   | TL'          | 2.75                | 2.50-3.00                 | 119                             | 648              | 131             | 664              | 70001337      |               |
| 17    | 70000541 | 130/80-17          | 65S   | TL'          | 3.00                | 2.50-3.50                 | 129                             | 640              | 142             | 654              | 70001337      |               |
| 18    | 70000539 | 120/80-18          | 62S   | TT           | 2.75                | 2.50-3.00                 | 119                             | 649              | 131             | 633              | 70001346      | 70001345      |



ENDURO TRAIL+

ON 60 40 OFF

●●●●○

●●●●○

●●●●○

●●●●○

●●●●○

●●●●○

●●●●○



- Classified M+S for 60% on-road use and designed for all-round performance and confidence on paved roads and gravel roads.
- Agressive big block chevron tread pattern gives it excellent grip, stability and cornering stability even in wet conditions. Available in a Heavy-Duty version or optional Ultra Heavy-Duty version (DAKAR) designed for extended durability.
- Recommended for all Dual-Purpose Adventure Touring motorcycles.
- OE fitment: KTM 390 ADVENTURE R 2025, KTM 125 ENDURO R 2025, KTM 890 ADVENTURE R 2023, CCM MAVERICK 2023





ENDURO TRAIL+

| Inch       | Code     | Tyre size          | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|------------|----------|--------------------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|            |          |                    |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|            |          |                    |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT      |          |                    |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 19         | 70001499 | 100/90-19          | 57H   | TL/TT        | 2.5                 | 2.15-2.75                 | 101                             | 663              | 111             | 685              | 70001351      | 70001352      |
| 19         | 70001033 | 110/80B19          | 59H   | TL/TT        | 2.50                | 2.15-3.00                 | 109                             | 659              | 120             | 681              | 70001351      |               |
| 19         | 70001035 | 120/70B19          | 60H   | TL/TT        | 3.50                | 2.75-3.75                 | 122                             | 651              | 134             | 671              | 70001352      |               |
| 21         | 70000537 | 90/90-21 (3.00-21) | 54T   | TL/TT        | 2.15                | 1.85-2.50                 | 90                              | 695              | 99              | 715              | 70001356      | 70001355      |
| 21         | 70001500 | 90/90-21 (3.00-21) | 54H   | TL/TT        | 2.15                | 1.85-2.50                 | 90                              | 695              | 99              | 715              | 70001356      | 70001355      |
| 21         | 70001291 | 90/90-21 (3.00-21) | 54T   | TL/TT        | 2.15                | 1.85-2.50                 | 90                              | 695              | 99              | 715              | 70001356      | 70001356      |
| REAR       |          |                    |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 17         | 70001208 | 120/90B17          | 64H   | TL/TT        | 2.75                | 2.50-3.00                 | 119                             | 648              | 131             | 648              | 70001337      |               |
| 17         | 70001037 | 130/80B17          | 65H   | TL/TT        | 3.00                | 2.50-3.50                 | 129                             | 640              | 142             | 664              | 70001337      |               |
| 17         | 70001038 | 140/80B17          | 69H   | TL/TT        | 3.50                | 2.75-3.75                 | 142                             | 656              | 156             | 682              | 70001337      |               |
| 17         | 70001437 | 140/80R17          | 69H   | TL/TT        | 3.5                 | 2.75-3.75                 | 142                             | 681              | 156             | 707              | 70001337      |               |
| 17         | 70001042 | 150/70B17          | 69H   | TL/TT        | 4.25                | 3.50-4.50                 | 151                             | 642              | 166             | 668              | 70001337      |               |
| 17         | 70001044 | 170/60B17          | 72H   | TL/TT        | 4.50                | 4.00-5.50                 | 168                             | 636              | 185             | 660              |               |               |
| 18         | 70001214 | 4.00B18            | 70H   | TL/TT        | 2.50                | 2.15-3.00                 | 108                             | 671              | 124             | 697              | 70001349      | 70001345      |
| 18         | 70001040 | 140/80B18          | 70H   | TL/TT        | 3.50                | 2.75-3.75                 | 142                             | 681              | 156             | 707              | 70001345      | 70001344      |
| 18         | 70001292 | 140/80B18          | 70T   | TL/TT        | 3.50                | 2.75-3.75                 | 142                             | 681              | 156             | 707              | 70001345      | 70001344      |
| 18         | 70000536 | 150/70B18          | 70T   | TL/TT        | 4.25                | 3.50-4.50                 | 151                             | 667              | 166             | 693              | 70001345      |               |
| 18         | 70001185 | 150/70B18          | 70H   | TL/TT        | 4.25                | 3.50-4.50                 | 151                             | 667              | 166             | 693              | 70001345      |               |
| 18         | 70001418 | 150/70R18          | 70T   | TL/TT        | 4.25                | 3.50-4.50                 | 151                             | 667              | 166             | 667              | 70001345      |               |
| FRONT/REAR |          |                    |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 18         | 70001036 | 120/80B18          | 62H   | TL/TT        | 2.75                | 2.50-3.00                 | 119                             | 649              | 131             | 673              | 70001346      | 70001345      |



ENDURO TRAIL+DAKAR

ON

6040

OFF





DAKAR

■ ■ Tyre with a stronger carcass and higher puncture resistance. Suitable for higher loads, longer adventure trips and extreme conditions.

| Inch  | Code     | Tyre size          | LI/SS | Type (TL/TT) | Stripe colour                                                                         | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|-------|----------|--------------------|-------|--------------|---------------------------------------------------------------------------------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|       |          |                    |       |              |                                                                                       |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|       |          |                    |       |              |                                                                                       |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT |          |                    |       |              |                                                                                       |                     |                           |                                 |                  |                 |                  |               |               |
| 19    | 70001032 | 110/80B19          | 59H   | TL/TT        |  | 2.50                | 2.15-3.00                 | 109                             | 659              | 120             | 681              | 70001351      |               |
| 19    | 70001034 | 120/70B19          | 60H   | TL/TT        |  | 3.50                | 2.75-3.75                 | 122                             | 651              | 134             | 671              | 70001352      |               |
| 21    | 70001187 | 90/90B21 (3.00B21) | 54H   | TL/TT        |  | 2.15                | 1.85-2.50                 | 90                              | 695              | 99              | 715              | 70001356      | 70001355      |
| REAR  |          |                    |       |              |                                                                                       |                     |                           |                                 |                  |                 |                  |               |               |
| 17    | 70001041 | 150/70B17          | 69H   | TL/TT        |  | 4.25                | 3.50-4.50                 | 151                             | 642              | 166             | 668              | 70001337      |               |
| 17    | 70001043 | 170/60B17          | 72H   | TL/TT        |  | 4.50                | 4.00-5.50                 | 168                             | 636              | 185             | 660              |               |               |
| 18    | 70001039 | 140/80B18          | 70H   | TL/TT        |  | 3.50                | 2.75-3.75                 | 142                             | 681              | 156             | 707              | 70001345      | 70001344      |
| 18    | 70001188 | 150/70B18          | 70H   | TL/TT        |  | 4.25                | 3.50-4.50                 | 151                             | 667              | 166             | 693              | 70001345      |               |



ADVENTURE

ADVENTURE

# ENDURO TRAIL

ON 50 50 OFF



- Classified M+S for 50% on-road use and designed for all-round performance and confidence on paved roads and gravel roads.
- Aggressive small block chevron tread pattern gives it excellent grip, stability and cornering stability even in wet conditions. Available in a Heavy-Duty version or optional Ultra Heavy-Duty version (DAKAR) designed for extended durability.
- Recommended for Dual-Purpose Adventure Touring motorcycles.

| Inch  | Code     | Tyre size           | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|-------|----------|---------------------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|       |          |                     |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|       |          |                     |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT |          |                     |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 19    | 70001002 | 110/80-19           | 59H   | TL/TT        | 2.50                | 2.15-3.00                 | 109                             | 659              | 120             | 681              | 70001351      |               |
| 21    | 70001016 | 90/90-21 (3.00-21)  | 54H   | TT           | 2.15                | 1.85-2.50                 | 90                              | 695              | 99              | 715              | 70001356      | 70001355      |
| 21    | 70001015 | 90/90-21 (3.00-21)  | 54H   | TL/TT        | 2.15                | 1.85-2.50                 | 90                              | 695              | 99              | 715              | 70001356      | 70001355      |
| REAR  |          |                     |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 17    | 70001003 | 120/90B17           | 64H   | TL/TT        | 2.75                | 2.50-3.00                 | 119                             | 648              | 131             | 674              | 70001337      |               |
| 17    | 70001004 | 130/80B17           | 65H   | TL/TT        | 3.00                | 2.50-3.50                 | 129                             | 640              | 142             | 664              | 70001337      |               |
| 17    | 70001006 | 140/80B17           | 69H   | TL/TT        | 3.50                | 2.75-3.75                 | 142                             | 656              | 156             | 682              | 70001337      |               |
| 17    | 70001011 | 150/70B17           | 69H   | TL/TT        | 4.25                | 3.50-4.50                 | 151                             | 642              | 166             | 668              | 70001337      |               |
| 18    | 70001005 | 130/80B18           | 72H   | TL/TT        | 3.00                | 2.50-3.50                 | 129                             | 665              | 142             | 689              | 70001343      | 70001344      |
| 18    | 70001008 | 140/80B18 (5.10B18) | 70H   | TL/TT        | 3.50                | 2.75-3.75                 | 142                             | 681              | 156             | 707              | 70001345      | 70001344      |
| 18    | 70001009 | 140/80B18 (5.10B18) | 70H   | TT           | 3.50                | 2.75-3.75                 | 142                             | 681              | 156             | 707              | 70001345      | 70001344      |
| 18    | 70001013 | 150/70B18           | 70H   | TL/TT        | 4.25                | 3.50-4.50                 | 151                             | 667              | 166             | 693              | 70001345      |               |

# ENDURO TRAIL DAKAR

ON 50 50 OFF

**DAKAR**

- ■ Tyre with a stronger carcass and higher puncture resistance. Suitable for higher loads, longer adventure trips and extreme conditions.

| Inch  | Code     | Tyre size           | LI/SS | Type (TL/TT) | Stripe colour                                                                                                                                                               | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|-------|----------|---------------------|-------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|       |          |                     |       |              |                                                                                                                                                                             |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|       |          |                     |       |              |                                                                                                                                                                             |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT |          |                     |       |              |                                                                                                                                                                             |                     |                           |                                 |                  |                 |                  |               |               |
| 19    | 70001001 | 110/80B19           | 59H   | TL/TT        |   | 2.50                | 2.15-3.00                 | 109                             | 659              | 120             | 681              | 70001351      |               |
| 21    | 70001014 | 90/90B21 (3.00B21)  | 54H   | TL/TT        |   | 2.15                | 1.85-2.50                 | 90                              | 695              | 99              | 715              | 70001356      | 70001355      |
| REAR  |          |                     |       |              |                                                                                                                                                                             |                     |                           |                                 |                  |                 |                  |               |               |
| 17    | 70001010 | 150/70B17           | 69H   | TL/TT        |   | 4.25                | 3.50-4.50                 | 151                             | 642              | 166             | 668              | 70001337      |               |
| 18    | 70001007 | 140/80B18 (5.10B18) | 70H   | TL/TT        |   | 3.50                | 2.75-3.75                 | 142                             | 681              | 156             | 707              | 70001345      | 70001344      |
| 18    | 70001012 | 150/70B18           | 70H   | TL/TT        |   | 4.25                | 3.50-4.50                 | 151                             | 667              | 166             | 693              | 70001345      |               |



MC-23

ON

40

60

OFF



●●●●○



●●●●○



●●●●○



●●●●○



●●●●○



●●●●○



●●●●○



M+S



OEM



- Classified M+S only for 40% on-road use and designed for all-round performance and confidence on gravel as well as on paved roads.
- Agressive big block tread pattern with a Heavy-Duty compound gives it excellent grip, stability and cornering stability even in wet conditions.
- Recommended for Dual-Purpose Adventure Touring motorcycles and small cubic capacity Enduro motorcycles.
- OE fitment: RIEJU MRT 50 ENDURO 2022, VALENTI RME 50 2023, MRT 50 ENDUROO PRO 2022, RME125Z 2023

| Inch | Code | Tyre size | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|------|------|-----------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|      |      |           |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|      |      |           |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |

ROCKRIDER

| FRONT |          |                    |     |    |      |           |     |     |     |     |          |          |
|-------|----------|--------------------|-----|----|------|-----------|-----|-----|-----|-----|----------|----------|
| 21    | 70000471 | 90/90-21 (3.00-21) | 54R | TT | 2.15 | 1.85-2.50 | 90  | 695 | 99  | 707 | 70001356 | 70001355 |
| REAR  |          |                    |     |    |      |           |     |     |     |     |          |          |
| 18    | 70000469 | 120/90-18          | 65R | TT | 2.75 | 2.50-3.00 | 119 | 673 | 131 | 689 | 70001343 | 70001344 |
| 18    | 70000470 | 140/80-18          | 70R | TT | 3.50 | 2.75-3.75 | 142 | 681 | 156 | 697 | 70001345 | 70001344 |

ROCKYRIDER

| FRONT |          |           |     |    |      |           |     |     |     |     |          |          |
|-------|----------|-----------|-----|----|------|-----------|-----|-----|-----|-----|----------|----------|
| 21    | 70000473 | 80/90-21  | 48P | TT | 1.85 | 1.60-2.15 | 80  | 677 | 88  | 695 | 70001356 | 70001355 |
| REAR  |          |           |     |    |      |           |     |     |     |     |          |          |
| 18    | 70000472 | 110/80-18 | 58P | TT | 2.50 | 2.15-3.00 | 109 | 633 | 120 | 653 | 70001346 | 70001343 |



CHRIS BIRCH





ADVENTURE

ADVENTURE

# ENDURO TRAIL-XT

ON 30 70 OFF



ET-XT ET-XT+

- Classified M+S only for 30% on-road use and designed for all-round performance and confidence on all types of gravel terrains as well as technical off-road trails.
- Aggressive longitudinal scoop shaped block tread pattern ensure grip on soft, muddy terrains as well as hard, rocky terrains without compromising paved road performance even in wet conditions. Available in a Heavy-Duty version or optional Ultra Heavy-Duty version (DAKAR) designed for extended durability.
- Recommended for Dual-Purpose Adventure Touring motorcycles.

| Inch | Code     | Tyre size | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|------|----------|-----------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|      |          |           |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|      |          |           |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| REAR |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 17   | 70001210 | 140/80B17 | 69T   | TL/TT        | 3.50                | 2.75-3.75                 | 142                             | 656              | 156             | 682              | 70001337      |               |
| 17   | 70001212 | 150/70B17 | 69T   | TL/TT        | 4.25                | 3.50-4.50                 | 151                             | 642              | 166             | 656              | 70001337      |               |
| 17   | 70001086 | 170/60B17 | 72T   | TL/TT        | 4.50                | 4.00-5.50                 | 168                             | 636              | 185             | 650              |               |               |
| 18   | 70001215 | 140/80B18 | 70T   | TL/TT        | 3.50                | 2.75-3.75                 | 142                             | 681              | 156             | 707              | 70001345      | 70001344      |
| 18   | 70001218 | 150/70B18 | 70T   | TL/TT        | 4.25                | 3.50-4.50                 | 151                             | 667              | 166             | 681              | 70001345      |               |
| 18   | 70001432 | 150/70R18 | 70T   | TL/TT        | 4.25                | 3.50-4.50                 | 151                             | 667              | 166             | 693              |               |               |

2025

# ENDURO TRAIL-XT DAKAR

ON 30 70 OFF



ET-XT ET-XT+

DAKAR

- Tyre with a stronger carcass and higher puncture resistance. Suitable for higher loads, longer adventure trips and extreme conditions.

| Inch | Code     | Tyre size | LI/SS | Type (TL/TT) | Stripe colour                     | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|------|----------|-----------|-------|--------------|-----------------------------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|      |          |           |       |              |                                   |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|      |          |           |       |              |                                   |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| REAR |          |           |       |              |                                   |                     |                           |                                 |                  |                 |                  |               |               |
| 17   | 70001209 | 140/80B17 | 69T   | TL/TT        | <div><div></div><div></div></div> | 3.50                | 2.75-3.75                 | 142                             | 656              | 156             | 682              | 70001337      |               |
| 17   | 70001211 | 150/70B17 | 69T   | TL/TT        | <div><div></div><div></div></div> | 4.25                | 3.50-4.50                 | 151                             | 642              | 166             | 656              | 70001337      |               |
| 17   | 70001213 | 170/60B17 | 72T   | TL/TT        | <div><div></div><div></div></div> | 4.50                | 4.00-5.50                 | 168                             | 636              | 185             | 650              |               |               |
| 18   | 70001216 | 140/80B18 | 70T   | TL/TT        | <div><div></div><div></div></div> | 3.50                | 2.75-3.75                 | 142                             | 681              | 156             | 707              | 70001345      | 70001344      |
| 18   | 70001217 | 150/70B18 | 70T   | TL/TT        | <div><div></div><div></div></div> | 4.25                | 3.50-4.50                 | 151                             | 667              | 166             | 681              | 70001345      |               |





# ENDURO TRAIL - XT+

ON2080OFF

●●●●○

●●●●○

●●●●○

●●●●○

●●●●○

●●●●○

●●●●○

●●●●○

M+S



- Classified M+S only for 20% on-road use and designed for all-round performance and confidence on all types of gravel terrains and especially on difficult off-road trails.
- Extremely aggressive longitudinal scoop shaped block tread pattern ensure grip on soft, muddy terrains as well as hard, rocky terrains with limited compromise of paved road performance. Available in a Heavy-Duty version or optional Ultra Heavy-Duty version (DAKAR) designed for extended durability.
- Recommended for Dual-Purpose Adventure Touring motorcycles in Rally configurations.

| Inch  | Code     | Tyre size          | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|-------|----------|--------------------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|       |          |                    |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|       |          |                    |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT |          |                    |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 19    | 70001141 | 100/90-19          | 57T   | TL/TT        | 2.50                | 2.15-2.75                 | 101                             | 663              | 111             | 685              | 70001351      | 70001352      |
| 19    | 70001177 | 110/80-19          | 59T   | TL/TT        | 2.50                | 2.15-3.00                 | 109                             | 659              | 120             | 681              | 70001351      |               |
| 19    | 70001179 | 120/70B19          | 60T   | TL/TT        | 3.50                | 2.75-3.75                 | 122                             | 651              | 134             | 671              | 70001352      |               |
| 21    | 70001150 | 80/90-21           | 48H   | TL/TT        | 1.85                | 1.60-2.15                 | 80                              | 677              | 88              | 695              | 70001356      | 70001355      |
| 21    | 70001031 | 90/90-21 (3.00-21) | 54T   | TL/TT        | 2.15                | 1.85-2.50                 | 90                              | 695              | 99              | 715              | 70001356      | 70001355      |
| 21    | 70001184 | 90/100-21          | 57H   | TL/TT        | 2.15                | 1.85-2.50                 | 90                              | 713              | 99              | 735              | 70001356      | 70001355      |
| REAR  |          |                    |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 17    | 70001257 | 130/80B17          | 65S   | TL/TT        | 3.00                | 2.50-3.50                 | 129                             | 640              | 142             | 664              | 70001337      |               |
| 17    | 70001181 | 170/60B17          | 72T   | TL/TT        | 4.50                | 4.00-5.50                 | 168                             | 636              | 185             | 650              |               |               |
| 18    | 70001019 | 110/80-18          | 58T   | TL/TT        | 2.50                | 2.15-3.00                 | 109                             | 659              | 120             | 655              | 70001346      | 70001343      |
| 18    | 70001149 | 120/90B18          | 65T   | TL/TT        | 2.75                | 2.50-3.00                 | 119                             | 673              | 131             | 689              | 70001343      | 70001344      |
| 18    | 70001026 | 140/80B18          | 70T   | TL/TT        | 3.50                | 2.75-3.75                 | 142                             | 681              | 156             | 707              | 70001345      | 70001344      |
| 18    | 70001029 | 150/70B18          | 70T   | TL/TT        | 4.25                | 3.50-4.50                 | 151                             | 667              | 166             | 693              | 70001345      |               |
| 18    | 70001431 | 150/70R18          | 70T   | TL/TT        | 4.25                | 3.50-4.50                 | 151                             | 667              | 166             | 693              | 70001345      |               |

# ENDURO TRAIL - XT+ DAKAR

ON2080OFF

●●●●○

●●●●○

●●●●○

●●●●○

●●●●○

●●●●○

●●●●○

●●●●○

M+S



## DAKAR

■ ■ Tyre with a stronger carcass and higher puncture resistance. Suitable for higher loads, longer adventure trips and extreme conditions.

| Inch  | Code     | Tyre size          | LI/SS | Type (TL/TT) | Stripe colour                     | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|-------|----------|--------------------|-------|--------------|-----------------------------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|       |          |                    |       |              |                                   |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|       |          |                    |       |              |                                   |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT |          |                    |       |              |                                   |                     |                           |                                 |                  |                 |                  |               |               |
| 19    | 70001020 | 110/80B19          | 59T   | TL/TT        | <div><div></div><div></div></div> | 2.50                | 2.15-3.00                 | 109                             | 659              | 120             | 681              | 70001351      |               |
| 19    | 70001178 | 120/70B19          | 60T   | TL/TT        | <div><div></div><div></div></div> | 3.50                | 2.75-3.75                 | 122                             | 625              | 134             | 637              | 70001352      |               |
| 21    | 70001182 | 80/90B21           | 48T   | TL/TT        | <div><div></div><div></div></div> | 1.85                | 1.60-2.15                 | 80                              | 677              | 88              | 695              | 70001356      | 70001355      |
| 21    | 70001030 | 90/90B21 (3.00B21) | 54T   | TL/TT        | <div><div></div><div></div></div> | 2.15                | 1.85-2.50                 | 90                              | 695              | 99              | 715              | 70001356      | 70001355      |
| 21    | 70001183 | 90/100B21          | 57H   | TL/TT        | <div><div></div><div></div></div> | 2.15                | 1.85-2.50                 | 90                              | 713              | 99              | 735              | 70001356      | 70001355      |
| REAR  |          |                    |       |              |                                   |                     |                           |                                 |                  |                 |                  |               |               |
| 17    | 70001021 | 120/90B17          | 64T   | TL/TT        | <div><div></div><div></div></div> | 3.50                | 2.50-3.00                 | 119                             | 648              | 131             | 674              | 70001337      |               |
| 17    | 70001022 | 130/80B17          | 65R   | TL/TT        | <div><div></div><div></div></div> | 3.00                | 2.50-3.50                 | 129                             | 640              | 142             | 664              | 70001337      |               |
| 17    | 70001024 | 140/80B17          | 69T   | TL/TT        | <div><div></div><div></div></div> | 3.50                | 2.75-3.75                 | 142                             | 656              | 156             | 682              | 70001337      |               |
| 17    | 70001027 | 150/70B17          | 69T   | TL/TT        | <div><div></div><div></div></div> | 4.25                | 3.50-4.50                 | 151                             | 642              | 166             | 668              | 70001337      |               |
| 17    | 70001180 | 170/60B17          | 72T   | TL/TT        | <div><div></div><div></div></div> | 4.50                | 4.00-5.50                 | 168                             | 636              | 185             | 650              |               |               |
| 18    | 70001023 | 130/80B18          | 72R   | TL/TT        | <div><div></div><div></div></div> | 3.00                | 2.50-3.50                 | 129                             | 665              | 142             | 689              | 70001343      | 70001344      |
| 18    | 70001025 | 140/80B18          | 70T   | TL/TT        | <div><div></div><div></div></div> | 3.50                | 2.75-3.75                 | 142                             | 681              | 156             | 707              | 70001345      | 70001344      |
| 18    | 70001028 | 150/70B18          | 70T   | TL/TT        | <div><div></div><div></div></div> | 4.25                | 3.50-4.50                 | 151                             | 667              | 166             | 693              | 70001345      |               |





SANDRA GOMEZ

# ENDURO TRAIL - RALLY



- Designed for high-speed Rally Raid competitions for all terrain types with class leading performance, stability and resistance to damage.
- High performance compound with an aggressive rear block tread pattern and reinforced carcass ensures the ultimate grip and durability at all temperatures and at all speeds. Three different front patterns options ensure maximum control on any terrain type.
- Recommended for Rally Adventure and Dual-Sports motorcycles.

| Inch | Code | Tyre size | LI/SS | Type (TL/TT) | Stripe colour | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Mousse option 1 | Tube option 1 | Tube option 2 |
|------|------|-----------|-------|--------------|---------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|-----------------|---------------|---------------|
|      |      |           |       |              |               |                     |                           | Design                          |                  | Max. in service |                  |                 |               |               |
|      |      |           |       |              |               |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |                 |               |               |



|       |          |                    |     |    |                                                                                       |      |           |    |     |    |     |          |          |          |
|-------|----------|--------------------|-----|----|---------------------------------------------------------------------------------------|------|-----------|----|-----|----|-----|----------|----------|----------|
| FRONT |          |                    |     |    |                                                                                       |      |           |    |     |    |     |          |          |          |
| 21    | 70000995 | 90/90-21 (3.00-21) | 54R | TT |  | 2.15 | 1.85-2.50 | 90 | 695 | 99 | 715 | 70000898 | 70001356 | 70001355 |



|       |          |                    |     |    |                                                                                       |      |           |    |     |    |     |          |          |          |
|-------|----------|--------------------|-----|----|---------------------------------------------------------------------------------------|------|-----------|----|-----|----|-----|----------|----------|----------|
| FRONT |          |                    |     |    |                                                                                       |      |           |    |     |    |     |          |          |          |
| 21    | 70000920 | 90/90-21 (3.00-21) | 54R | TT |  | 2.15 | 1.85-2.50 | 90 | 695 | 99 | 715 | 70000898 | 70001356 | 70001355 |
| 21    | 70000982 | 90/90-21 (3.00-21) | 54R | TT |  | 2.15 | 1.85-2.50 | 90 | 695 | 99 | 715 | 70000893 | 70001356 | 70001355 |



|       |          |                    |     |    |                                                                                       |      |           |    |     |    |     |          |          |          |
|-------|----------|--------------------|-----|----|---------------------------------------------------------------------------------------|------|-----------|----|-----|----|-----|----------|----------|----------|
| FRONT |          |                    |     |    |                                                                                       |      |           |    |     |    |     |          |          |          |
| 21    | 70000994 | 90/90-21 (3.00-21) | 54R | TT |  | 2.15 | 1.85-2.50 | 90 | 695 | 99 | 715 | 70000898 | 70001356 | 70001355 |

|      |          |           |     |       |                                                                                       |      |           |     |     |     |     |          |          |          |
|------|----------|-----------|-----|-------|---------------------------------------------------------------------------------------|------|-----------|-----|-----|-----|-----|----------|----------|----------|
| REAR |          |           |     |       |                                                                                       |      |           |     |     |     |     |          |          |          |
| 18   | 70000993 | 140/80-18 | 70R | TT    |  | 3.50 | 2.75-3.75 | 142 | 681 | 156 | 707 | 70000897 | 70001345 | 70001344 |
| 18   | 70001527 | 150/70-18 | 70R | TL/TT |  | 4.25 | 3.50-4.50 | 151 | 667 | 187 | 693 |          |          |          |

2025



**ADVENTURE CLASSIC****ADVENTURE CLASSIC**

**E-05**



**M+S**



- Classified M+S for ON/OFF road use and all terrain types.
- Classic Trail tread pattern ensures great durability, grip and performance.
- Recommended for Classic Trail motorcycles.

| Inch       | Code     | Tyre size | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|------------|----------|-----------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|            |          |           |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|            |          |           |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT      |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 21         | 70001143 | 2.75-21   | 45S   | TT           | 185                 | 140-185                   | 75                              | 689              | 86              | 707              | 70001356      | 70001355      |
| 21         | 70001371 | 3.00-21   | 54S   | TT           | 185                 | 160-215                   | 80                              | 703              | 92              | 723              | 70001356      | 70001355      |
| FRONT/REAR |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 19         | 70001146 | 3.25-19   | 54S   | TT           | 215                 | 185-2.50                  | 89                              | 665              | 102             | 687              | 70001351      |               |
| 19         | 70001147 | 3.50-19   | 63S   | TT           | 215                 | 185-2.50                  | 93                              | 675              | 107             | 699              | 70001351      |               |

## REINFORCED

| FRONT/REAR |          |         |     |    |      |          |     |     |     |     |          |          |
|------------|----------|---------|-----|----|------|----------|-----|-----|-----|-----|----------|----------|
| 16         | 70001148 | 3.25-16 | 55S | TT | 2.15 | 185-2.50 | 89  | 588 | 102 | 610 | 70001327 |          |
| 16         | 70001070 | 3.50-16 | 58S | TT | 2.15 | 215-2.50 | 93  | 598 | 166 | 622 | 70001327 |          |
| 18         | 70001144 | 3.00-18 | 52S | TT | 1.85 | 160-2.15 | 80  | 627 | 92  | 647 | 70001347 |          |
| 18         | 70001145 | 3.25-18 | 59S | TT | 2.15 | 185-2.50 | 89  | 639 | 102 | 661 | 70001347 | 70001346 |
| 18         | 70001083 | 3.50-18 | 62S | TT | 2.15 | 215-2.50 | 93  | 649 | 107 | 673 | 70001346 |          |
| 18         | 70001142 | 4.00-18 | 69S | TT | 2.50 | 215-3.00 | 108 | 671 | 124 | 697 | 70001349 | 70001345 |
| 19         | 70001084 | 4.00-19 | 71S | TT | 2.50 | 185-3.00 | 108 | 697 | 124 | 723 | 70001351 |          |

**E-06**



**M+S**



- Classified M+S for ON/OFF road use and all terrain types.
- Classic Trail tread pattern ensures great durability, grip and performance.
- Recommended for Classic Trail motorcycles.

| Inch       | Code     | Tyre size | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 |
|------------|----------|-----------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|
|            |          |           |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |
|            |          |           |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |
| FRONT/REAR |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |
| 16         | 70001018 | 275-16    | 46S   | TT           | 185                 | 140-185                   | 75                              | 562              | 86              | 580              | 70001328      |








*Gear up your motorbike, enjoy the silence of nature, quiet your mind and focus your body. Off-roading is enchanting, most demanding and oh so very addictive.*

PAUL BOLTON



# ENDURO TYRE APPLICATION (TERRA FORCE-EF)

| TREAD PATTERN       | VERSION     | STRIPE COLOR | WET ROCKS                                                                           | GRASS                                                                               | SAND                                                                                | CLAY AND MUD                                                                        | MID-SOFT                                                                            | LOOSE OVER HARD                                                                     | STONES / GRAVEL / ROCKS                                                             | HARD                                                                                |
|---------------------|-------------|--------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                     |             |              |  |  |  |  |  |  |  |  |
| FRONT               |             |              |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| TERRA FORCE-EF      | PRAKTIKA    |              |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| TERRA FORCE-EF      | SUPER       |              |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| TERRA FORCE-EF 2 SM | SUPER       |              |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| TERRA FORCE-EF 2 SM | SUPER LIGHT |              |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| TERRA FORCE-EF      | SUPER LIGHT |              |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| REAR                |             |              |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| TERRA FORCE-EF      | PRAKTIKA    |              |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| TERRA FORCE-EF      | SUPER       |              |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| TERRA FORCE-EF      | SUPER FAST  |              |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| TERRA FORCE-EF      | SUPER LIGHT |              |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| TERRA FORCE-EF      | ULTRA LIGHT |              |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| TERRA FORCE-EF      | SUPER SOFT  |              |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| TERRA FORCE-EF PRO  | SUPER SOFT  |              |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |



**SUPER & SUPER FAST**

Identified by the characteristic yellow stripe: medium carcass construction and compound, especially designed for high speed Enduro, ideal in hard dry conditions.

**FAST ENDURO**



**SUPER SOFT**

Identified by the characteristic double green stripe: light carcass construction with ultra gummy compound, especially designed for low speed extreme Enduro, ideal in wet slippery conditions.

**XTREME ENDURO**



**SUPER LIGHT & ULTRA LIGHT**

Identified by the characteristic green stripe: light, soft carcass construction and gummy compound, especially designed for medium speed technical Enduro, ideal in wet slippery conditions.

**TECHNICAL ENDURO**



**PRAKTIKA**

Optimal choice for everyday recreational riding in all terrain conditions.



# TERRA FORCE - EF

FAST ENDURO

TECHNICAL ENDURO

X TREME ENDURO



OEM



- Designed for Enduro FIM competition for all terrain types with best in class performance with outstanding traction, stability and resistance to wear in wet and dry conditions.
- Available in Super & Super Fast (Fast Enduro), Super Light & Ultra Light (Technical Enduro) and Super Soft (Extreme Enduro) versions.
- Recommended for Enduro, Hard Enduro and Dual-Sports motorcycles.
- OE fitment (SUPER version): BETA XTRAINER 250 AND 300 2024



# TERRA FORCE - EF

| Inch | Code | Tyre size | LI/SS | Type (TL/TT) | Stripe colour | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Mousse option 1 | Mousse option 2 | Mousse option 3 | Tube option 1 | Tube option 2 |
|------|------|-----------|-------|--------------|---------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|-----------------|-----------------|-----------------|---------------|---------------|
|      |      |           |       |              |               |                     |                           | Design                          |                  | Max. in service |                  |                 |                 |                 |               |               |
|      |      |           |       |              |               |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |                 |                 |                 |               |               |

SUPER



| FRONT |          |                    |     |    |                                                                                     |      |           |     |     |     |     |          |          |          |          |          |
|-------|----------|--------------------|-----|----|-------------------------------------------------------------------------------------|------|-----------|-----|-----|-----|-----|----------|----------|----------|----------|----------|
| 21    | 70000961 | 90/90-21 (3.00-21) | 54R | TT |  | 2.15 | 185-2.50  | 90  | 695 | 99  | 715 | 70000893 |          |          | 70001356 | 70001355 |
| 21    | 70000959 | 90/100-21          | 57R | TT |  | 2.15 | 185-2.50  | 90  | 713 | 113 | 735 | 70000892 |          |          | 70001356 | 70001355 |
| REAR  |          |                    |     |    |                                                                                     |      |           |     |     |     |     |          |          |          |          |          |
| 18    | 70000951 | 110/80-18          | 58M | TT |  | 2.50 | 2.15-3.00 | 109 | 633 | 136 | 655 | 70000882 |          |          | 70001346 | 70001343 |
| 18    | 70000954 | 120/90-18          | 65R | TT |  | 2.75 | 2.50-3.00 | 119 | 673 | 149 | 699 | 70000886 | 70000887 |          | 70001343 | 70001344 |
| 18    | 70000957 | 140/80-18          | 70R | TT |  | 3.50 | 2.75-3.75 | 142 | 681 | 178 | 707 | 70000889 | 70000890 | 70000895 | 70001345 | 70001344 |

SUPER FAST



| REAR |          |           |     |    |                                                                                     |      |           |     |     |     |     |  |  |  |  |  |
|------|----------|-----------|-----|----|-------------------------------------------------------------------------------------|------|-----------|-----|-----|-----|-----|--|--|--|--|--|
| 18   | 70001572 | 140/80-18 | 70R | TT |  | 3.50 | 2.75-3.75 | 142 | 681 | 176 | 707 |  |  |  |  |  |

SUPER LIGHT



| FRONT |          |                    |     |    |                                                                                       |      |           |     |     |     |     |          |          |          |          |          |
|-------|----------|--------------------|-----|----|---------------------------------------------------------------------------------------|------|-----------|-----|-----|-----|-----|----------|----------|----------|----------|----------|
| 21    | 70000960 | 90/90-21 (3.00-21) | 54R | TT |   | 2.15 | 185-2.50  | 90  | 695 | 99  | 715 | 70000893 |          |          | 70001356 | 70001355 |
| 21    | 70000958 | 90/100-21          | 57R | TT |  | 2.15 | 185-2.50  | 90  | 713 | 113 | 735 | 70000892 |          |          | 70001356 | 70001355 |
| REAR  |          |                    |     |    |                                                                                       |      |           |     |     |     |     |          |          |          |          |          |
| 18    | 70000953 | 120/90-18          | 65R | TT |  | 2.75 | 2.50-3.00 | 119 | 673 | 149 | 699 | 70000886 | 70000887 |          | 70001343 | 70001344 |
| 18    | 70000956 | 140/80-18          | 70R | TT |  | 3.50 | 2.75-3.75 | 142 | 681 | 178 | 707 | 70000889 | 70000890 | 70000895 | 70001345 | 70001344 |

ULTRA LIGHT



| REAR |          |           |     |    |                                                                                       |      |           |     |     |     |     |  |  |  |  |  |
|------|----------|-----------|-----|----|---------------------------------------------------------------------------------------|------|-----------|-----|-----|-----|-----|--|--|--|--|--|
| 18   | 70001573 | 140/80-18 | 70R | TT |  | 3.50 | 2.75-3.75 | 142 | 681 | 176 | 707 |  |  |  |  |  |

SUPER SOFT

| REAR |          |           |     |    |                                                                                       |      |           |     |     |     |     |          |          |          |          |          |
|------|----------|-----------|-----|----|---------------------------------------------------------------------------------------|------|-----------|-----|-----|-----|-----|----------|----------|----------|----------|----------|
| 18   | 70000952 | 120/90-18 | 65M | TT |  | 3.50 | 2.75-3.75 | 119 | 673 | 149 | 699 | 70000886 | 70000887 |          | 70001343 | 70001344 |
| 18   | 70000955 | 140/80-18 | 70M | TT |  | 3.50 | 2.75-3.75 | 142 | 681 | 178 | 707 | 70000889 | 70000890 | 70000895 | 70001345 | 70001344 |

PRAKTIKA



| FRONT |          |                    |     |    |  |      |           |     |     |     |     |  |  |  |  |  |
|-------|----------|--------------------|-----|----|--|------|-----------|-----|-----|-----|-----|--|--|--|--|--|
| 21    | 70001555 | 90/90-21 (3.00-21) | 54M | TT |  | 2.15 | 185-2.50  | 90  | 695 | 113 | 715 |  |  |  |  |  |
| 21    | 70001556 | 90/100-21          | 57R | TT |  | 2.15 | 185-2.50  | 90  | 713 | 113 | 735 |  |  |  |  |  |
| REAR  |          |                    |     |    |  |      |           |     |     |     |     |  |  |  |  |  |
| 18    | 70001557 | 140/80-18          | 70R | TT |  | 3.50 | 2.75-3.75 | 142 | 681 | 176 | 707 |  |  |  |  |  |



# TERRA FORCE - EF PRO

**X**TREME ENDURO 



- Designed for Extreme Enduro FIM competition for all techical sections in all terrain types, especially recommended on slippery and rocky off-road terrains. Available in rear only sizes.
- Ultra-soft carcass construction and Super Soft (Extreme Enduro) compound delivering extreme traction and ultimate grip.
- Recommended for Enduro and Hard Enduro motorcycles.


| Inch | Code | Tyre size | LI/SS | Type (TL/TT) | Stripe colour | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Mousse option 1 | Mousse option 2 | Mousse option 3 | Tube option 1 | Tube option 2 |
|------|------|-----------|-------|--------------|---------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|-----------------|-----------------|-----------------|---------------|---------------|
|      |      |           |       |              |               |                     |                           | Design                          |                  | Max. in service |                  |                 |                 |                 |               |               |
|      |      |           |       |              |               |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |                 |                 |                 |               |               |

## SUPER SOFT

| REAR |          |           |     |    |                                   |      |           |     |     |     |     |          |          |          |          |          |
|------|----------|-----------|-----|----|-----------------------------------|------|-----------|-----|-----|-----|-----|----------|----------|----------|----------|----------|
| 18   | 70000962 | 140/80-18 | 70M | TT | <div><div></div><div></div></div> | 3.50 | 2.75-3.75 | 142 | 681 | 178 | 707 | 70000889 | 70000890 | 70000895 | 70001345 | 70001344 |

# TERRA FORCE - EF 2 SM

**F**AST ENDURO   **T**ECHNICAL ENDURO  



- Designed for Enduro FIM competition for Soft to Medium terrain types and excellent at absorbing small to large bumps and obstacles.
- Available in Super (Fast Enduro), Super Light (Technical Enduro).
- Recommended for Enduro, Hard Enduro and Dual-Sports motorcycles.

| Inch | Code | Tyre size | LI/SS | Type (TL/TT) | Stripe colour | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Mousse option 1 | Tube option 1 | Tube option 2 |
|------|------|-----------|-------|--------------|---------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|-----------------|---------------|---------------|
|      |      |           |       |              |               |                     |                           | Design                          |                  | Max. in service |                  |                 |               |               |
|      |      |           |       |              |               |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |                 |               |               |

## SUPER

| FRONT |          |                    |     |    |                                                                                     |      |           |    |     |     |     |          |          |          |
|-------|----------|--------------------|-----|----|-------------------------------------------------------------------------------------|------|-----------|----|-----|-----|-----|----------|----------|----------|
| 21    | 70000964 | 90/90-21 (3.00-21) | 54R | TT |  | 2.15 | 1.85-2.50 | 90 | 695 | 99  | 715 | 70000893 | 70001356 | 70001355 |
| 21    | 70001192 | 90/100-21          | 57R | TT |  | 2.15 | 1.85-2.50 | 90 | 713 | 113 | 735 | 70000892 | 70001356 | 70001355 |


## SUPER LIGHT

| FRONT |          |                    |     |    |                                                                                       |      |           |    |     |     |     |          |          |          |
|-------|----------|--------------------|-----|----|---------------------------------------------------------------------------------------|------|-----------|----|-----|-----|-----|----------|----------|----------|
| 21    | 70000963 | 90/90-21 (3.00-21) | 54R | TT |  | 2.15 | 1.85-2.50 | 90 | 695 | 99  | 715 | 70000893 | 70001356 | 70001355 |
| 21    | 70001191 | 90/100-21          | 57R | TT |  | 2.15 | 1.85-2.50 | 90 | 713 | 113 | 735 | 70000892 | 70001356 | 70001355 |





ENDURO TYRE APPLICATION

| TREAD PATTERN      | VERSION     | STRIPE COLOR | WET ROCKS                                                                          | GRASS                                                                               | SAND                                                                                | CLAY AND MUD                                                                        | MID-SOFT                                                                            | LOOSE OVER HARD                                                                     | STONES / GRAVEL / ROCKS                                                             | HARD                                                                                | SNOW / ICE                                                                          |
|--------------------|-------------|--------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                    |             |              |  |  |  |  |  |  |  |  |  |
| FRONT              |             |              |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| TERRA FORCE-EX HT* | ICE         | □            |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| ENDURO HYBRID      | SUPER       | ■            |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| TERRA FORCE-EX MH  | SUPER       | ■            |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| TERRA FORCE-EX MH  | SUPER LIGHT | ■            |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| TERRA FORCE-EX SM  | SUPER LIGHT | ■            |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| REAR               |             |              |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| TERRA FORCE-EX HT* | ICE         | □            |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| ENDURO HYBRID      | SUPER       | ■            |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| TERRA FORCE-EX MH  | SUPER       | ■            |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| TERRA FORCE-EX SM  | SUPER       | ■            |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| TERRA FORCE-EX XT  | SUPER       | ■            |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| TERRA FORCE-EX MH  | SUPER LIGHT | ■            |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| ENDURO HYBRID      | SUPER LIGHT | ■            |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| STONE KING         |             |              |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| TERRA FORCE-EX SM  | SUPER LIGHT | ■            |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| TERRA FORCE-EX XT  | SUPER LIGHT | ■            |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| TERRA FORCE-EX MH  | SUPER SOFT  | ■ ■          |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |

\* Developed for low temperatures



**SUPER**

Identified by the characteristic yellow stripe: medium carcass construction and compound, especially designed for high speed Enduro, ideal in hard dry conditions.

**FAST ENDURO**



**SUPER SOFT**

Identified by the characteristic double green stripe: light carcass construction with ultra gummy compound, especially designed for low speed extreme Enduro, ideal in wet slippery conditions.

**X TREME ENDURO**



**SUPER LIGHT**

Identified by the characteristic green stripe: light, soft carcass construction and gummy compound, especially designed for medium speed technical Enduro, ideal in wet slippery conditions.

**TECHNICAL ENDURO**



TERRA FORCE-EX SM

SOFT MEDIUM TERRAIN

FAST ENDURO TECHNICAL ENDURO



- Designed for Enduro Xross competition for all Soft to Medium terrain types with class leading performance, stability and resistance to wear in wet or dry conditions.
- Available in Super (Fast Enduro) and Super Light (Technical Enduro) versions.
- Recommended for Enduro and Dual-Sports motorcycles.

| Inch | Code | Tyre size | LI/SS | Type (TL/TT) | Stripe colour | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Mousse option 1 | Mousse option 2 | Tube option 1 | Tube option 2 |
|------|------|-----------|-------|--------------|---------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|-----------------|-----------------|---------------|---------------|
|      |      |           |       |              |               |                     |                           | Design                          |                  | Max. in service |                  |                 |                 |               |               |
|      |      |           |       |              |               |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |                 |                 |               |               |

SUPER

| REAR |          |           |     |    |  |      |           |     |     |     |     |          |          |          |          |
|------|----------|-----------|-----|----|--|------|-----------|-----|-----|-----|-----|----------|----------|----------|----------|
| 18   | 70000979 | 120/90-18 | 65R | TT |  | 2.75 | 2.50-3.00 | 119 | 673 | 149 | 699 | 70000886 | 70000887 | 70001343 | 70001344 |
| 18   | 70001568 | 140/80-18 | 70M | TT |  | 3.50 | 2.75-3.75 | 142 | 681 | 176 | 707 |          |          |          |          |

2025

SUPER LIGHT

| FRONT |          |                    |     |    |  |      |           |    |     |    |     |          |  |          |          |
|-------|----------|--------------------|-----|----|--|------|-----------|----|-----|----|-----|----------|--|----------|----------|
| 21    | 70000921 | 80/100-21          | 51M | TT |  | 1.85 | 1.60-2.15 | 80 | 693 | 88 | 713 | 70000891 |  | 70001356 | 70001355 |
| 21    | 70000980 | 90/90-21 (3.00-21) | 54M | TT |  | 2.15 | 1.85-2.50 | 90 | 695 | 99 | 715 | 70000893 |  | 70001356 | 70001355 |

| REAR |          |            |     |    |  |      |           |     |     |     |     |          |          |          |          |
|------|----------|------------|-----|----|--|------|-----------|-----|-----|-----|-----|----------|----------|----------|----------|
| 18   | 70000977 | 110/100-18 | 64R | TT |  | 2.50 | 2.15-3.00 | 109 | 677 | 136 | 703 |          |          | 70001343 | 70001344 |
| 18   | 70000978 | 120/90-18  | 65R | TT |  | 2.75 | 2.50-3.00 | 119 | 673 | 149 | 699 | 70000886 | 70000887 | 70001343 | 70001344 |
| 18   | 70001569 | 140/80-18  | 70M | TT |  | 3.50 | 2.75-3.75 | 142 | 681 | 176 | 707 |          |          |          |          |

2025



TERRA FORCE-EX MH

MEDIUM HARD TERRAIN

FAST ENDURO TECHNICAL ENDURO XTREME ENDURO



- Designed for Enduro Xross competition for all Medium to Hard terrain types with class leading performance, stability and resistance to wear in wet or dry conditions.
- Available in Super (Fast Enduro), Super Light (Technical Enduro) and Super Soft (Xtreme Enduro) versions.
- Recommended for Enduro and Dual-Sports motorcycles, including Junior Enduro.

| Inch | Code | Tyre size | LI/SS | Type (TL/TT) | Stripe colour | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Mousse option 1 | Mousse option 2 | Tube option 1 | Tube option 2 |
|------|------|-----------|-------|--------------|---------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|-----------------|-----------------|---------------|---------------|
|      |      |           |       |              |               |                     |                           | Design                          |                  | Max. in service |                  |                 |                 |               |               |
|      |      |           |       |              |               |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |                 |                 |               |               |

SUPER



| FRONT |          |           |     |    |  |      |           |    |     |     |     |          |  |          |          |
|-------|----------|-----------|-----|----|--|------|-----------|----|-----|-----|-----|----------|--|----------|----------|
| 14    | 70000976 | 90/90-14  | 46M | TT |  | 2.15 | 1.85-2.50 | 90 | 518 | 113 | 530 |          |  | 70001323 |          |
| 19    | 70000971 | 70/100-19 | 42M | TT |  | 1.60 | 1.40-1.85 | 69 | 623 | 86  | 639 |          |  | 70001351 |          |
| 21    | 70001073 | 80/100-21 | 51R | TT |  | 1.85 | 1.60-2.15 | 80 | 693 | 88  | 713 |          |  | 70001356 | 70001355 |
| 21    | 70000975 | 90/100-21 | 57R | TT |  | 2.15 | 1.85-2.50 | 90 | 713 | 113 | 735 | 70000892 |  | 70001356 | 70001355 |

| REAR |          |            |     |    |  |      |           |     |     |     |     |          |          |          |          |
|------|----------|------------|-----|----|--|------|-----------|-----|-----|-----|-----|----------|----------|----------|----------|
| 18   | 70001071 | 100/100-18 | 59R | TT |  | 2.50 | 2.15-2.75 | 101 | 657 | 126 | 681 |          |          | 70001344 | 70001343 |
| 18   | 70001072 | 110/100-18 | 64R | TT |  | 2.50 | 2.15-3.00 | 109 | 677 | 136 | 703 |          |          | 70001343 | 70001344 |
| 18   | 70000970 | 120/90-18  | 65M | TT |  | 2.75 | 2.50-3.00 | 119 | 673 | 149 | 699 | 70000886 | 70000887 | 70001343 | 70001344 |
| 18   | 70001403 | 120/100-18 | 68M | TT |  | 2.75 | 2.50-3.00 | 119 | 697 | 149 | 725 |          |          | 70001349 | 70001345 |
| 18   | 70001565 | 140/80-18  | 70R | TT |  | 3.50 | 2.75-3.75 | 142 | 681 | 176 | 707 |          |          |          |          |

2025

SUPER LIGHT



| FRONT |          |           |     |    |  |      |           |    |     |     |     |          |  |          |          |
|-------|----------|-----------|-----|----|--|------|-----------|----|-----|-----|-----|----------|--|----------|----------|
| 21    | 70000974 | 90/100-21 | 57R | TT |  | 2.15 | 1.85-2.50 | 90 | 713 | 113 | 735 | 70000892 |  | 70001356 | 70001355 |

| REAR |          |            |     |    |  |      |           |     |     |     |     |          |          |          |          |
|------|----------|------------|-----|----|--|------|-----------|-----|-----|-----|-----|----------|----------|----------|----------|
| 18   | 70000965 | 100/100-18 | 59M | TT |  | 2.50 | 2.15-2.75 | 101 | 657 | 126 | 681 |          |          | 70001344 | 70001343 |
| 18   | 70000966 | 110/100-18 | 64M | TT |  | 2.50 | 2.15-3.00 | 109 | 677 | 136 | 703 |          |          | 70001343 | 70001344 |
| 18   | 70000969 | 120/90-18  | 65M | TT |  | 2.75 | 2.50-3.00 | 119 | 673 | 149 | 699 | 70000886 | 70000887 | 70001343 | 70001344 |
| 18   | 70000992 | 120/100-18 | 68M | TT |  | 2.75 | 2.50-3.00 | 119 | 697 | 149 | 725 | 70000884 |          | 70001345 |          |
| 18   | 70001566 | 140/80-18  | 70R | TT |  | 3.50 | 2.75-3.75 | 142 | 681 | 176 | 707 |          |          |          |          |

2025

SUPER SOFT



| REAR |          |            |     |    |  |      |           |     |     |       |     |          |          |          |          |
|------|----------|------------|-----|----|--|------|-----------|-----|-----|-------|-----|----------|----------|----------|----------|
| 12   | 70000972 | 90/100-12  | 46M | TT |  | 2.15 | 1.85-2.50 | 90  | 485 | 97    | 507 |          |          | 70001318 | 70001319 |
| 16   | 70000973 | 90/100-16  | 51M | TT |  | 2.15 | 1.85-2.50 | 90  | 586 | 112.5 | 608 |          |          | 70001327 | 70001331 |
| 18   | 70000967 | 110/100-18 | 64M | TT |  | 2.50 | 2.15-3.00 | 109 | 677 | 136   | 703 | 70000891 |          | 70001343 | 70001344 |
| 18   | 70000968 | 120/90-18  | 65M | TT |  | 2.75 | 2.50-3.00 | 119 | 673 | 149   | 699 | 70000886 | 70000887 | 70001343 | 70001344 |
| 18   | 70001404 | 120/100-18 | 68M | TT |  | 2.75 | 2.50-3.00 | 119 | 697 | 149   | 725 |          |          |          |          |
| 18   | 70001567 | 140/80-18  | 70M | TT |  | 3.50 | 2.75-3.75 | 142 | 681 | 176   | 707 |          |          |          |          |

2025





PAUL BOLTON

# TERRA FORCE-EX XT

**X**TREME TERRAIN

**F**AST ENDURO

**T**ECHNICAL ENDURO



- Designed for technical Enduro Xross for all Extreme terrains types with class leading performance, excellent traction and resistance to punctures.
- Available in Super (Fast) and Super Light (Technical Enduro) versions.
- Recommended for Enduro and Dual-Sports motorcycles.

| Inch                                                                                                                      | Code     | Tyre size | LI/SS | Type (TL/TT) | Stripe colour                                                                         | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Mousse option 1 | Mousse option 2 | Tube option 1 | Tube option 2 |
|---------------------------------------------------------------------------------------------------------------------------|----------|-----------|-------|--------------|---------------------------------------------------------------------------------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|-----------------|-----------------|---------------|---------------|
|                                                                                                                           |          |           |       |              |                                                                                       |                     |                           | Design                          |                  | Max. in service |                  |                 |                 |               |               |
|                                                                                                                           |          |           |       |              |                                                                                       |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |                 |                 |               |               |
| <div><div>SUPER</div><div></div></div> |          |           |       |              |                                                                                       |                     |                           |                                 |                  |                 |                  |                 |                 |               |               |
| REAR                                                                                                                      |          |           |       |              |                                                                                       |                     |                           |                                 |                  |                 |                  |                 |                 |               |               |
| 18                                                                                                                        | 70000987 | 120/90-18 | 65M   | TT           |  | 2.75                | 2.50-3.00                 | 119                             | 673              | 149             | 699              | 70000886        | 70000887        | 70001343      | 70001344      |
| 19                                                                                                                        | 70000986 | 110/90-19 | 62R   | TT           |  | 2.75                | 2.15-3.00                 | 109                             | 681              | 136             | 705              | 70000883        |                 | 70001352      | 70001351      |
| <div><div>SUPER LIGHT</div></div>                                                                                         |          |           |       |              |                                                                                       |                     |                           |                                 |                  |                 |                  |                 |                 |               |               |
| REAR                                                                                                                      |          |           |       |              |                                                                                       |                     |                           |                                 |                  |                 |                  |                 |                 |               |               |
| 18                                                                                                                        | 70000981 | 120/90-18 | 65M   | TT           |  | 2.75                | 2.50-3.00                 | 119                             | 673              | 149             | 699              | 70000886        | 70000887        | 70001343      | 70001344      |



# TERRA FORCE-EX HT



- Designed for Technical Enduro Xross for all Hard terrain types with class leading performance, excellent traction and resistance to punctures.
- Available in ICE version with a special compound designed to perform even at the lowest temperatures and suitable for studding.
- Recommended for Enduro and Dual-Sports motorcycles.

| Inch | Code | Tyre size | LI/SS | Type (TL/TT) | Stripe colour | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Mousse option 1 | Tube option 1 | Tube option 2 |
|------|------|-----------|-------|--------------|---------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|-----------------|---------------|---------------|
|      |      |           |       |              |               |                     |                           | Design                          |                  | Max. in service |                  |                 |               |               |
|      |      |           |       |              |               |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |                 |               |               |

ICE

FRONT

|    |          |                    |     |    |                          |     |         |    |     |    |     |          |          |          |
|----|----------|--------------------|-----|----|--------------------------|-----|---------|----|-----|----|-----|----------|----------|----------|
| 19 | 70001075 | 70/100-19          | 42M | TT | <input type="checkbox"/> | 160 | 140-185 | 69 | 623 | 86 | 639 | 70001194 | 70001351 |          |
| 21 | 70000991 | 90/90-21 (3.00-21) | 51M | TT | <input type="checkbox"/> | 185 | 160-215 | 80 | 703 | 92 | 723 |          | 70001356 | 70001355 |

REAR

|    |          |            |     |    |                          |     |         |     |     |       |     |          |          |          |
|----|----------|------------|-----|----|--------------------------|-----|---------|-----|-----|-------|-----|----------|----------|----------|
| 16 | 70001074 | 90/100-16  | 51M | TT | <input type="checkbox"/> | 215 | 185-250 | 90  | 586 | 112.5 | 608 | 70001193 | 70001327 | 70001331 |
| 18 | 70000989 | 110/100-18 | 64M | TT | <input type="checkbox"/> | 250 | 215-300 | 109 | 677 | 136   | 703 |          | 70001343 | 70001344 |
| 19 | 70000988 | 100/90-19  | 57M | TT | <input type="checkbox"/> | 250 | 215-275 | 101 | 663 | 216   | 685 | 70000881 | 70001351 | 70001352 |
| 19 | 70000990 | 110/90-19  | 62M | TT | <input type="checkbox"/> | 275 | 215-300 | 109 | 681 | 136   | 705 | 70000883 | 70001352 | 70001351 |

# ENDURO HYBRID



- Designed for variety of hard and rocky terrains with the characteristics of a Trial combined with an Enduro tyre.
- Available in Super and Super Light versions.
- Recommended for Enduro and MX motorcycles.

| Inch        | Code     | Tyre size            | LI/SS | Type (TL/TT) | Stripe colour                                                                         | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|-------------|----------|----------------------|-------|--------------|---------------------------------------------------------------------------------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|             |          |                      |       |              |                                                                                       |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|             |          |                      |       |              |                                                                                       |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| SUPER       |          |                      |       |              |                                                                                       |                     |                           |                                 |                  |                 |                  |               |               |
| FRONT       |          |                      |       |              |                                                                                       |                     |                           |                                 |                  |                 |                  |               |               |
| 21          | 70001189 | 80/100-21 (2.75-21)  | 51P   | TL/TT        |    | 1.85                | 1.60-2.15                 | 80                              | 693              | 88              | 713              | 70001356      | 70001355      |
| REAR        |          |                      |       |              |                                                                                       |                     |                           |                                 |                  |                 |                  |               |               |
| 18          | 70001060 | 120/100-18           | 68P   | TL/TT        |    | 2.75                | 2.50-3.00                 | 119                             | 697              | 131             | 725              | 70001343      |               |
| 19          | 70001062 | 110/90-19            | 62P   | TL/TT        |    | 2.50                | 2.15-3.00                 | 109                             | 681              | 120             | 705              | 70001352      | 70001351      |
| SUPER LIGHT |          |                      |       |              |                                                                                       |                     |                           |                                 |                  |                 |                  |               |               |
| REAR        |          |                      |       |              |                                                                                       |                     |                           |                                 |                  |                 |                  |               |               |
| 18          | 70001061 | 120/100-18 (4.00-18) | 68P   | TL/TT        |  | 2.75                | 2.50-3.00                 | 119                             | 697              | 131             | 725              | 70001349      | 70001345      |
| 19          | 70001063 | 110/90-19            | 62P   | TL/TT        |  | 2.50                | 2.15-3.00                 | 109                             | 681              | 120             | 705              | 70001352      | 70001351      |

# STONE KING






















- Designed specifically for all off-road terrains and rugged trails.
- High performance cut resistant compound with extra large knobbles.
- Recommended for Trail, Enduro and MotoXross motorcycles.

| Inch | Code     | Tyre size | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Mousse option 1 | Tube option 1 | Tube option 2 |
|------|----------|-----------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|-----------------|---------------|---------------|
|      |          |           |       |              |                     |                           | Design                          |                  | Max. in service |                  |                 |               |               |
|      |          |           |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |                 |               |               |
| REAR |          |           |       |              |                     |                           |                                 |                  |                 |                  |                 |               |               |
| 17   | 70000985 | 130/80-17 | 65N   | TT           | 3.00                | 2.50-3.50                 | 129                             | 640              | 161             | 664              |                 | 70001337      |               |
| 18   | 70000983 | 120/90-18 | 71N   | TT           | 2.75                | 2.50-3.00                 | 119                             | 673              | 149             | 699              | 70000886        | 70001343      | 70001344      |
| 18   | 70001570 | 140/80-18 | 70M   | TT           | 3.50                | 2.75-3.75                 | 142                             | 681              | 176             | 707              |                 |               |               |
| 19   | 70000984 | 120/90-19 | 66N   | TT           | 2.75                | 2.50-3.00                 | 119                             | 699              | 148             | 725              | 70000888        | 70001350      | 70001351      |



MOTOCROSS TYRE APPLICATION

| TREAD PATTERN         | VERSION   | STRIPE COLOUR                                                                      | SAND/MUD<br><i>Sand and/or muddy</i>                                                | CLAY/MUD<br><i>Muddy / sticky with hard race line</i>                               | MID-SOFT<br><i>Prepared track, conditions stay stable.</i>                           | LOOSE OVER HARD<br><i>Track becomes hard with lose dirt.</i>                          | BLUE GROOVE<br><i>Track becomes blue groove</i>                                       |
|-----------------------|-----------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                       |           |                                                                                    |    |    |    |    |    |
| FRONT                 |           |                                                                                    |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
| TERRA FORCE-MX SAND   |           |   |    |    |                                                                                      |                                                                                       |                                                                                       |
| TERRA FORCE-MX SM     |           |   |    |    |    |    |    |
| TERRA FORCE-MX SM     | PRAKTIKA  |                                                                                    |    |    |    |    |    |
| TERRA FORCE-MX IT     | PIT CROSS |   |    |    |    |    |    |
| TERRA FORCE-MX MH     |           |   |    |    |    |    |    |
| TERRA FORCE-MX MH     | PRAKTIKA  |                                                                                    |    |    |    |    |    |
| REAR                  |           |                                                                                    |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
| TERRA FORCE-MX SAND 2 |           |   |    |    |    |                                                                                       |                                                                                       |
| TERRA FORCE-MX SM     |           |   |    |    |    |    |    |
| TERRA FORCE-MX SM     | PRAKTIKA  |                                                                                    |    |    |    |    |    |
| TERRA FORCE-MX IT     | PIT CROSS |   |    |    |    |    |    |
| TERRA FORCE-MX MH     |           |  |   |   |   |   |   |
| TERRA FORCE-MX MH     | PRAKTIKA  |                                                                                    |  |  |  |  |  |




SAND TERRAIN

Motocross competition tyre made from the hardest tread compound for soft and sandy terrain.




SOFT MEDIUM TERRAIN

Motocross competition tyre made from a medium hard tread compound for soft to medium terrain.



INTERMEDIATE TERRAIN

Pitcross tyre made from softer tread compound for intermediate terrain.



MEDIUM HARD TERRAIN

Motocross competition tyre made from the softest tread compound for medium to hard terrain.



PRAKTIKA

Optimal choice for everyday recreational riding in all terrain conditions.



# TERRA FORCE - MX SAND 2

SAND TERRAIN



MX SAND 2   MX SAND  
MX SM

- Designed for MotoXross racing in deep soft sandy terrain offering outstanding traction as well as cornering and braking stability.
- High performance hard rubber compound and specially designed carcass with increased lateral support gives it incredible traction and control.
- Recommended for MotoXross motorcycles and available only for the rear.

| Inch | Code     | Tyre size | LI/SS | Type (TL/TT) | Stripe colour                                                                                                                                                           | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Mousse option 1 | Tube option 1 | Tube option 2 |
|------|----------|-----------|-------|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|-----------------|---------------|---------------|
|      |          |           |       |              |                                                                                                                                                                         |                     |                           | Design                          |                  | Max. in service |                  |                 |               |               |
|      |          |           |       |              |                                                                                                                                                                         |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |                 |               |               |
| REAR |          |           |       |              |                                                                                                                                                                         |                     |                           |                                 |                  |                 |                  |                 |               |               |
| 12   | 70001064 | 80/100-12 | 50M   | TT           |   | 185                 | 160-215                   | 80                              | 465              | 86              | 485              |                 | 70001319      | 70001320      |
| 16   | 70001065 | 90/100-16 | 51M   | TT           |   | 215                 | 185-250                   | 90                              | 586              | 113             | 608              | 70001194        | 70001327      | 70001331      |
| 19   | 70001066 | 100/90-19 | 57M   | TT           |   | 250                 | 215-275                   | 101                             | 663              | 216             | 685              | 70000881        | 70001351      | 70001352      |
| 19   | 70000936 | 110/90-19 | 62M   | TT           |   | 275                 | 215-300                   | 109                             | 681              | 136             | 705              | 70000883        | 70001351      | 70001352      |

# TERRA FORCE - MX SAND

SAND TERRAIN



MX SAND 2   MX SAND

- Designed for MotoXross racing on soft loose terrain types, delivering great traction, control and stability.
- High performance hard rubber compound ensures traction and control.
- Recommended for MotoXross motorcycles and available only for the front.

| Inch  | Code     | Tyre size | LI/SS | Type (TL/TT) | Stripe colour                                                                         | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Mousse option 1 | Tube option 1 | Tube option 2 |
|-------|----------|-----------|-------|--------------|---------------------------------------------------------------------------------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|-----------------|---------------|---------------|
|       |          |           |       |              |                                                                                       |                     |                           | Design                          |                  | Max. in service |                  |                 |               |               |
|       |          |           |       |              |                                                                                       |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |                 |               |               |
| FRONT |          |           |       |              |                                                                                       |                     |                           |                                 |                  |                 |                  |                 |               |               |
| 21    | 70000950 | 80/100-21 | 51M   | TT           |  | 185                 | 160-215                   | 80                              | 693              | 88              | 713              | 70000891        | 70001356      | 70001355      |





MOTOCROSS

MOTOCROSS

**TERRA FORCE-MX SM**

## SOFT MEDIUM TERRAIN



- Designed for MotoXross racing on soft to medium terrains providing class leading traction, control and durability.
- High performance soft rubber compound for outstanding traction and specially designed carcass for optimum control.
- Recommended for MotoXross motorcycles including Junior.

| Inch  | Code     | Tyre size           | L/SS | Type (TL/TT) | Stripe colour                                                                       | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Mousse option 1 | Tube option 1 | Tube option 2 |
|-------|----------|---------------------|------|--------------|-------------------------------------------------------------------------------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|-----------------|---------------|---------------|
|       |          |                     |      |              |                                                                                     |                     |                           | Design                          |                  | Max. in service |                  |                 |               |               |
|       |          |                     |      |              |                                                                                     |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |                 |               |               |
| FRONT |          |                     |      |              |                                                                                     |                     |                           |                                 |                  |                 |                  |                 |               |               |
| 12    | 70000940 | 60/100-12           | 36M  | TT           |  | 140                 | 120-160                   | 60                              | 425              | 75              | 439              |                 | 70001320      | 70001319      |
| 14    | 70000942 | 70/100-14           | 40M  | TT           |  | 160                 | 140-185                   | 69                              | 496              | 86              | 512              |                 | 70001322      | 70001321      |
| 17    | 70000943 | 70/100-17           | 40M  | TT           |  | 160                 | 140-185                   | 69                              | 572              | 86              | 588              |                 | 70001340      | 70001334      |
| 19    | 70000944 | 70/100-19           | 42M  | TT           |  | 160                 | 140-185                   | 69                              | 623              | 86              | 639              |                 | 70001351      |               |
| 21    | 70000946 | 80/100-21           | 51M  | TT           |  | 185                 | 160-215                   | 80                              | 693              | 88              | 713              | 70000891        | 70001356      | 70001355      |
| 21    | 70000949 | 90/90-21 (3.00-21)  | 54M  | TT           |  | 215                 | 185-250                   | 90                              | 695              | 99              | 715              | 70000893        | 70001356      | 70001355      |
| REAR  |          |                     |      |              |                                                                                     |                     |                           |                                 |                  |                 |                  |                 |               |               |
| 10    | 70000941 | 70/100-10 (2.50-10) | 41M  | TT           |  | 160                 | 140-185                   | 69                              | 394              | 86              | 410              |                 | 70001313      |               |
| 12    | 70000945 | 80/100-12 (2.50-12) | 50M  | TT           |  | 185                 | 160-215                   | 80                              | 465              | 86              | 477              |                 | 70001319      | 70001320      |
| 14    | 70000947 | 90/100-14           | 49M  | TT           |  | 215                 | 185-250                   | 90                              | 542              | 113             | 558              |                 | 70001323      |               |
| 16    | 70000948 | 90/100-16           | 51M  | TT           |  | 215                 | 185-250                   | 90                              | 586              | 113             | 608              |                 | 70001327      | 70001331      |
| 19    | 70000937 | 100/90-19           | 57M  | TT           |  | 250                 | 215-275                   | 101                             | 663              | 216             | 685              | 70000881        | 70001351      | 70001352      |
| 19    | 70000938 | 110/90-19           | 62M  | TT           |  | 275                 | 215-300                   | 109                             | 681              | 136             | 705              | 70000883        | 70001352      | 70001351      |
| 19    | 70000939 | 120/80-19           | 63M  | TT           |  | 275                 | 250-300                   | 119                             | 675              | 149             | 699              | 70000885        | 70001351      | 70001352      |

# PRAKTIKA

| FRONT |          |           |     |    |  |     |         |     |     |     |     |  |  |  |
|-------|----------|-----------|-----|----|--|-----|---------|-----|-----|-----|-----|--|--|--|
| 21    | 70001558 | 80/100-21 | 51M | TT |  | 185 | 160-215 | 80  | 693 | 88  | 713 |  |  |  |
| REAR  |          |           |     |    |  |     |         |     |     |     |     |  |  |  |
| 19    | 70001559 | 100/90-19 | 57M | TT |  | 250 | 215-275 | 101 | 663 | 126 | 685 |  |  |  |
| 19    | 70001560 | 110/90-19 | 62M | TT |  | 250 | 215-300 | 109 | 681 | 136 | 705 |  |  |  |

2025 &lt;

2025 &lt;

2025 &lt;

**TERRA FORCE-MX MH**

## MEDIUM HARD TERRAIN



- Designed for MotoXross racing on medium to hard terrains providing maximum control and straight-line stability.
- High performance soft rubber compound for maximum traction.
- Recommended for MotoXross motorcycles including Junior and Pitcross.

| Inch  | Code     | Tyre size           | LI/SS | Type (TL/TT) | Stripe colour                                                                         | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Mousse option 1 | Tube option 1 | Tube option 2 |
|-------|----------|---------------------|-------|--------------|---------------------------------------------------------------------------------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|-----------------|---------------|---------------|
|       |          |                     |       |              |                                                                                       |                     |                           | Design                          |                  | Max. in service |                  |                 |               |               |
|       |          |                     |       |              |                                                                                       |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |                 |               |               |
| FRONT |          |                     |       |              |                                                                                       |                     |                           |                                 |                  |                 |                  |                 |               |               |
| 12    | 70000925 | 60/100-12           | 36M   | TT           |  | 140                 | 120-160                   | 60                              | 425              | 75              | 439              |                 | 70001320      | 70001319      |
| 14    | 70000926 | 60/100-14           | 29M   | TT           |  | 140                 | 120-160                   | 60                              | 476              | 75              | 490              |                 | 70001322      | 70001321      |
| 17    | 70000928 | 70/100-17           | 40M   | TT           |  | 160                 | 140-185                   | 69                              | 572              | 86              | 588              |                 | 70001340      | 70001334      |
| 19    | 70000929 | 70/100-19           | 42M   | TT           |  | 160                 | 140-185                   | 69                              | 623              | 86              | 639              |                 | 70001351      |               |
| 21    | 70000931 | 80/100-21           | 51M   | TT           |  | 185                 | 160-215                   | 80                              | 693              | 88              | 713              | 70000891        | 70001356      | 70001355      |
| 21    | 70000935 | 90/90-21 (3.00-21)  | 54M   | TT           |  | 215                 | 185-250                   | 90                              | 695              | 99              | 715              | 70000893        | 70001356      | 70001355      |
| 21    | 70000934 | 90/100-21           | 57M   | TT           |  | 215                 | 185-250                   | 90                              | 713              | 113             | 735              | 70000892        | 70001356      | 70001355      |
| REAR  |          |                     |       |              |                                                                                       |                     |                           |                                 |                  |                 |                  |                 |               |               |
| 10    | 70000927 | 70/100-10 (2.50-10) | 41M   | TT           |  | 160                 | 140-185                   | 69                              | 394              | 86              | 410              |                 | 70001313      |               |
| 12    | 70000930 | 80/100-12 (2.50-12) | 50M   | TT           |  | 185                 | 160-215                   | 80                              | 465              | 86              | 477              |                 | 70001319      | 70001320      |
| 14    | 70000932 | 90/100-14           | 49M   | TT           |  | 215                 | 185-250                   | 90                              | 542              | 113             | 558              |                 | 70001323      |               |
| 16    | 70000933 | 90/100-16           | 51M   | TT           |  | 215                 | 185-250                   | 90                              | 586              | 113             | 608              |                 | 70001327      | 70001331      |
| 19    | 70000922 | 100/90-19           | 57M   | TT           |  | 250                 | 215-275                   | 101                             | 663              | 216             | 685              | 70000881        | 70001351      | 70001352      |
| 19    | 70000923 | 110/90-19           | 62M   | TT           |  | 275                 | 215-300                   | 109                             | 681              | 136             | 705              | 70000883        | 70001352      | 70001351      |
| 19    | 70000924 | 120/80-19           | 63M   | TT           |  | 275                 | 250-300                   | 119                             | 675              | 149             | 699              | 70000885        | 70001351      | 70001352      |

## PRAKTIKA

| FRONT |          |           |     |    |  |     |         |     |     |     |     |  |  |
|-------|----------|-----------|-----|----|--|-----|---------|-----|-----|-----|-----|--|--|
| 21    | 70001561 | 80/100-21 | 51M | TT |  | 185 | 160-215 | 80  | 693 | 88  | 713 |  |  |
| REAR  |          |           |     |    |  |     |         |     |     |     |     |  |  |
| 19    | 70001562 | 100/90-19 | 57M | TT |  | 250 | 215-275 | 101 | 663 | 126 | 685 |  |  |
| 19    | 70001563 | 110/90-19 | 62M | TT |  | 250 | 215-300 | 109 | 681 | 136 | 705 |  |  |

2025 •

2025 •

2025 •




TERRA FORCE - MX IT

2025

INTERMEDIATE TERRAIN





- New pattern design for Pitcross racing on intermediate terrains, providing maximum control and straight-line stability.
- High performance soft rubber compound for maximum traction.
- Best in class tyre specifically designed and developed for most demanding Pitcross riders.


| Inch | Code | Tyre size | LI/SS | Type (TL/TT) | Stripe colour | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  |
|------|------|-----------|-------|--------------|---------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|
|      |      |           |       |              |               |                     |                           | Design                          |                  | Max. in service |                  |
|      |      |           |       |              |               |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |

PIT CROSS

| FRONT |          |           |     |    |                                                                                     |      |          |    |     |     |     |
|-------|----------|-----------|-----|----|-------------------------------------------------------------------------------------|------|----------|----|-----|-----|-----|
| 14    | 70001367 | 90/90-14  | 46M | TT |    | 2.15 | 185-2.50 | 90 | 518 | 113 | 530 |
| REAR  |          |           |     |    |                                                                                     |      |          |    |     |     |     |
| 12    | 70001366 | 90/100-12 | 46M | TT |  | 2.15 | 185-2.50 | 90 | 485 | 97  | 507 |

SPEEDWAY





- Designed specifically for FIM Speedway racetrack use.
- High performance compound ensures optimal traction and control.
- Recommended for Speedway motorcycles including LongTrack and Junior.

| Inch | Code | Tyre size | LI/SS | Type (TL/TT) | Stripe colour | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|------|------|-----------|-------|--------------|---------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|      |      |           |       |              |               |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|      |      |           |       |              |               |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |

| REAR |          |         |     |    |                                                                                     |      |   |    |     |     |     |          |  |
|------|----------|---------|-----|----|-------------------------------------------------------------------------------------|------|---|----|-----|-----|-----|----------|--|
| 19   | 70001139 | 3.75-19 | 61P | TT |  | 2.15 | / | 99 | 697 | 129 | 711 | 70001351 |  |
| 19   | 70001140 | 3.75-19 | 61P | TL |  | 2.15 | / | 99 | 697 | 129 | 711 | 70001351 |  |

SOFT

| FRONT |          |         |     |    |                                                                                       |      |   |    |     |     |     |          |          |
|-------|----------|---------|-----|----|---------------------------------------------------------------------------------------|------|---|----|-----|-----|-----|----------|----------|
| 23    | 70000997 | 2.75-23 | 48P | TT |  | 1.85 | / | 75 | 715 | 86  | 733 |          |          |
| REAR  |          |         |     |    |                                                                                       |      |   |    |     |     |     |          |          |
| 17    | 70000998 | 3.00-17 | 50P | TT |  | 1.85 | / | 80 | 602 | 92  | 711 | 70001336 | 70001335 |
| 19    | 70001190 | 3.75-19 | 61P | TT |  | 2.15 | / | 99 | 697 | 129 | 711 | 70001351 |          |
| 22    | 70000996 | 2.75-22 | 50R | TT |  | 1.85 | / | 75 | 740 | 86  | 758 |          |          |







# FLAT TRACK



- Designed specifically for Flat Track racetrack use with specific versions also for road use.
- Available in different high performance compound options to ensure optimal traction and control.
- Recommended for Flat Track motorcycles.

| Inch                                                                                                                   | Code     | Tyre size               | LI/SS | Type (TL/TT) | Stripe colour                                                                         | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 |
|------------------------------------------------------------------------------------------------------------------------|----------|-------------------------|-------|--------------|---------------------------------------------------------------------------------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|
|                                                                                                                        |          |                         |       |              |                                                                                       |                     |                           | Design                          |                  | Max. in service |                  |               |
|                                                                                                                        |          |                         |       |              |                                                                                       |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |
| <div>SOFT</div> <div></div>         |          |                         |       |              |                                                                                       |                     |                           |                                 |                  |                 |                  |               |
| FRONT/REAR                                                                                                             |          |                         |       |              |                                                                                       |                     |                           |                                 |                  |                 |                  |               |
| 19                                                                                                                     | 70001079 | 130/80-19 (27*7-19)     | NHS   | TT           |    | 3.00                | 2.50-3.50                 | 129                             | 691              | 142             | 705              | 70001351      |
| REAR                                                                                                                   |          |                         |       |              |                                                                                       |                     |                           |                                 |                  |                 |                  |               |
| 19                                                                                                                     | 70001081 | 140/80-19 (27.5*7.5-19) | NHS   | TT           |  | 3.50                | 2.75-3.75                 | 142                             | 707              | 156             | 723              | 70001350      |
| <div>SUPER SOFT</div> <div></div> |          |                         |       |              |                                                                                       |                     |                           |                                 |                  |                 |                  |               |
| FRONT/REAR                                                                                                             |          |                         |       |              |                                                                                       |                     |                           |                                 |                  |                 |                  |               |
| 19                                                                                                                     | 70001080 | 130/80-19 (27*7-19)     | NHS   | TT           |  | 3.00                | 2.50-3.50                 | 129                             | 691              | 142             | 705              | 70001351      |
| REAR                                                                                                                   |          |                         |       |              |                                                                                       |                     |                           |                                 |                  |                 |                  |               |
| 19                                                                                                                     | 70001082 | 140/80-19 (27.5*7.5-19) | NHS   | TT           |  | 3.50                | 2.75-3.75                 | 142                             | 707              | 156             | 723              | 70001350      |
| <div>STREET</div> <div></div>     |          |                         |       |              |                                                                                       |                     |                           |                                 |                  |                 |                  |               |
| FRONT/REAR                                                                                                             |          |                         |       |              |                                                                                       |                     |                           |                                 |                  |                 |                  |               |
| 19                                                                                                                     | 70001058 | 130/80-19 (27*7-19)     | 71H   | TL/TT        |                                                                                       | 3.00                | 2.50-3.50                 | 129                             | 691              | 142             | 705              | 70001351      |
| REAR                                                                                                                   |          |                         |       |              |                                                                                       |                     |                           |                                 |                  |                 |                  |               |
| 19                                                                                                                     | 70001059 | 140/80-19 (27.5*7.5-19) | 71H   | TL/TT        |                                                                                       | 3.50                | 2.75-3.75                 | 142                             | 707              | 156             | 723              | 70001350      |



A man and a woman are riding a white scooter in a wet city square. The man is in the driver's seat, wearing a helmet and glasses, and the woman is seated behind him, also wearing a helmet. They are both smiling. The scooter is white with black accents. The ground is wet and reflective, showing the buildings and the scooter. In the background, there are historic buildings with red roofs and a church tower. A fountain with several water jets is visible on the left. The sky is clear and blue.

*Big cities, small towns, vast roads  
or narrow streets - the scooter goes  
everywhere and anywhere. Surrendering  
into the incredible feel of wind in your  
hair and the taste of freedom in the air.*



TOURING FORCE-SC 2

2025



- Upgraded from the Mitas TOURING FORCE-SC to tackle the challenges of urban commuting on all paved road types and in all weather conditions.
- Improved pattern design ensures a smooth ride, optimal grip, and extended durability.
- Designed for all types of sports and classic scooters.

| Inch       | Code     | Tyre size | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|------------|----------|-----------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|            |          |           |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|            |          |           |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT/REAR |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 11         | 70001237 | 110/70-11 | 45P   | TL/TT        | 3.00                | 2.50-3.50                 | 110                             | 433              | 121             | 442              |               |               |
| 12         | 70001219 | 110/70-12 | 47S   | TL/TT        | 3.00                | 2.50-3.50                 | 110                             | 459              | 119             | 469              |               |               |
| 14         | 70001226 | 150/70-14 | 66S   | TL/TT        | 4.25                | 3.50-4.50                 | 151                             | 566              | 166             | 580              |               |               |
| 16         | 70001399 | 110/70-16 | 52S   | TL/TT        | 3.00                | 2.50-3.50                 | 110                             | 560              | 121             | 570              |               |               |
| 16         | 70001227 | 120/70-16 | 57S   | TL/TT        | 3.50                | 2.75-3.75                 | 122                             | 574              | 134             | 586              |               |               |

REINFORCED

|            |          |           |     |       |      |           |     |     |     |     |          |          |
|------------|----------|-----------|-----|-------|------|-----------|-----|-----|-----|-----|----------|----------|
| REAR       |          |           |     |       |      |           |     |     |     |     |          |          |
| 14         | 70001402 | 140/60-14 | 64S | TL/TT | 3.75 | 3.50-4.50 | 139 | 524 | 153 | 536 |          |          |
| 14         | 70001401 | 140/70-14 | 68S | TL/TT | 3.75 | 3.50-4.50 | 139 | 552 | 153 | 566 |          |          |
| FRONT/REAR |          |           |     |       |      |           |     |     |     |     |          |          |
| 12         | 70001223 | 120/70-12 | 58S | TL/TT | 3.50 | 2.75-3.75 | 122 | 473 | 132 | 485 | 70001359 | 70001358 |
| 12         | 70001244 | 130/70-12 | 64S | TL/TT | 3.50 | 3.00-4.00 | 129 | 487 | 139 | 499 | 70001359 | 70001358 |
| 13         | 70001400 | 110/70-13 | 54S | TL/TT | 3.00 | 2.50-3.50 | 110 | 484 | 121 | 494 |          |          |

WHITE WALL

|            |          |           |     |       |      |           |     |     |     |     |          |          |
|------------|----------|-----------|-----|-------|------|-----------|-----|-----|-----|-----|----------|----------|
| FRONT/REAR |          |           |     |       |      |           |     |     |     |     |          |          |
| 11         | 70001238 | 110/70-11 | 45P | TL/TT | 3.00 | 2.50-3.50 | 110 | 433 | 121 | 442 |          |          |
| 12         | 70001221 | 110/70-12 | 47S | TL/TT | 3.00 | 2.50-3.50 | 110 | 459 | 119 | 469 |          |          |
| 12         | 70001225 | 120/70-12 | 58S | TL/TT | 3.50 | 2.75-3.75 | 122 | 473 | 132 | 485 | 70001359 | 70001358 |
| 12         | 70001242 | 130/70-12 | 64S | TL/TT | 3.50 | 3.00-4.00 | 129 | 487 | 139 | 499 | 70001359 | 70001358 |
| 16         | 70001228 | 120/70-16 | 57S | TL/TT | 3.50 | 2.75-3.75 | 122 | 574 | 134 | 586 |          |          |





TOURING FORCE-SC



- Designed for the challenges of urban commuting on all paved road types and in all weather conditions.
- Special tread compound ensures long service life and optimal grip.
- Designed for all types of sports and classic scooters.
- OE fitment: Piaggio Beverly 400 2021

| Inch       | Code     | Tyre size | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|------------|----------|-----------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|            |          |           |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|            |          |           |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT      |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 12         | 70000637 | 110/90-12 | 64P   | TL'          | 2.50                | 2.15-3.00                 | 109                             | 503              | 118             | 517              | 70001359      | 70001358      |
| 13         | 70000638 | 110/90-13 | 56P   | TL'          | 2.50                | 2.15-3.00                 | 109                             | 528              | 120             | 542              |               |               |
| 13         | 70000643 | 120/70-13 | 53L   | TL'          | 3.50                | 2.75-3.75                 | 122                             | 498              | 134             | 510              |               |               |
| 13         | 70000644 | 120/70-13 | 53P   | TL'          | 3.50                | 2.75-3.75                 | 122                             | 498              | 134             | 510              |               |               |
| 15         | 70000648 | 120/70-15 | 56P   | TL'          | 3.50                | 2.75-3.75                 | 122                             | 549              | 134             | 561              |               |               |
| 15         | 70000649 | 120/70-15 | 56S   | TL'          | 3.50                | 2.75-3.75                 | 122                             | 549              | 134             | 561              |               |               |
| 16         | 70000650 | 120/70-16 | 57P   | TL'          | 3.50                | 2.75-3.75                 | 122                             | 574              | 134             | 586              |               |               |
| 16         | 70000651 | 120/70-16 | 57S   | TL'          | 3.50                | 2.75-3.75                 | 122                             | 574              | 134             | 586              |               |               |
| REAR       |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 10         | 70000663 | 130/90-10 | 61L   | TL'          | 3.00                | 2.50-3.50                 | 129                             | 488              | 139             | 504              | 70001357      |               |
| 13         | 70000664 | 140/60-13 | 57L   | TL'          | 3.75                | 3.50-4.50                 | 139                             | 498              | 153             | 510              | 70001359      | 70001358      |
| 13         | 70000674 | 150/70-13 | 64S   | TL'          | 4.25                | 3.50-4.50                 | 151                             | 540              | 166             | 554              |               |               |
| 14         | 70000675 | 150/70-14 | 66S   | TL'          | 4.25                | 3.50-4.50                 | 151                             | 566              | 166             | 580              |               |               |
| 15         | 70001434 | 130/80-15 | 63S   | TL'          | 3.00                | 2.50-3.50                 | 129                             | 589              | 142             | 603              |               |               |
| 16         | 70000653 | 120/80-16 | 60P   | TL'          | 2.75                | 2.50-3.00                 | 119                             | 598              | 131             | 612              | 70001332      |               |
| 16         | 70001098 | 130/70R16 | 61S   | TL           | 3.50                | 3.00-4.00                 | 129                             | 588              | 142             | 600              |               |               |
| 16         | 70000672 | 140/70-16 | 65P   | TL'          | 3.75                | 3.50-4.50                 | 139                             | 602              | 153             | 616              |               |               |
| 16         | 70000673 | 140/70-16 | 65S   | TL'          | 3.75                | 3.50-4.50                 | 139                             | 602              | 153             | 616              |               |               |
| 16         | 70001197 | 130/70-16 | 61S   | TL           | 3.50                | 3.00-4.00                 | 129                             | 588              | 142             | 600              |               |               |
| FRONT/REAR |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 10         | 70000626 | 100/80-10 | 53L   | TL'          | 2.50                | 2.15-2.75                 | 101                             | 414              | 109             | 426              | 70001313      | 70001314      |
| 10         | 70000639 | 120/70-10 | 54L   | TL'          | 3.50                | 2.75-3.75                 | 122                             | 422              | 132             | 434              | 70001357      |               |
| 10         | 70000654 | 120/90-10 | 66L   | TL'          | 2.75                | 2.50-3.00                 | 119                             | 470              | 129             | 486              | 70001357      |               |

2025

2025

TOURING FORCE-SC

| Inch       | Code     | Tyre size | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|------------|----------|-----------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|            |          |           |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|            |          |           |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT/REAR |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 10         | 70000676 | 3.50-10   | 51P   | TL'          | 2.50                | 2.15-2.50                 | 92                              | 437              | 99              | 448              | 70001313      | 70001314      |
| 10         | 70000682 | 90/90-10  | 50J   | TL'          | 2.15                | 1.85-2.50                 | 90                              | 416              | 97              | 428              | 70001313      | 70001314      |
| 10         | 70001196 | 90/90-10  | 50M   | TL'          | 2.15                | 1.85-2.50                 | 90                              | 416              | 97              | 428              | 70001313      | 70001314      |
| 12         | 70000630 | 110/70-12 | 47P   | TL'          | 3.00                | 2.50-3.50                 | 110                             | 459              | 119             | 469              |               |               |
| 12         | 70000635 | 110/80-12 | 61L   | TL'          | 2.50                | 2.15-3.00                 | 109                             | 481              | 118             | 493              |               |               |
| 12         | 70000640 | 120/70-12 | 51L   | TL'          | 3.50                | 2.75-3.75                 | 122                             | 473              | 132             | 485              | 70001359      | 70001358      |
| 12         | 70000641 | 120/70-12 | 51S   | TL'          | 3.50                | 2.75-3.75                 | 122                             | 473              | 132             | 485              | 70001359      | 70001358      |
| 12         | 70000658 | 130/70-12 | 56L   | TL'          | 3.50                | 3.00-4.00                 | 129                             | 487              | 139             | 499              | 70001359      | 70001358      |
| 13         | 70000632 | 110/70-13 | 48S   | TL'          | 3.00                | 2.50-3.50                 | 110                             | 484              | 121             | 494              |               |               |
| 13         | 70000655 | 130/60-13 | 53J   | TL'          | 3.50                | 3.00-4.00                 | 129                             | 486              | 142             | 496              | 70001359      | 70001358      |
| 14         | 70000645 | 120/70-14 | 55L   | TL'          | 3.50                | 2.75-3.75                 | 122                             | 524              | 134             | 536              |               |               |
| 14         | 70000646 | 120/70-14 | 55P   | TL'          | 3.50                | 2.75-3.75                 | 122                             | 524              | 134             | 536              |               |               |
| 14         | 70000647 | 120/70-14 | 55S   | TL'          | 3.50                | 2.75-3.75                 | 122                             | 524              | 134             | 536              |               |               |
| 14         | 70000652 | 120/80-14 | 58S   | TL'          | 2.75                | 2.50-3.00                 | 119                             | 548              | 131             | 562              |               |               |
| 14         | 70000679 | 80/90-14  | 40P   | TL'          | 1.85                | 1.60-2.15                 | 80                              | 500              | 88              | 510              |               |               |
| 14         | 70000683 | 90/90-14  | 46P   | TL'          | 2.15                | 1.85-2.50                 | 90                              | 518              | 99              | 530              | 70001323      |               |
| 16         | 70000627 | 100/80-16 | 50P   | TL'          | 2.50                | 2.15-2.75                 | 101                             | 566              | 111             | 578              | 70001331      |               |
| 16         | 70000633 | 110/70-16 | 52P   | TL'          | 3.00                | 2.50-3.50                 | 110                             | 560              | 121             | 570              |               |               |
| 16         | 70000634 | 110/70-16 | 52S   | TL'          | 3.00                | 2.50-3.50                 | 110                             | 560              | 121             | 570              |               |               |

REINFORCED

|            |          |           |     |     |      |           |     |     |     |     |          |          |
|------------|----------|-----------|-----|-----|------|-----------|-----|-----|-----|-----|----------|----------|
| REAR       |          |           |     |     |      |           |     |     |     |     |          |          |
| 10         | 70000657 | 130/70-10 | 59P | TL' | 3.50 | 3.00-4.00 | 129 | 436 | 139 | 448 | 70001357 |          |
| 12         | 70000668 | 140/70-12 | 65P | TL' | 4.00 | 3.50-4.50 | 141 | 501 | 152 | 515 | 70001359 | 70001358 |
| 13         | 70000660 | 130/70-13 | 63P | TL' | 3.50 | 3.00-4.00 | 129 | 512 | 142 | 524 | 70001359 | 70001358 |
| 13         | 70000665 | 140/60-13 | 63P | TL' | 3.75 | 3.50-4.50 | 139 | 498 | 153 | 510 | 70001359 | 70001358 |
| 14         | 70000666 | 140/60-14 | 64P | TL' | 3.75 | 3.50-4.50 | 139 | 524 | 153 | 536 |          |          |
| 14         | 70000667 | 140/60-14 | 64S | TL' | 3.75 | 3.50-4.50 | 139 | 524 | 153 | 536 |          |          |
| 14         | 70000669 | 140/70-14 | 68P | TL' | 3.75 | 3.50-4.50 | 139 | 552 | 153 | 566 |          |          |
| 14         | 70000670 | 140/70-14 | 68S | TL' | 3.75 | 3.50-4.50 | 139 | 552 | 153 | 566 |          |          |
| 15         | 70000671 | 140/70-15 | 69P | TL' | 3.75 | 3.50-4.50 | 139 | 577 | 142 | 591 |          |          |
| FRONT/REAR |          |           |     |     |      |           |     |     |     |     |          |          |
| 10         | 70001195 | 100/90-10 | 61M | TL' | 2.50 | 2.15-2.75 | 101 | 434 | 109 | 444 | 70001357 | 70001314 |
| 12         | 70000631 | 110/70-12 | 56M | TL' | 3.00 | 2.50-3.50 | 110 | 459 | 119 | 469 |          |          |
| 12         | 70000642 | 120/70-12 | 58P | TL' | 3.50 | 2.75-3.75 | 122 | 473 | 132 | 485 | 70001359 | 70001358 |
| 12         | 70000659 | 130/70-12 | 64P | TL' | 3.50 | 3.00-4.00 | 129 | 487 | 139 | 499 | 70001359 | 70001358 |
| 13         | 70000656 | 130/60-13 | 60P | TL' | 3.50 | 3.00-4.00 | 129 | 486 | 142 | 496 | 70001359 | 70001358 |
| 14         | 70001586 | 100/70-14 | 53P | TL' | 2.50 | 2.50-3.00 |     |     |     |     |          |          |
| 14         | 70000629 | 100/90-14 | 57P | TL' | 2.50 | 2.15-2.75 | 101 | 536 | 111 | 548 |          |          |
| 14         | 70000677 | 80/80-14  | 53L | TL' | 1.85 | 1.60-2.15 | 80  | 484 | 88  | 492 |          |          |
| 14         | 70001433 | 110/80-14 | 59S | TL' | 2.50 | 2.15-3.00 | 109 | 532 | 120 | 544 |          |          |
| 16         | 70000678 | 80/80-16  | 45P | TL' | 1.85 | 1.60-2.15 | 80  | 534 | 88  | 542 |          |          |
| 16         | 70000680 | 80/90-16  | 48P | TL' | 1.85 | 1.60-2.15 | 80  | 550 | 88  | 560 | 70001327 | 70001328 |
| 16         | 70001435 | 90/80-16  | 51S | TL' | 2.15 | 1.85-2.50 | 90  | 550 | 99  | 560 |          |          |

2025

2025

2025

2025



# MC-20 MONSUM



- Designed for the challenges of urban commuting on all paved and un-paved road types and even in the most extreme weather conditions.
- Special M+S tread design and compound ensure long service life and optimal grip and also available is special versions for racing.
- Designed for all types of sports and classic scooters.

| Inch       | Code     | Tyre size | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|------------|----------|-----------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|            |          |           |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|            |          |           |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT/REAR |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 10         | 70000701 | 3.50-10   | 51P   | TL*          | 2.50                | 2.15-2.50                 | 92                              | 437              | 99              | 448              | 70001313      | 70001314      |
| 10         | 70000691 | 120/70-10 | 54L   | TL*          | 3.50                | 2.75-3.75                 | 122                             | 422              | 132             | 434              | 70001357      |               |
| 10         | 70000697 | 120/90-10 | 57L   | TL*          | 2.75                | 2.50-3.00                 | 119                             | 470              | 129             | 486              | 70001357      |               |
| 11         | 70000689 | 110/70-11 | 45L   | TL*          | 3.00                | 2.50-3.50                 | 110                             | 433              | 121             | 442              | 70001357      |               |
| 11         | 70000693 | 120/70-11 | 56L   | TL*          | 3.50                | 2.75-3.75                 | 122                             | 447              | 132             | 459              | 70001357      |               |
| 12         | 70000695 | 120/70-12 | 58P   | TL*          | 3.50                | 2.75-3.75                 | 122                             | 473              | 132             | 485              | 70001359      | 70001358      |
| 12         | 70000698 | 130/70-12 | 62P   | TL*          | 3.50                | 3.00-4.00                 | 129                             | 487              | 139             | 499              | 70001359      | 70001358      |
| 12         | 70000703 | 90/90-12  | 54J   | TL*          | 2.15                | 1.85-2.50                 | 90                              | 467              | 97              | 479              |               |               |

# WHITE WALL

|            |          |           |     |     |      |           |     |     |     |     |          |          |
|------------|----------|-----------|-----|-----|------|-----------|-----|-----|-----|-----|----------|----------|
| FRONT/REAR |          |           |     |     |      |           |     |     |     |     |          |          |
| 10         | 70000702 | 3.50-10   | 54L | TL* | 2.50 | 2.15-2.50 | 92  | 437 | 99  | 448 | 70001313 | 70001314 |
| 10         | 70000692 | 120/70-10 | 51P | TL* | 3.50 | 2.75-3.75 | 122 | 422 | 132 | 434 | 70001357 |          |
| 11         | 70000690 | 110/70-11 | 45L | TL* | 3.00 | 2.50-3.50 | 110 | 433 | 121 | 442 | 70001357 |          |
| 11         | 70000694 | 120/70-11 | 56L | TL* | 3.50 | 2.75-3.75 | 122 | 447 | 132 | 459 | 70001357 |          |
| 12         | 70000696 | 120/70-12 | 58P | TL* | 3.50 | 2.75-3.75 | 122 | 473 | 132 | 485 | 70001359 | 70001358 |
| 12         | 70000699 | 130/70-12 | 62P | TL* | 3.50 | 3.00-4.00 | 129 | 487 | 139 | 499 | 70001359 | 70001358 |

# MC-17



- Designed for commuting on all paved and un-paved road types in all weather conditions.
- Special durable compound delivers traction, stability, and comfort even at high speeds.
- Designed for all types of scooters.

| Inch       | Code     | Tyre size | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 |
|------------|----------|-----------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|
|            |          |           |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |
|            |          |           |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |
| FRONT/REAR |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |
| 10         | 70000684 | 120/90-10 | 56J   | TL*          | 2.75                | 2.50-3.00                 | 119                             | 470              | 129             | 486              | 70001357      |
| 10         | 70000685 | 130/90-10 | 61J   | TL*          | 3.00                | 2.50-3.50                 | 129                             | 488              | 139             | 504              | 70001357      |
| 10         | 70000686 | 150/80-10 | 65L   | TL*          | 3.50                | 3.00-4.25                 | 150                             | 494              | 165             | 510              |               |

# MC-19



- Designed for commuting on all paved and un-paved road types in all weather conditions.
- Special durable compound delivers traction, stability, and comfort even at high speeds.
- Designed for all types of scooters.

| Inch       | Code     | Tyre size | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|------------|----------|-----------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|            |          |           |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|            |          |           |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT/REAR |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 12         | 70000687 | 120/80-12 | 55J   | TL*          | 2.75                | 2.50-3.00                 | 119                             | 497              | 129             | 511              | 70001359      | 70001358      |
| 12         | 70000688 | 130/80-12 | 60J   | TL*          | 3.00                | 2.50-3.50                 | 129                             | 513              | 139             | 527              | 70001359      | 70001358      |



# MC-32 WIN SCOOT



- Designed for the challenges of commuting on both on-road and off-road, even in the most extreme weather conditions.
- Aggressive M+S tread design, sipes and high-performance winter compound ensure greater traction and optimal grip at low temperature on snow.
- Designed for all types of scooters. Suitable for winter stud installation.

| Inch       | Code     | Tyre size | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|------------|----------|-----------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|            |          |           |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|            |          |           |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT/REAR |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 10         | 70000715 | 3.50-10   | 51P   | TL'          | 2.50                | 2.15-2.50                 | 92                              | 437              | 99              | 448              | 70001313      | 70001314      |
| 10         | 70000706 | 100/80-10 | 53P   | TL'          | 2.50                | 2.15-2.75                 | 101                             | 414              | 109             | 426              | 70001313      | 70001314      |
| 12         | 70000710 | 120/70-12 | 58P   | TL'          | 3.50                | 2.75-3.75                 | 122                             | 473              | 132             | 485              | 70001359      | 70001358      |
| 12         | 70000714 | 130/70-12 | 62P   | TL'          | 3.50                | 3.00-4.00                 | 129                             | 487              | 139             | 499              | 70001359      | 70001358      |
| 13         | 70000713 | 130/60-13 | 60P   | TL'          | 3.50                | 3.00-4.00                 | 129                             | 486              | 142             | 496              | 70001359      | 70001358      |
| 14         | 70000716 | 80/80-14  | 59P   | TL/TT        | 1.85                | 1.60-2.15                 | 80                              | 484              | 88              | 492              |               |               |
| 14         | 70000708 | 110/80-14 | 53L   | TL/TT        | 2.50                | 2.15-3.00                 | 109                             | 532              | 120             | 544              |               |               |
| 16         | 70000717 | 90/80-16  | 52P   | TL/TT        | 2.15                | 1.85-2.50                 | 90                              | 550              | 99              | 560              | 70001328      |               |



# MC-35 S-RACER 2.0



- Designed to race, yet ready to be used on public roads.
- High performance rubber compound ensures excellent grip in cornering and acceleration. Available in Standard, Medium, Soft and Super Soft compound versions.
- Designed for all types of racing and sports scooters.

| Inch       | Code     | Tyre size | L/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|------------|----------|-----------|------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|            |          |           |      |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|            |          |           |      |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT/REAR |          |           |      |              |                     |                           |                                 |                  |                 |                  |               |               |
| 10         | 70000758 | 3.50-10   | 51P  | TL'          | 2.50                | 2.15-2.50                 | 92                              | 437              | 99              | 448              | 70001313      | 70001314      |
| 10         | 70001165 | 100/90-10 | 56P  | TL'          | 2.50                | 2.15-2.75                 | 101                             | 434              | 109             | 444              | 70001357      | 70001314      |
| 12         | 70000750 | 100/90-12 | 49P  | TL'          | 2.50                | 2.15-2.75                 | 101                             | 485              | 109             | 497              | 70001320      | 70001319      |
| 12         | 70000754 | 120/80-12 | 55P  | TL'          | 2.75                | 2.50-3.00                 | 119                             | 497              | 129             | 511              | 70001359      | 70001358      |

## SOFT

|            |          |           |     |     |      |           |     |     |     |     |          |          |
|------------|----------|-----------|-----|-----|------|-----------|-----|-----|-----|-----|----------|----------|
| FRONT/REAR |          |           |     |     |      |           |     |     |     |     |          |          |
| 10         | 70000756 | 3.50-10   | 51P | TL' | 2.50 | 2.15-2.50 | 92  | 437 | 99  | 448 | 70001313 | 70001314 |
| 12         | 70000748 | 100/90-12 | 49P | TL' | 2.50 | 2.15-2.75 | 101 | 485 | 109 | 497 | 70001320 | 70001319 |
| 12         | 70000752 | 120/80-12 | 55P | TL' | 2.75 | 2.50-3.00 | 119 | 497 | 129 | 511 | 70001359 | 70001358 |

## MEDIUM

|            |          |           |     |     |      |           |     |     |     |     |          |          |
|------------|----------|-----------|-----|-----|------|-----------|-----|-----|-----|-----|----------|----------|
| FRONT/REAR |          |           |     |     |      |           |     |     |     |     |          |          |
| 10         | 70000755 | 3.50-10   | 51P | TL' | 2.50 | 2.15-2.50 | 92  | 437 | 99  | 448 | 70001313 | 70001314 |
| 10         | 70000746 | 100/90-10 | 56P | TL' | 2.50 | 2.15-2.75 | 101 | 434 | 109 | 446 | 70001357 | 70001314 |
| 12         | 70000747 | 100/90-12 | 49P | TL' | 2.75 | 2.15-2.75 | 119 | 497 | 129 | 511 | 70001320 | 70001319 |
| 12         | 70000751 | 120/80-12 | 55P | TL' | 2.75 | 2.50-3.00 | 119 | 497 | 129 | 511 | 70001359 | 70001358 |

## SUPER SOFT

|            |          |           |     |     |      |           |     |     |     |     |          |          |
|------------|----------|-----------|-----|-----|------|-----------|-----|-----|-----|-----|----------|----------|
| FRONT/REAR |          |           |     |     |      |           |     |     |     |     |          |          |
| 10         | 70000757 | 3.50-10   | 51P | TL' | 2.50 | 2.15-2.50 | 92  | 437 | 99  | 448 | 70001313 | 70001314 |
| 12         | 70000749 | 100/90-12 | 49P | TL' | 2.50 | 2.15-2.75 | 101 | 485 | 109 | 497 | 70001320 | 70001319 |
| 12         | 70000753 | 120/80-12 | 55P | TL' | 2.75 | 2.50-3.00 | 119 | 497 | 129 | 511 | 70001359 | 70001358 |



# MC-34



- Designed for street racing perfect sport option on paved roads.
- High performance rubber compound ensures excellent grip in cornering and acceleration. Available in Standard and Super Soft compound versions.
- Designed for all types of racing and sports scooters.

| Inch       | Code     | Tyre size | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|------------|----------|-----------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|            |          |           |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|            |          |           |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT/REAR |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 10         | 70000745 | 90/90-10  | 50P   | TL'          | 2.15                | 1.85-2.50                 | 90                              | 416              | 97              | 428              | 70001313      | 70001314      |
| 10         | 70000738 | 100/90-10 | 56P   | TL'          | 2.50                | 2.15-2.75                 | 101                             | 434              | 109             | 446              | 70001357      | 70001314      |
| 12         | 70000739 | 110/70-12 | 53P   | TL'          | 3.00                | 2.50-3.50                 | 110                             | 459              | 119             | 469              | 70001358      |               |
| 12         | 70000741 | 120/70-12 | 51P   | TL'          | 3.50                | 2.75-3.75                 | 122                             | 473              | 132             | 485              | 70001359      | 70001358      |
| 12         | 70000743 | 130/70-12 | 62P   | TL'          | 3.50                | 3.00-4.00                 | 129                             | 487              | 139             | 499              | 70001359      | 70001358      |

# SUPER SOFT

|            |          |           |     |     |      |           |     |     |     |     |          |          |
|------------|----------|-----------|-----|-----|------|-----------|-----|-----|-----|-----|----------|----------|
| FRONT/REAR |          |           |     |     |      |           |     |     |     |     |          |          |
| 10         | 70000744 | 90/90-10  | 50P | TL* | 2.15 | 1.85-2.50 | 90  | 416 | 97  | 428 | 70001313 | 70001314 |
| 12         | 70000740 | 120/70-12 | 51P | TL* | 3.50 | 2.75-3.75 | 122 | 473 | 132 | 485 | 70001359 | 70001358 |
| 12         | 70000742 | 130/70-12 | 62P | TL* | 3.50 | 3.00-4.00 | 129 | 487 | 139 | 499 | 70001359 | 70001358 |

# MC-20 MONSUM



- Special version of the range developed for wet track racing.
- High performance soft rubber compound ensures outstanding grip and excellent stability at high speeds on wet surfaces.
- Designed for racing scooters.

| Inch | Code | Tyre size | LI/SS | Type (TL/TT) | Stripe colour | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|------|------|-----------|-------|--------------|---------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|      |      |           |       |              |               |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|      |      |           |       |              |               |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |

# RACING RAIN

|            |          |           |     |     |                                                                                       |      |           |     |     |     |     |          |          |
|------------|----------|-----------|-----|-----|---------------------------------------------------------------------------------------|------|-----------|-----|-----|-----|-----|----------|----------|
| FRONT/REAR |          |           |     |     |                                                                                       |      |           |     |     |     |     |          |          |
| 10         | 70000761 | 3.50-10   | 51P | TL* |    | 2.50 | 2.15-2.50 | 92  | 437 | 99  | 448 | 70001313 | 70001314 |
| 12         | 70000759 | 100/90-12 | 49P | TL* |   | 2.50 | 2.15-2.75 | 101 | 485 | 109 | 497 | 70001320 | 70001319 |
| 12         | 70000760 | 120/80-12 | 55P | TL* |  | 2.75 | 2.50-3.00 | 119 | 497 | 129 | 511 | 70001359 | 70001358 |





# MC-12



- Designed for daily commuting and suitable even for more challenging paved road conditions.
- Special compound delivers great performance, traction and comfort.
- Designed for classic scooters.

| Inch       | Code     | Tyre size | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|------------|----------|-----------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|            |          |           |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|            |          |           |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT/REAR |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 10         | 70000718 | 3.00-10   | 42J   | TL/TT        | 215                 | 185-250                   | 80                              | 413              | 86              | 422              | 70001313      | 70001314      |

WHITE WALL

|            |          |         |     |       |     |         |    |     |    |     |          |          |
|------------|----------|---------|-----|-------|-----|---------|----|-----|----|-----|----------|----------|
| FRONT/REAR |          |         |     |       |     |         |    |     |    |     |          |          |
| 10         | 70000719 | 3.00-10 | 42J | TL/TT | 215 | 185-250 | 80 | 413 | 86 | 422 | 70001313 | 70001314 |

# MC-22 ELEGANCE



- Designed for daily commuting for all paved road types in all weather conditions\*.
- Special compound delivers great traction, stability and comfort.
- Designed for classic scooters.

\*Not recommended on ice and/or snow.

| Inch       | Code     | Tyre size | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 |
|------------|----------|-----------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|
|            |          |           |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |
|            |          |           |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |
| FRONT/REAR |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |
| 10         | 70000735 | 120/70-10 | 54L   | TL*          | 3.50                | 2.75-3.75                 | 122                             | 422              | 132             | 434              | 70001357      |

WHITE WALL

|            |          |           |     |     |      |           |     |     |     |     |          |
|------------|----------|-----------|-----|-----|------|-----------|-----|-----|-----|-----|----------|
| FRONT/REAR |          |           |     |     |      |           |     |     |     |     |          |
| 10         | 70000736 | 120/70-10 | 54L | TL* | 3.50 | 2.75-3.75 | 122 | 422 | 132 | 434 | 70001357 |

# B-13



- Designed for daily commuting for all paved road types in all weather conditions\*.
- Special compound delivers traction, stability and comfort.
- Designed for classic scooters.

\*Not recommended on ice and/or snow.

| Inch       | Code     | Tyre size | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 |
|------------|----------|-----------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|
|            |          |           |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |
|            |          |           |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |
| FRONT/REAR |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |
| 8          | 70000720 | 3.50-8    | 46J   | TT           | 2.50                | 2.15-2.50                 | 92                              | 386              | 99              | 397              | 70001312      |
| 8          | 70000724 | 4.00-8C   | 71J   | TT           | 2.50                | 2.50-3.00                 | 108                             | 415              | 117             | 427              | 70001312      |
| 8          | 70000723 | 4.00-8C   | 71J   | TL/TT        | 2.50                | 2.50-3.00                 | 108                             | 415              | 117             | 427              | 70001312      |

WHITE WALL

|            |          |         |     |    |      |           |     |     |     |     |          |
|------------|----------|---------|-----|----|------|-----------|-----|-----|-----|-----|----------|
| FRONT/REAR |          |         |     |    |      |           |     |     |     |     |          |
| 8          | 70000721 | 3.50-8  | 46J | TT | 2.50 | 2.15-2.50 | 92  | 386 | 99  | 397 | 70001312 |
| 8          | 70000722 | 4.00-8C | 66J | TT | 2.50 | 2.50-3.00 | 108 | 415 | 117 | 427 | 70001312 |

# S-05



- Designed for daily commuting for all paved road types in all weather conditions\*.
- Special compound delivers traction, stability and comfort.
- Designed for classic scooters.

\*Not recommended on ice and/or snow.

| Inch       | Code     | Tyre size | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|------------|----------|-----------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|            |          |           |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|            |          |           |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT/REAR |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 12         | 70000730 | 3.25-12   | 55J   | TT           | 215                 | 160-215                   | 88                              | 475              | 95              | 487              | 70001320      | 70001319      |
| 12         | 70000731 | 3.50-12   | 64J   | TT           | 250                 | 215-250                   | 92                              | 488              | 99              | 501              | 70001320      | 70001319      |



# B-14



- Designed for daily commuting for all paved road types in all weather conditions\*.
- Special compound delivers traction, stability and comfort.
- Designed for classic scooters.

\*Not recommended on ice and/or snow.

| Inch       | Code     | Tyre size | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|------------|----------|-----------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|            |          |           |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|            |          |           |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT/REAR |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 10         | 70000726 | 3.50-10   | 59J   | TT           | 2.50                | 2.15-2.50                 | 92                              | 437              | 99              | 448              | 70001313      | 70001314      |
| 10         | 70000727 | 4.00-10C  | 69J   | TT           | 2.50                | 2.50-3.00                 | 114                             | 465              | 120             | 480              | 70001357      |               |
| 10         | 70000728 | 4.00-10C  | 74J   | TL/TT        | 2.50                | 2.50-3.00                 | 114                             | 465              | 120             | 480              | 70001357      |               |

## WHITE WALL

|            |          |         |     |    |      |           |    |     |    |     |          |          |
|------------|----------|---------|-----|----|------|-----------|----|-----|----|-----|----------|----------|
| FRONT/REAR |          |         |     |    |      |           |    |     |    |     |          |          |
| 10         | 70000725 | 3.50-10 | 51J | TT | 2.50 | 2.15-2.50 | 92 | 437 | 99 | 448 | 70001313 | 70001314 |

# MC-5



- Designed for daily commuting for all paved road types in all weather conditions\*.
- Special compound delivers traction, stability and comfort.
- Designed for classic scooters.

\*Not recommended on ice and/or snow.

| Inch       | Code     | Tyre size | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|------------|----------|-----------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|            |          |           |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|            |          |           |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT/REAR |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 12         | 70000729 | 3.00-12   | 47J   | TT           | 2.15                | 185-2.50                  | 80                              | 464              | 86              | 473              | 70001320      | 70001319      |

# B-8



- Designed for urban daily commuting on all paved roads in all weather conditions.\*
- Special compound ensures great traction, stability and extreme durability.
- Designed for mopeds and motorcycles of low and medium engine capacity.

\*Not recommended on ice and/or snow.

| Inch       | Code     | Tyre size          | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 1 |
|------------|----------|--------------------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|            |          |                    |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|            |          |                    |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT/REAR |          |                    |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 16         | 70000795 | 2 1/4-16 (2.25-16) | 42J   | TT           | 150                 | 120-160                   | 62                              | 532              | 66              | 540              | 70001330      | 70001329      |
| 16         | 70000794 | 2 1/2-16 (2.50-16) | 42J   | TT           | 150                 | 135-160                   | 68                              | 548              | 72              | 558              | 70001328      | 70001329      |

## WHITE WALL

|            |          |                    |     |    |      |           |    |     |    |     |          |          |
|------------|----------|--------------------|-----|----|------|-----------|----|-----|----|-----|----------|----------|
| FRONT/REAR |          |                    |     |    |      |           |    |     |    |     |          |          |
| 16         | 70000796 | 2 1/4-16 (2.25-16) | 38J | TT | 1.50 | 1.20-1.60 | 62 | 532 | 66 | 540 | 70001330 | 70001329 |

# B-7



- Designed for urban daily commuting on all paved roads in all weather conditions.\*
- Special compound ensures great traction, stability and extreme durability.
- Designed for mopeds and motorcycles of low and medium engine capacity.

\*Not recommended on ice and/or snow.

| Inch       | Code     | Tyre size          | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|------------|----------|--------------------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|            |          |                    |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|            |          |                    |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT/REAR |          |                    |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 17         | 70000793 | 2 3/4-17 (2.75-17) | 47J   | TL/TT        | 185                 | 140-185                   | 75                              | 584              | 80              | 594              | 70001340      | 70001334      |

## WHITE WALL

|            |          |                    |     |       |      |           |    |     |    |     |          |          |
|------------|----------|--------------------|-----|-------|------|-----------|----|-----|----|-----|----------|----------|
| FRONT/REAR |          |                    |     |       |      |           |    |     |    |     |          |          |
| 17         | 70000792 | 2 3/4-17 (2.75-17) | 47J | TL/TT | 1.85 | 1.40-1.85 | 75 | 584 | 80 | 594 | 70001340 | 70001334 |



# B-4



- Designed for urban daily commuting on all paved roads in all weather conditions.\*
- Special compound ensures great traction, stability and extreme durability.
- Designed for mopeds and motorcycles of low and medium engine capacity.

\*Not recommended on ice and/or snow.

| Inch       | Code     | Tyre size          | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|------------|----------|--------------------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|            |          |                    |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|            |          |                    |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT/REAR |          |                    |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 17         | 70000788 | 2 1/4-17 (2.25-17) | 39J   | TT           | 150                 | 120-160                   | 62                              | 558              | 66              | 566              | 70001339      | 70001329      |
| 17         | 70000787 | 2 1/2-17 (2.50-17) | 43J   | TT           | 150                 | 135-160                   | 68                              | 574              | 72              | 584              | 70001340      | 70001334      |
| 18         | 70000790 | 2 1/4-18 (2.25-18) | 42J   | TT           | 150                 | 120-160                   | 62                              | 583              | 66              | 591              | 70001348      |               |

# WHITE WALL

|            |          |                    |     |    |     |         |    |     |    |     |          |          |
|------------|----------|--------------------|-----|----|-----|---------|----|-----|----|-----|----------|----------|
| FRONT/REAR |          |                    |     |    |     |         |    |     |    |     |          |          |
| 17         | 70000789 | 2 1/4-17 (2.25-17) | 39J | TT | 150 | 120-160 | 62 | 558 | 66 | 566 | 70001339 | 70001329 |
| 18         | 70000791 | 2 1/4-18 (2.25-18) | 42J | TT | 150 | 120-160 | 62 | 583 | 66 | 591 | 70001348 |          |

# B-3



- Designed for urban daily commuting on all paved roads in all weather conditions.\*
- Special compound ensures great traction, stability and extreme durability.
- Designed for mopeds and motorcycles of low and medium engine capacity.

\*Not recommended on ice and/or snow.

| Inch       | Code     | Tyre size          | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 |
|------------|----------|--------------------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|
|            |          |                    |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |
|            |          |                    |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |
| FRONT/REAR |          |                    |       |              |                     |                           |                                 |                  |                 |                  |               |
| 18         | 70000786 | 2 1/2-18 (2.50-18) | 43J   | TT           | 150                 | 135-160                   | 68                              | 599              | 72              | 609              | 70001348      |

# MC-11



- Designed for sporty riding and urban daily commuting ready to tackle any weather conditions.\*

- Special rubber compound delivers a reliable grip and stability, confident handling and great durability.

- Designed for mopeds.

\*Not recommended on ice and/or snow.

| Inch       | Code     | Tyre size          | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|------------|----------|--------------------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|            |          |                    |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|            |          |                    |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT/REAR |          |                    |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 17         | 70000778 | 2-17 (2.00-17)     | 31J   | TT           | 135                 | 120-135                   | 55                              | 544              | 58              | 552              | 70001329      | 70001339      |
| 17         | 70000775 | 2 1/4-17 (2.25-17) | 39J   | TT           | 150                 | 120-160                   | 62                              | 558              | 66              | 566              | 70001339      | 70001329      |
| 17         | 70000772 | 2 1/2-17 (2.50-17) | 43J   | TL/TT        | 150                 | 135-160                   | 68                              | 574              | 72              | 584              | 70001340      | 70001334      |
| 17         | 70000776 | 2 3/4-17 (2.75-17) | 47J   | TL/TT        | 185                 | 140-185                   | 75                              | 584              | 80              | 594              | 70001340      | 70001334      |
| 18         | 70000779 | 2.50-18            | 45P   | TT           | 150                 | 135-160                   | 64                              | 593              | 74              | 605              | 70001348      |               |

# WHITE WALL

|            |          |                    |     |       |     |         |    |     |    |     |          |          |
|------------|----------|--------------------|-----|-------|-----|---------|----|-----|----|-----|----------|----------|
| FRONT/REAR |          |                    |     |       |     |         |    |     |    |     |          |          |
| 17         | 70000774 | 2 1/4-17 (2.25-17) | 39J | TT    | 150 | 120-160 | 62 | 558 | 66 | 566 | 70001339 | 70001329 |
| 17         | 70000773 | 2 1/2-17 (2.50-17) | 43J | TL/TT | 150 | 135-160 | 68 | 574 | 72 | 584 | 70001340 | 70001334 |
| 17         | 70000777 | 2 3/4-17 (2.75-17) | 47J | TL/TT | 185 | 140-185 | 75 | 584 | 80 | 594 | 70001340 | 70001334 |





# MC-2



- Designed for sporty riding and urban daily commuting ready to tackle any weather conditions.\*
- Special rubber compound delivers a reliable grip and stability, confident handling and great durability.
- Designed for mopeds.

\*Not recommended on ice and/or snow.

| Inch       | Code     | Tyre size          | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|------------|----------|--------------------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|            |          |                    |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|            |          |                    |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT/REAR |          |                    |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 16         | 70000782 | 2 1/4-16 (2.25-16) | 38J   | TT           | 150                 | 120-160                   | 62                              | 532              | 66              | 540              | 70001330      | 70001329      |
| 16         | 70000780 | 2 1/2-16 (2.50-16) | 42J   | TL/TT        | 150                 | 135-160                   | 68                              | 548              | 72              | 558              | 70001328      | 70001329      |
| 16         | 70000783 | 2 3/4-16 (2.75-16) | 46J   | TL/TT        | 185                 | 140-185                   | 75                              | 558              | 80              | 568              | 70001328      |               |
| 16         | 70000785 | 3 1/4-16 (3.25-16) | 54J   | TL/TT        | 215                 | 185-250                   | 81                              | 586              | 94              | 598              | 70001327      |               |

# WHITE WALL

|            |          |                    |     |       |     |         |    |     |    |     |          |          |
|------------|----------|--------------------|-----|-------|-----|---------|----|-----|----|-----|----------|----------|
| FRONT/REAR |          |                    |     |       |     |         |    |     |    |     |          |          |
| 16         | 70000781 | 2 1/2-16 (2.50-16) | 42J | TL/TT | 150 | 135-160 | 68 | 548 | 72 | 558 | 70001328 | 70001329 |
| 16         | 70000784 | 2 3/4-16 (2.75-16) | 46J | TL/TT | 185 | 140-185 | 75 | 558 | 80 | 568 | 70001328 |          |



# MC-51 MEDITERRA



- Designed for urban and city commuting on all paved and un-paved road types in all weather conditions.\*
- Special reinforced compound ensures amazing grip, durability and great handling.
- Designed for mopeds and motorcycles of low and medium engine capacity.

\*Not recommended on ice and/or snow.

| Inch       | Code     | Tyre size | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 | Tube option 2 |
|------------|----------|-----------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|---------------|
|            |          |           |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |               |
|            |          |           |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |               |
| FRONT/REAR |          |           |       |              |                     |                           |                                 |                  |                 |                  |               |               |
| 17         | 70000799 | 2.50-17   | 43P   | TL'          | 150                 | 135-160                   | 64                              | 568              | 70              | 580              | 70001340      | 70001334      |
| 17         | 70000800 | 2.75-17   | 47P   | TL'          | 185                 | 140-185                   | 75                              | 588              | 81              | 600              | 70001340      | 70001334      |

# H-02 2025



- Designed for daily commuting on all paved roads in all weather conditions.\*
- Special rubber compound ensures easy handling, traction and great durability.
- Designed for mopeds and motorcycles of low and medium engine capacity.

\*Not recommended on ice and/or snow.

| Inch       | Code     | Tyre size          | LI/SS | Type (TL/TT) | Measuring rim width | Permitted rim width range | Tyre dimensions E.T.R.T.O. (mm) |                  |                 |                  | Tube option 1 |
|------------|----------|--------------------|-------|--------------|---------------------|---------------------------|---------------------------------|------------------|-----------------|------------------|---------------|
|            |          |                    |       |              |                     |                           | Design                          |                  | Max. in service |                  |               |
|            |          |                    |       |              |                     |                           | Section width                   | Overall diameter | Overall width   | Overall diameter |               |
| FRONT/REAR |          |                    |       |              |                     |                           |                                 |                  |                 |                  |               |
| 19         | 70001442 | 2.00-19 (2-19)     | 24B   | TT           | 135                 | 120-135                   | 55                              | 595              | 58              | 603              | 70001354      |
| 19         | 70001443 | 2.25-19 (2 1/4-19) | 30B   | TT           | 150                 | 120-160                   | 62                              | 609              | 66              | 617              | 70001354      |





| Inch  | Code     | Equivalent size                                                                                                                                                                                                                                            | Version       | Thickness (mm) | Valve         | Packing (pcs) |
|-------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------------|---------------|---------------|
| 8     | 70001312 | 3.50-8   4.00-8                                                                                                                                                                                                                                            | STANDARD DUTY | 1.5            | JS 87N 90/90  | 20            |
| 10    | 70001317 | 2.50-10   2.75-10   3.00-10   3.50-10   90/90-10   100/80-10   100/90-10                                                                                                                                                                                   | STANDARD DUTY | 1.5            | JS 87CL 90/90 | 20            |
| 10    | 70001313 | 2.50-10   2.75-10   3.00-10   3.25-10   3.50-10   70/100-10   80/90-10   90/90-10   100/80-10   100/90-10                                                                                                                                                  | STANDARD DUTY | 1.5            | JS 87N 90/90  | 20            |
| 10    | 70001316 | 4.10-10   130/90-10   150/80-10                                                                                                                                                                                                                            | STANDARD DUTY | 1.5            | JS 87N 90/90  | 20            |
| 10    | 70001315 | 120/70-10   120/90-10   130/70-10                                                                                                                                                                                                                          | STANDARD DUTY | 1.5            | JS 87N 90/90  | 20            |
| 10    | 70001314 | 2.50-10   2.75-10   3.00-10   3.25-10   3.50-10   90/90-10   100/80-10   100/90-10                                                                                                                                                                         | HEAVY DUTY    | 2.0            | TR4           | 20            |
| 10-11 | 70001357 | 4.00-10   100/90-11   110/80-11   110/90-11   120/70-11   120/80-11   120/90-11   130/70-11   130/80-11   130/90-11   110/70-11   120/70-11   130/70-11                                                                                                    | STANDARD DUTY | 1.5            | JS 87N 90/90  | 20            |
| 12    | 70001320 | 2.50-12   2.75-12   3.00-12   3.25-12   3.50-12   60/100-12   70/100-12   80/100-12   90/100-12   100/90-12                                                                                                                                                | STANDARD DUTY | 1.5            | JS 87N 90/90  | 20            |
| 12    | 70001318 | 2.50-12   2.75-12   3.00-12   3.25-12   3.50-12   60/100-12   70/100-12   80/100-12   90/90-12   90/100-12   100/80-12   100/90-12                                                                                                                         | STANDARD DUTY | 1.5            | TR4           | 20            |
| 12    | 70001319 | 2.50-12   2.75-12   3.00-12   3.25-12   3.50-12   60/100-12   70/100-12   80/100-12   90/100-12   100/90-12                                                                                                                                                | HEAVY DUTY    | 2.0            | TR6           | 20            |
| 12-13 | 70001359 | 4.00-12   4.25-12   4.50-12   110/90-12   120/70-12   120/80-12   130/70-12   130/80-12   140/70-12   140/70-13   150/70-13                                                                                                                                | STANDARD DUTY | 1.5            | JS 87N 90/90  | 20            |
| 12-13 | 70001358 | 4.00-12   4.25-12   4.50-12   110/90-12   120/70-12   120/80-12   130/70-12   130/80-12   140/70-12   140/70-13   150/70-13                                                                                                                                | STANDARD DUTY | 1.5            | JS 87N 45/90  | 20            |
| 14    | 70001322 | 2.25-14   2.50-14   2.75-14   60/100-14   70/90-14   70/100-14   80/80-14   80/90-14   80/100-14   90/80-14   100/70-14                                                                                                                                    | STANDARD DUTY | 1.5            | TR4           | 20            |
| 14    | 70001324 | 100/80-14   100/90-14   110/70-14   110/80-14   120/70-14   120/80-14   140/60-14                                                                                                                                                                          | STANDARD DUTY | 1.5            | TR6           | 20            |
| 14    | 70001325 | 140/70-14                                                                                                                                                                                                                                                  | STANDARD DUTY | 1.5            | TR6           | 20            |
| 14    | 70001321 | 2.25-14   2.50-14   2.75-14   60/100-14   70/100-14                                                                                                                                                                                                        | HEAVY DUTY    | 2.0            | TR6           | 20            |
| 14    | 70001323 | 3.60-14   4.10-14   90/90-14   90/100-14                                                                                                                                                                                                                   | HEAVY DUTY    | 2.0            | TR6           | 20            |
| 15    | 70001326 | 130/80-15   130/90-15   140/90-15   150/90-15                                                                                                                                                                                                              | STANDARD DUTY | 1.5            | TR6           | 20            |
| 15    | 70001360 | 170/80-15                                                                                                                                                                                                                                                  | STANDARD DUTY | 1.5            | TR6           | 12            |
| 16    | 70001330 | 2.25-16   60/100-16                                                                                                                                                                                                                                        | STANDARD DUTY | 1.5            | TR4           | 20            |
| 16    | 70001328 | 2.50-16   2.75-16   80/80-16   80/90-16   80/100-16   90/80-16   90/90-16                                                                                                                                                                                  | STANDARD DUTY | 1.5            | TR4           | 20            |
| 16    | 70001327 | 3.00-16   3.25-16   3.50-16   80/90-16   90/90-16   90/100-16                                                                                                                                                                                              | STANDARD DUTY | 1.5            | TR6           | 20            |
| 16    | 70001332 | 4.00-16   4.60-16   5.00-16   100/80-16   100/100-16   110/70-16   110/90-16   120/70-16   120/80-16   120/90-16   130/70-16   130/80-16   130/90-16                                                                                                       | STANDARD DUTY | 1.5            | TR6           | 20            |
| 16    | 70001333 | 140/70-16   140/90-16   150/80-16   5.00-16   MT90-16   MU90-16   MU85-16                                                                                                                                                                                  | STANDARD DUTY | 1.5            | TR6           | 20            |
| 16    | 70001331 | 3.00-16   90/90-16   90/100-16   100/80-16                                                                                                                                                                                                                 | HEAVY DUTY    | 2.0            | TR6           | 20            |
| 16-17 | 70001329 | 2.00-16   2.25-16   2.50-16   2.00-17   2.25-17   2.50-17                                                                                                                                                                                                  | STANDARD DUTY | 1.5            | TR4           | 20            |
| 17    | 70001339 | 2.00-17   2.25-17   60/100-17                                                                                                                                                                                                                              | STANDARD DUTY | 1.5            | TR4           | 20            |
| 17    | 70001340 | 2.50-17   2.75-17   70/100-17   80/90-17   80/100-17   90/80-17   100/70-17   100/80-17                                                                                                                                                                    | STANDARD DUTY | 1.5            | TR6           | 20            |
| 17    | 70001338 | 4.00-17   4.25-17   4.50-17   5.00-17   5.10-17   6.10-17   110/90-17   120/80-17   120/90-17   130/70-17   130/80-17   130/90-17   140/70-17   140/80-17   140/90-17   150/60-17   150/70-17   150/80-17   150/90-17   160/60-17                          | STANDARD DUTY | 1.5            | TR6           | 20            |
| 17    | 70001334 | 2.50-17   2.75-17   70/100-17   80/90-17   80/100-17   90/80-17                                                                                                                                                                                            | HEAVY DUTY    | 2.0            | TR6           | 20            |
| 17    | 70001335 | 3.00-17   3.50-17   90/90-17   90/100-17   100/70-17   100/80-17   110/90-17                                                                                                                                                                               | HEAVY DUTY    | 2.0            | TR6           | 20            |
| 17    | 70001336 | 3.00-17   3.25-17   3.60-17   90/80-17   90/90-17   90/100-17   100/80-17   110/70-17   110/80-17   120/60-17   120/65-17   120/70-17                                                                                                                      | HEAVY DUTY    | 2.0            | TR6           | 20            |
| 17    | 70001337 | 4.00-17   4.25-17   4.25/80-17   4.50-17   5.00-17   5.10-17   6.10-17   110/90-17   120/80-17   120/90-17   130/70-17   130/80-17   130/90-17   140/70-17   140/80-17   140/90-17   150/60-17   150/70-17   150/80-17   150/90-17   160/60-17   170/60-17 | HEAVY DUTY    | 2.0            | TR6           | 20            |
| 17    | 70001341 | 140/100-17                                                                                                                                                                                                                                                 | HEAVY DUTY    | 2.0            | TR6           | 20            |



| Inch | Code     | Equivalent size                                                                                                                                                                                                 | Version          | Thickness (mm) | Valve | Packing (pcs) |
|------|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------|-------|---------------|
| 18   | 70001348 | 2.25-18   2.50-18                                                                                                                                                                                               | STANDARD DUTY    | 1.5            | TR4   | 20            |
| 18   | 70001347 | 2.75-18   3.00-18   3.25-18   80/90-18   80/100-18   90/80-18   90/90-18   90/100-18   100/80-18   100/90-18   100/100-18   110/80-18   110/90-18   110/100-18   120/80-18   120/90-18   120/100-18   130/80-18 | STANDARD DUTY    | 1.5            | TR6   | 20            |
| 18   | 70001346 | 3.25-18   3.50-18   4.00-18   4.10-18   90/90-18   90/100-18   100/80-18   100/90-18   100/100-18   110/80-18   110/90-18   110/100-18   120/80-18   120/90-18   120/100-18   130/80-18                         | STANDARD DUTY    | 1.5            | TR6   | 20            |
| 18   | 70001349 | 4.00-18   4.25-18   4.50-18   4.75-18   5.00-18   100/100-18   110/80-18   110/90-18   110/100-18   120/80-18   120/90-18   120/100-18   130/80-18                                                              | STANDARD DUTY    | 1.5            | TR6   | 20            |
| 18   | 70001343 | 4.00-18   4.25-18   4.50-18   4.75-18   5.00-18   100/100-18   110/80-18   110/90-18   110/100-18   120/80-18   120/90-18   120/100-18   130/80-18                                                              | HEAVY DUTY       | 2.0            | TR6   | 20            |
| 18   | 70001345 | 4.00-18   4.25-18   4.50-18   4.60-18   4.25/85-18   110/90-18   110/100-18   120/80-18   120/90-18   120/100-18   130/80-18   130/90-18   140/80-18   150/70-18                                                | HEAVY DUTY       | 2.0            | TR6   | 20            |
| 18   | 70001344 | 100/100-18   110/100-18   120/80-18   120/90-18   120/100-18   130/80-18   140/80-18                                                                                                                            | ULTRA HEAVY DUTY | 4.0            | TR6   | 20            |
| 19   | 70001354 | 2.00-19   2.25-19                                                                                                                                                                                               | STANDARD DUTY    | 1.5            | TR4   | 20            |
| 19   | 70001353 | 2.50-19   2.75-19   80/100-19   90/90-19                                                                                                                                                                        | STANDARD DUTY    | 1.5            | TR6   | 20            |
| 19   | 70001351 | 3.00-19   3.25-19   3.50-19   3.75-19   4.00-19   4.50-19   70/100-19   80/90-19   80/100-19   90/90-19   100/90-19   110/80-19   110/90-19   120/80-19   120/90-19   130/70-19   130/80-19                     | HEAVY DUTY       | 2.0            | TR6   | 20            |
| 19   | 70001350 | 5.00-19   120/70-19   120/90-19   130/60-19   140/80-19                                                                                                                                                         | HEAVY DUTY       | 2.0            | TR6   | 20            |
| 19   | 70001352 | 100/90-19   110/90-19   120/70-19   120/80-19   130/70-19                                                                                                                                                       | ULTRA HEAVY DUTY | 4.0            | TR6   | 12            |
| 21   | 70001361 | 2.50-21   2.75-21   3.00-21   3.25-21   3.60-21   80/90-21   80/100-21   90/80-21   90/90-21   90/100-21   100/80-21                                                                                            | STANDARD DUTY    | 1.5            | TR6   | 20            |
| 21   | 70001356 | 2.50-21   2.75-21   3.00-21   3.25-21   3.60-21   80/90-21   80/100-21   90/80-21   90/90-21   90/100-21   100/80-21                                                                                            | HEAVY DUTY       | 2.0            | TR6   | 20            |
| 21   | 70001355 | 2.50-21   2.75-21   3.00-21   3.25-21   3.60-21   80/90-21   80/100-21   90/80-21   90/90-21   90/100-21   100/80-21                                                                                            | ULTRA HEAVY DUTY | 4.0            | TR6   | 15            |



TR 4



TR 6



JS 87CL 90/90



JS 87N 90/90



JS 87N 45/90








| Inch       | Code     | Size           | Homologation | Aspect      | Version    | Air pressure estimated |
|------------|----------|----------------|--------------|-------------|------------|------------------------|
| FRONT      |          |                |              |             |            |                        |
| 19         | 70001193 | 70/100-19      | NHS          | CYLINDRICAL | STANDARD   | 0.8/1.0                |
| 21         | 70000891 | 80/100-21      | NHS          | CYLINDRICAL | STANDARD   | 0.8/1.0                |
| 21         | 70000893 | 90/90-21       | NHS          | CYLINDRICAL | STANDARD   | 0.8/1.0                |
| 21         | 70000898 | 90/90-21       | NHS          | CYLINDRICAL | RALLY      | 11/13                  |
| 21         | 70000892 | 90/100-21      | NHS          | CYLINDRICAL | STANDARD   | 0.8/1.0                |
| REAR       |          |                |              |             |            |                        |
| 16         | 70001194 | 90/100-16      | NHS          | CYLINDRICAL | STANDARD   | 0.7/0.9                |
| 18         | 70000882 | 110/80-18      | NHS          | CYLINDRICAL | STANDARD   | 0.8/1.0                |
| 18         | 70000894 | 110/100-18     | NHS          | CYLINDRICAL | STANDARD   | 0.8/1.0                |
| 18         | 70000886 | 120/90-18      | NHS          | CYLINDRICAL | STANDARD   | 0.8/1.0                |
| 18         | 70000887 | 120/90-18      | NHS          | CYLINDRICAL | SOFT       | 0.5/0.6                |
| 18         | 70000884 | 120/100-18     | NHS          | CYLINDRICAL | STANDARD   | 0.8/1.0                |
| 18         | 70000889 | 140/80-18      | NHS          | CYLINDRICAL | STANDARD   | 0.8/11                 |
| 18         | 70000890 | 140/80-18      | NHS          | CYLINDRICAL | SOFT       | 0.5/06                 |
| 18         | 70000895 | 140/80-18      | NHS          | FLAT        | EXTREME    | 0.5/06                 |
| 18         | 70000897 | 140/80-18      | NHS          | CYLINDRICAL | RALLY      | 11/13                  |
| 19         | 70000881 | 100/90-19      | NHS          | CYLINDRICAL | STANDARD   | 0.8/1.0                |
| 19         | 70000883 | 110/90-19      | NHS          | CYLINDRICAL | STANDARD   | 0.8/1.0                |
| 19         | 70000885 | 120/80-19      | NHS          | CYLINDRICAL | STANDARD   | 0.8/1.0                |
| 19         | 70000888 | 120/90-19      | NHS          | CYLINDRICAL | STANDARD   | 0.8/1.0                |
| MOUSSE GEL |          |                |              |             |            |                        |
|            | 70000896 | 1KG GEL MOUSSE |              | GEL         | MOUSSE GEL |                        |





TYRE DESIGNATION


SPEED SYMBOL



LOAD INDEX

| U  | kg   | U  | kg    | U  | kg    | U  | kg    | U  | kg    | U   | kg     |
|----|------|----|-------|----|-------|----|-------|----|-------|-----|--------|
| 0  | 45.0 | 20 | 80.0  | 40 | 140.0 | 60 | 250.0 | 80 | 450.0 | 100 | 800.0  |
| 1  | 46.2 | 21 | 82.5  | 41 | 145.0 | 61 | 257.0 | 81 | 462.0 | 101 | 825.0  |
| 2  | 47.5 | 22 | 85.0  | 42 | 150.0 | 62 | 265.0 | 82 | 475.0 | 102 | 850.0  |
| 3  | 48.7 | 23 | 87.5  | 43 | 155.0 | 63 | 272.0 | 83 | 487.0 | 103 | 875.0  |
| 4  | 50.0 | 24 | 90.0  | 44 | 160.0 | 64 | 280.0 | 84 | 500.0 | 104 | 900.0  |
| 5  | 51.5 | 25 | 92.5  | 45 | 165.0 | 65 | 290.0 | 85 | 515.0 | 105 | 925.0  |
| 6  | 53.0 | 26 | 95.0  | 46 | 170.0 | 66 | 300.0 | 86 | 530.0 | 106 | 950.0  |
| 7  | 54.5 | 27 | 97.5  | 47 | 175.0 | 67 | 307.0 | 87 | 545.0 | 107 | 975.0  |
| 8  | 56.0 | 28 | 100.0 | 48 | 180.0 | 68 | 315.0 | 88 | 560.0 | 108 | 1000.0 |
| 9  | 58.0 | 29 | 103.0 | 49 | 185.0 | 69 | 325.0 | 89 | 580.0 | 109 | 1030.0 |
| 10 | 60.0 | 30 | 106.0 | 50 | 190.0 | 70 | 335.0 | 90 | 600.0 | 110 | 1060.0 |
| 11 | 61.5 | 31 | 109.0 | 51 | 195.0 | 71 | 345.0 | 91 | 615.0 | 111 | 1090.0 |
| 12 | 63.0 | 32 | 112.0 | 52 | 200.0 | 72 | 355.0 | 92 | 630.0 | 112 | 1120.0 |
| 13 | 65.0 | 33 | 115.0 | 53 | 206.0 | 73 | 365.0 | 93 | 650.0 | 113 | 1150.0 |
| 14 | 67.0 | 34 | 118.0 | 54 | 212.0 | 74 | 375.0 | 94 | 670.0 | 114 | 1180.0 |
| 15 | 69.0 | 35 | 121.0 | 55 | 218.0 | 75 | 387.0 | 95 | 690.0 | 115 | 1215.0 |
| 16 | 71.0 | 36 | 125.0 | 56 | 224.0 | 76 | 400.0 | 96 | 710.0 | 116 | 1250.0 |
| 17 | 73.0 | 37 | 128.0 | 57 | 230.0 | 77 | 412.0 | 97 | 730.0 | 117 | 1285.0 |
| 18 | 75.0 | 38 | 132.0 | 58 | 236.0 | 78 | 425.0 | 98 | 750.0 | 118 | 1320.0 |
| 19 | 77.5 | 39 | 136.0 | 59 | 243.0 | 79 | 437.0 | 99 | 775.0 | 119 | 1360.0 |

TYRE DESIGNATION



TYRE MARKINGS

|                    |                               |                              |                       |                            |                           |                         |                         |
|--------------------|-------------------------------|------------------------------|-----------------------|----------------------------|---------------------------|-------------------------|-------------------------|
| 1. Tyre size:      | 2. Tread pattern designation: | 3. Manufacturer:             | 4. Country of origin: | 5. Speed symbol:           | 6. Load index:            | 7. Tubeless / Tubetype: | 8. DOT marking:         |
| 180/55ZR17         | SPORT FORCE+                  | Mitas                        | Slovenia              | W (>270 km/h)              | 73 (365 kg)               | Tubeless                | DOT H3 MR SFC           |
| 9. Production date | 10. Max. load capacity:       | 10. Max. inflation pressure: | 11. Load range:       | 12. Direction of rotation: | 13. Tread wear indicator: | 14. Homologation No.:   | 15. Other homologations |
|                    | 716 lbs                       | AT 42 PSI COLD               | B                     | Rotation                   | TWI                       | E8 75 R 000728          |                         |



AMERICAN ALPHA INDICATION

| Alpha | Inch | Alpha | Inch |
|-------|------|-------|------|
| H     | 3.15 | R     | 4.50 |
| J     | 3.50 | S     | 4.75 |
| L     | 3.65 | T     | 5.10 |
| M     | 3.75 | U     | 5.60 |
| N     | 4.10 | V     | 5.90 |
| P     | 4.10 |       |      |

|  |           |       |  |           |       |
|-----------------------------------------------------------------------------------|-----------|-------|-----------------------------------------------------------------------------------|-----------|-------|
| Metric                                                                            | Inch      | Alpha | Metric                                                                            | Inch      | Alpha |
| 80/90                                                                             | 2.50/2.75 | MH90  | 110/90                                                                            | 4.00/4.25 | MP85  |
| 90/90                                                                             | 2.75/3.00 | MJ90  | 120/90                                                                            | 4.50/4.75 | MR90  |
| 100/90                                                                            | 3.25/3.50 | MM90  | 130/80                                                                            | 5.00/5.10 |       |
| 110/90                                                                            | 3.75/4.00 | MN90  | 130/90                                                                            | 5.00/5.10 | MT90  |
| 120/80                                                                            | 4.25/4.50 |       | 140/80                                                                            | 5.50/6.00 |       |
| 120/90                                                                            | 4.25/4.50 | MR90  | 140/90                                                                            | 5.50/6.00 | MJ90  |
| 130/90                                                                            | 5.00/5.10 | MT90  | 150/80                                                                            | 6.00/6.25 | MV85  |
|                                                                                   |           |       | 150/90                                                                            | 6.00/6.25 | MV85  |

|  |           |  |           |
|-------------------------------------------------------------------------------------|-----------|-------------------------------------------------------------------------------------|-----------|
| Metric                                                                              | Inch      | Metric                                                                              | Inch      |
| 60/100<br>90/80                                                                     | 2.50/2.75 | 80/100<br>80/90                                                                     | 2.50/3.60 |
| 70/100<br>90/80                                                                     | 2.75/3.00 | 90/100<br>110/90                                                                    | 3.60/4.10 |
| 80/100<br>100/80                                                                    | 3.00/3.25 | 100/100<br>120/80                                                                   | 4.00/4.10 |
|                                                                                     |           | 110/100<br>130/80                                                                   | 4.00/4.50 |
|                                                                                     |           | 120/100<br>140/80                                                                   | 5.00/5.10 |

COMPARATIVE CHART FOR METRIC-DECIMAL SIZE DESCRIPTION

| Tyre size  | Load index |            | Permitted rim | Tyre size    |            |           |           |
|------------|------------|------------|---------------|--------------|------------|-----------|-----------|
|            |            |            |               | Alphanumeric | Inch       |           |           |
|            | Standard   | Reinforced |               |              | 100        | 90        | 80        |
| 2.75-16    | 40         | 46         | 1.50-1.85     | MH 90-16     | 80/100-16  | 80/90-16  | 90/80-16  |
| 3.00-16    | 40         | 48         | 1.60-2.15     | MH 90-16     | 90/100-16  | 90/90-16  | 100/80-16 |
| 3.25-16    | 48         | 55         | 1.85-2.50     | MJ 90 - 16   | 100/100-16 | 100/90-16 | 110/80-16 |
| 3.50-16    | 52         | 58         | 1.85-2.50     | ML 90-16     | 100/100-16 | 100/90-16 | 110/80-16 |
| 4.60-16    | 58         | 59         | 1.85-3.00     | MM 90-16     | 100/100-16 | 110/90-16 | 120/80-16 |
|            |            |            |               |              |            |           |           |
| 2.75-17    | 41         | 47         | 1.50-1.85     | MH 90-17     | 80/100-17  | 80/90-17  | 90/80-17  |
| 3.00-17    | 41         | 50         | 1.60-2.15     | MH 90-17     | 90/100-17  | 90/90-17  | 100/80-17 |
| 4.50-17    | 50         | 67         | 2.15-3.00     | MR 90-17     | 110/100-17 | 130/90-17 | 140/80-17 |
| 4.60-17    | 50         | 62         | 1.85-3.00     | MS 90-17     | 100/100-17 | 110/90-17 | 120/80-17 |
| 5.10-17    | 50         | 67         | 2.50-3.50     | MT 90-17     | 110/100-17 | 130/90-17 | 140/80-17 |
|            |            |            |               |              |            |           |           |
| 2.75-18    | 42         | 48         | 1.50-1.85     | MH 90-18     | 80/100-18  | 80/90-18  | 90/80-18  |
| 3.00-18    | 47         | 52         | 1.60-2.15     | MH 90-18     | 90/100-18  | 90/90-18  | 100/80-18 |
| 3.25-18    | 52         | 59         | 1.85-2.50     | MJ 90 -18    | 100/100-18 | 100/90-18 | 110/80-18 |
| 3.50-18    | 56         | 62         | 1.85-2.50     | ML 90-18     | 100/100-18 | 100/90-18 | 110/80-18 |
| 3.60-18    | 51         | 62         | 1.85-2.50     | MH 90-18     | 100/100-18 | 90/90-18  | 100/80-18 |
| 4.00-18    | 64         | 69         | 2.15-3.00     | MN 90-18     | 110/100-18 | 120/90-18 | 130/80-18 |
| 4.10-18    | 60         | 69         | 1.85-3.00     | ML 90-18     | 100/100-18 | 100/90-18 | 110/80-18 |
| 4.25/85-18 | 64         | 69         | 1.85-3.00     | MM 90-18     | 110/100-18 | 110/90-18 | 120/80-18 |
| 4.25-18    | 66         | 69         | 2.15-3.00     | ML 90-18     | 110/100-18 | 120/90-18 | 130/80-18 |
| 4.60-18    | 63         | 69         | 1.85-3.00     | MR 90-18     | 110/100-18 | 120/90-18 | 130/80-18 |
|            |            |            |               |              |            |           |           |
| 3.00-19    | 49         | 54         | 1.60-2.15     | MH 90-19     | 90/100-19  | 90/90-19  | 100/80-19 |
| 3.25-19    | 54         | 54         | 1.85-2.50     | MJ 90-19     | 100/100-19 | 100/90-19 | 110/80-19 |
| 3.50-19    | 54         | 57         | 1.85-2.50     | ML 90-19     | 100/100-19 | 100/90-19 | 110/80-19 |
| 3.60-19    | 52         | 54         | 1.85-2.50     | MH 90-19     | 100/100-19 | 90/90-19  | 100/80-19 |
|            |            |            |               |              |            |           |           |
| 2.75-21    | 45         | 54         | 1.50-1.85     | MH 90-21     | 80/100-21  | 80/90-21  | 90/80-21  |
| 3.00-21    | 51         | 57         | 1.60-2.15     | MH 90-21     | 90/100-21  | 90/90-21  | 100/80-21 |



**DISCONTINUED TYRES**  
(Available until the stock runs out)



*POL TARRES*





| C-01               | C-02                | C-04  | C-10         | C-11               | C-12              | C-15                | C-16  |              |                     |                   |
|--------------------|---------------------|-------|--------------|--------------------|-------------------|---------------------|-------|--------------|---------------------|-------------------|
| DISCONTINUED TYRES |                     |       |              |                    | REPLACEMENT TYRES |                     |       |              |                     |                   |
| Code               | Tyre size           | LI/SS | Type (TL/TT) | Version            | Code              | Tyre size           | LI/SS | Type (TL/TT) | Version             | Tread pattern     |
| C-01               |                     |       |              |                    |                   |                     |       |              |                     |                   |
| 70000266           | 3.50-16             | 58P   | TT           |                    | 70001070          | 3.50-16             | 58S   | TT           | ALL-TERRAIN         | E-05              |
| C-02 STONEKING     |                     |       |              |                    |                   |                     |       |              |                     |                   |
| 70000270           | 130/80-17           | 65N   | TT           |                    | 70000985          | 130/80-17           | 65N   | TT           | ALL-TERRAIN         | STONE KING        |
| 70000267           | 110/100-18          | 71N   | TT           |                    | 70001072          | 110/100-18          | 64R   | TT           | SUPER               | TERRA FORCE-EX MH |
| 70000268           | 120/90-18           | 71N   | TT           |                    | 70000983          | 120/90-18           | 71N   | TT           | ALL-TERRAIN         | STONE KING        |
| 70000269           | 120/90-19           | 66N   | TT           |                    | 70000984          | 120/90-19           | 66N   | TT           | ALL-TERRAIN         | STONE KING        |
| C-04 LEISURE       |                     |       |              |                    |                   |                     |       |              |                     |                   |
| 70000271           | 110/90-18           | 61N   | TT           |                    |                   |                     |       |              |                     | -                 |
| 226351             | 120/90-18           | 71N   | TT           | REINFORCED         | 70000983          | 120/90-18           | 71N   | TT           |                     | STONE KING        |
| 70000272           | 130/90-18           | 69N   | TT           |                    |                   |                     |       |              |                     | -                 |
| C-10 SPEEDY-CROC   |                     |       |              |                    |                   |                     |       |              |                     |                   |
| 226024             | 2.75-10             | 37J   | TT           |                    | 70000927          | 70/100-10 (2.50-10) | 41J   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH |
| 226008             | 80/100-12           | 41M   | TT           |                    | 70000930          | 80/100-12 (2.50-12) | 50M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH |
| 226035             | 90/100-14           | 49M   | TT           |                    | 70000932          | 90/100-14           | 49M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH |
| 226322             | 110/90-18           | 61M   | TT           |                    |                   |                     |       |              |                     | -                 |
| 226340             | 120/90-18           | 65M   | TT           | ICE SOFT           | 70000954          | 120/90-18           | 65R   | TT           | SUPER               | TERRA FORCE-EF    |
| 70000273           | 120/90-18           | 65M   | TT           |                    | 70000953          | 120/90-18           | 65R   | TT           | SUPER LIGHT         | TERRA FORCE-EF    |
| 70000179           | 120/90-18           | 65M   | TT           | SUPER              | 70000954          | 120/90-18           | 65R   | TT           | SUPER               | TERRA FORCE-EF    |
| 226598             | 100/90-19           | 57M   | TT           |                    | 70000922          | 100/90-19           | 57M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH |
| 226608             | 110/90-19           | 62M   | TT           |                    | 70000923          | 110/90-19           | 62M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH |
| 226472             | 120/90-19           | 66N   | TT           |                    | 70000984          | 120/90-19           | 66N   | TT           |                     | STONE KING        |
| C-11 SPEEDY-CROC   |                     |       |              |                    |                   |                     |       |              |                     |                   |
| 226018             | 2.50-12             | 37J   | TT           |                    | 70000930          | 80/100-12 (2.50-12) | 50M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH |
| 226020             | 2.50-12             | 37J   | TT           |                    | 70000930          | 80/100-12 (2.50-12) | 50M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH |
| 226041             | 60/100-14           | 30M   | TT           | WIN FRIC           | 70000926          | 60/100-14           | 29M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH |
| 70000274           | 80/100-21           | 51R   | TT           |                    | 70001073          | 80/100-21           | 51R   | TT           | SUPER               | TERRA FORCE-EX MH |
| 226755             | 90/90-21            | 54R   | TT           |                    | 70000935          | 90/90-21 (3.00-21)  | 54M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH |
| C-12 CROSS         |                     |       |              |                    |                   |                     |       |              |                     |                   |
| 226328             | 110/90-18           | 61M   | TT           | SOFT TERRAIN       |                   |                     |       |              |                     | -                 |
| 226344             | 120/90-18           | 65M   | TT           | SOFT TERRAIN       | 70000979          | 120/90-18           | 65R   | TT           | SUPER               | TERRA FORCE-EX SM |
| 226630             | 100/90-19           | 57M   | TT           | SOFT TERRAIN       | 70000937          | 100/90-19           | 57M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM |
| 226626             | 110/90-19           | 62M   | TT           | SOFT TERRAIN       | 70000938          | 110/90-19           | 62M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM |
| 226476             | 120/90-19           | 66N   | TT           | ICE SOFT           |                   |                     |       |              |                     | -                 |
| 226474             | 120/90-19           | 66N   | TT           |                    | 70000984          | 120/90-19           | 66N   | TT           |                     | STONE KING        |
| 226010             | 70/100-10 (2.50-10) | 37J   | TT           | SOFT TERRAIN       | 70000941          | 70/100-10 (2.50-10) | 41J   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM |
| C-15 CAYMAN        |                     |       |              |                    |                   |                     |       |              |                     |                   |
| 226768             | 90/90-21            | 54R   | TT           | CROSS COUNTRY      | 70000949          | 90/90-21            | 54M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM |
| 226766             | 90/90-21 (3.00-21)  | 54R   | TT           | SOFT TERRAIN       | 70000949          | 90/90-21            | 54M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM |
| C-16 STONEATER     |                     |       |              |                    |                   |                     |       |              |                     |                   |
| 70000180           | 110/100-18          | 64M   | TT           | SUPER SOFT EXTREME | 70000966          | 110/100-18          | 64M   | TT           | SUPER LIGHT         | TERRA FORCE-EX MH |
| 70000289           | 110/100-18          | 64M   | TT           | WIN FRIC           | 70000989          | 110/100-18          | 64M   | TT           |                     | TERRA FORCE-EX HT |



| C-16               |                     | C-17  |              | C-18                 |                   | C-19 EAGLE          |       |              |                     |                       |
|--------------------|---------------------|-------|--------------|----------------------|-------------------|---------------------|-------|--------------|---------------------|-----------------------|
| DISCONTINUED TYRES |                     |       |              |                      | REPLACEMENT TYRES |                     |       |              |                     |                       |
| Code               | Tyre size           | LI/SS | Type (TL/TT) | Version              | Code              | Tyre size           | LI/SS | Type (TL/TT) | Version             | Tread pattern         |
| C-16 STONEATER     |                     |       |              |                      |                   |                     |       |              |                     |                       |
| 70000277           | 110/100-18          | 64M   | TT           |                      | 70001072          | 110/100-18          | 64R   | TT           |                     | TERRA FORCE-EX MH     |
| 70000316           | 110/100-18          | 64M   | TT           | SPIKE                | 70000989          | 110/100-18          | 64M   | TT           | ICE                 | TERRA FORCE-EX HT     |
| 70000288           | 100/90-19           | 57M   | TT           | WIN FRIC             | 70000988          | 100/90-19           | 57M   | TT           | ICE                 | TERRA FORCE-EX HT     |
| 70000315           | 100/90-19           | 57M   | TT           | SPIKE                | 70000988          | 100/90-19           | 64M   | TT           | ICE                 | TERRA FORCE-EX HT     |
| 70000278           | 110/90-19           | 62M   | TT           |                      | 70000923          | 110/90-19           | 62M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH     |
| 70000290           | 110/90-19           | 62M   | TT           | WIN FRIC             | 70000990          | 110/90-19           | 62M   | TT           |                     | TERRA FORCE-EX HT     |
| 70000317           | 110/90-19           | 62M   | TT           | SPIKE                | 70000990          | 110/90-19           | 62M   | TT           | ICE                 | TERRA FORCE-EX HT     |
| 70000291           | 120/90-19           | 66N   | TT           | WIN FRIC             |                   |                     |       |              |                     | -                     |
| 70000279           | 120/90-19           | 66N   | TT           |                      | 70000984          | 120/90-19           | 66N   | TT           |                     | STONE KING            |
| 70000318           | 120/90-19           | 66N   | TT           | SPIKE                |                   |                     |       |              |                     | -                     |
| C-17 STONEATER     |                     |       |              |                      |                   |                     |       |              |                     |                       |
| 226712             | 80/100-21           | 51R   | TT           |                      | 70001073          | 80/100-21           | 51R   | TT           | SUPER               | TERRA FORCE-EX MH     |
| 70000319           | 90/90-21            | 54R   | TT           | SPIKE                | 70000991          | 90/90-21            | 51M   | TT           | ICE                 | TERRA FORCE-EX HT     |
| 70000474           | 90/90-21 (3.00-21)  | 54R   | TT           | DAKAR                | 70000920          | 90/90-21            | 54R   | TT           | SUPER               | ENDURO TRAIL-RALLY MH |
| 70000475           | 90/90-21 (3.00-21)  | 54R   | TT           | DAKAR                | 70000920          | 90/90-21            | 54R   | TT           | SUPER               | ENDURO TRAIL-RALLY MH |
| 70000280           | 90/90-21 (3.00-21)  | 54R   | TT           | SUPER LIGHT          | 70000982          | 90/90-21            | 54R   | TT           |                     | ENDURO TRAIL-RALLY MH |
| 70000292           | 90/90-21 (3.00-21)  | 54R   | TT           | WIN FRIC             | 70000991          | 90/90-21            | 51M   | TT           |                     | TERRA FORCE-EX HT     |
| C-18 EAGLE         |                     |       |              |                      |                   |                     |       |              |                     |                       |
| 226310             | 100/100-18          | 59R   | TT           |                      | 70001071          | 100/100-18          | 59R   | TT           | SUPER               | TERRA FORCE-EX MH     |
| 70000225           | 110/100-18          | 64R   | TT           | SUPER LIGHT          | 70000977          | 110/100-18          | 64R   | TT           | SUPER LIGHT         | TERRA FORCE-EX SM     |
| 70000182           | 110/100-18          | 64R   | TT           | SUPER LIGHT          | 70000977          | 110/100-18          | 64R   | TT           | SUPER LIGHT         | TERRA FORCE-EX SM     |
| 226317             | 110/100-18          | 64M   | TT           | INTERMEDIATE TERRAIN | 70000966          | 110/100-18          | 64M   | TT           | SUPER LIGHT         | TERRA FORCE-EX MH     |
| 70000226           | 120/90-18           | 65R   | TT           | CROSS COUNTRY        | 70000970          | 120/90-18           | 65R   | TT           | SUPER               | TERRA FORCE-EX MH     |
| 70000227           | 120/90-18           | 65R   | TT           | SUPER LIGHT          | 70000969          | 120/90-18           | 65R   | TT           | SUPER LIGHT         | TERRA FORCE-EX MH     |
| 70000185           | 120/90-18           | 65R   | TT           | SUPER LIGHT          | 70000969          | 120/90-18           | 65R   | TT           | SUPER LIGHT         | TERRA FORCE-EX MH     |
| 70000184           | 120/90-18           | 65R   | TT           | COUNTRY CROSS        | 70000979          | 120/90-18           | 65R   | TT           | SUPER               | TERRA FORCE-EX SM     |
| 226556             | 120/90-18           | 65R   | TT           | INTERMEDIATE TERRAIN | 70000979          | 120/90-18           | 65R   | TT           | SUPER               | TERRA FORCE-EX SM     |
| 70000181           | 100/90-19           | 57M   | TT           | SUPER LIGHT          | 70000922          | 100/90-19           | 57M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH     |
| 226640             | 100/90-19           | 57M   | TT           | INTERMEDIATE TERRAIN | 70000937          | 100/90-19           | 57M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM     |
| 70000183           | 110/90-19           | 62M   | TT           | SUPER LIGHT          | 70000938          | 110/90-19           | 62M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM     |
| 226613             | 110/90-19           | 62M   | TT           | INTERMEDIATE TERRAIN | 70000938          | 110/90-19           | 62M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM     |
| 226518             | 120/80-19           | 63M   | TT           | INTERMEDIATE TERRAIN | 70000939          | 120/80-19           | 63M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM     |
| C-19 EAGLE         |                     |       |              |                      |                   |                     |       |              |                     |                       |
| 70000320           | 2.50-12             | 37M   | TT           | SPIKE                |                   |                     |       |              |                     | -                     |
| 70000099           | 80/100-12 (2.50-12) | 37M   | TT           | INTERMEDIATE TERRAIN | 70000945          | 80/100-12 (2.50-12) | 50M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM     |
| 70000293           | 80/100-12 (2.50-12) | 37M   | TT           | WIN FRIC             |                   |                     |       |              |                     | -                     |
| 226043             | 60/100-14           | 30M   | TT           | INTERMEDIATE TERRAIN | 70000926          | 60/100-14           | 29M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH     |
| 226042             | 60/100-14           | 30M   | TT           | WIN FRIC             |                   |                     |       |              |                     | -                     |
| 226163             | 70/100-17           | 40M   | TT           | INTERMEDIATE TERRAIN | 70000943          | 70/100-17           | 40M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM     |
| 226165             | 70/100-17           | 40M   | TT           | WIN FRIC             |                   |                     |       |              |                     | -                     |
| 226617             | 70/100-19           | 42M   | TT           | INTERMEDIATE TERRAIN | 70000944          | 70/100-19           | 42M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM     |





| C-19               |                     |       |              |                      | C-20              |                     |       |              |                     | C-21                  |  |  |  |  | C-22 |  |  |  |  |
|--------------------|---------------------|-------|--------------|----------------------|-------------------|---------------------|-------|--------------|---------------------|-----------------------|--|--|--|--|------|--|--|--|--|
| DISCONTINUED TYRES |                     |       |              |                      | REPLACEMENT TYRES |                     |       |              |                     |                       |  |  |  |  |      |  |  |  |  |
| Code               | Tyre size           | LI/SS | Type (TL/TT) | Version              | Code              | Tyre size           | LI/SS | Type (TL/TT) | Version             | Tread pattern         |  |  |  |  |      |  |  |  |  |
| C-19 EAGLE         |                     |       |              |                      |                   |                     |       |              |                     |                       |  |  |  |  |      |  |  |  |  |
| 226167             | 70/100-19           | 42M   | TT           | WIN FRIC             | 70001075          | 70/100-19           | 42M   | TT           | ICE                 | TERRA FORCE-MX HT     |  |  |  |  |      |  |  |  |  |
| 226730             | 80/100-21           | 51R   | TT           | INTERMEDIATE TERRAIN | 70000946          | 80/100-21           | 51M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM     |  |  |  |  |      |  |  |  |  |
| 226107             | 90/100-21           | 57R   | TT           | INTERMEDIATE TERRAIN | 70000934          | 90/100-21           | 57M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH     |  |  |  |  |      |  |  |  |  |
| 70000229           | 90/100-21           | 57R   | TT           | SUPER LIGHT          | 70000974          | 90/100-21           | 57M   | TT           | SUPER LIGHT         | TERRA FORCE-EX MH     |  |  |  |  |      |  |  |  |  |
| 70000230           | 90/100-21           | 57R   | TT           | SUPER                | 70000975          | 90/100-21           | 57M   | TT           | SUPER               | TERRA FORCE-EX MH     |  |  |  |  |      |  |  |  |  |
| 70000186           | 90/100-21           | 57R   | TT           | SUPER LIGHT          | 70000974          | 90/100-21           | 57M   | TT           | SUPER LIGHT         | TERRA FORCE-EX MH     |  |  |  |  |      |  |  |  |  |
| 70000187           | 90/100-21           | 57R   | TT           | SUPER                | 70000975          | 90/100-21           | 57M   | TT           | SUPER               | TERRA FORCE-EX MH     |  |  |  |  |      |  |  |  |  |
| 70000228           | 90/90-21            | 54R   | TT           | SUPER LIGHT          | 70000960          | 90/90-21 (3.00-21)  | 54R   | TT           | SUPER LIGHT         | TERRA FORCE-EF        |  |  |  |  |      |  |  |  |  |
| 226711             | 90/90-21 (3.00-21)  | 54R   | TT           | INTERMEDIATE TERRAIN | 70000949          | 90/90-21            | 54M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM     |  |  |  |  |      |  |  |  |  |
| 70000231           | 90/90-21 (3.00-21)  | 54R   | TT           | SUPER                | 70000961          | 90/90-21 (3.00-21)  | 54R   | TT           | SUPER               | TERRA FORCE-EF        |  |  |  |  |      |  |  |  |  |
| 70000188           | 90/90-21 (3.00-21)  | 54R   | TT           | SUPER LIGHT          | 70000960          | 90/90-21 (3.00-21)  | 54R   | TT           | SUPER LIGHT         | TERRA FORCE-EF        |  |  |  |  |      |  |  |  |  |
| 70000189           | 90/90-21 (3.00-21)  | 54R   | TT           | SUPER                | 70000961          | 90/90-21 (3.00-21)  | 54R   | TT           | SUPER               | TERRA FORCE-EF        |  |  |  |  |      |  |  |  |  |
| C-20 STONEKING     |                     |       |              |                      |                   |                     |       |              |                     |                       |  |  |  |  |      |  |  |  |  |
| 226028             | 70/100-10 (2.50-10) | 37M   | TT           | HARD TERRAIN         | 70000927          | 70/100-10 (2.50-10) | 41J   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH     |  |  |  |  |      |  |  |  |  |
| 70000100           | 80/100-12 (2.50-12) | 50M   | TT           | HARD TERRAIN         | 70000930          | 80/100-12 (2.50-12) | 50M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH     |  |  |  |  |      |  |  |  |  |
| 226002             | 80/100-12 (2.50-12) | 50M   | TT           | WIN FRIC             |                   |                     |       |              |                     | -                     |  |  |  |  |      |  |  |  |  |
| 70000190           | 90/100-12           | 46M   | TT           | SUPER SOFT EXTREME   | 70000972          | 90/100-12           | 46M   | TT           | SUPER SOFT          | TERRA FORCE-EX MH     |  |  |  |  |      |  |  |  |  |
| 70000232           | 90/100-12           | 46M   | TT           | SUPER SOFT EXTREME   | 70000972          | 90/100-12           | 46M   | TT           | SUPER SOFT          | TERRA FORCE-EX MH     |  |  |  |  |      |  |  |  |  |
| 70000361           | 90/100-12           | 46M   | TT           | PIT CROSS            | 70000999          | 90/100-12           | 46M   | TT           | PITCROSS            | TERRA FORCE-MX MH     |  |  |  |  |      |  |  |  |  |
| 226077             | 90/90-14            | 49M   | TT           | WIN FRIC             |                   |                     |       |              |                     | -                     |  |  |  |  |      |  |  |  |  |
| 226075             | 90/100-14           | 49M   | TT           | PIT CROSS            | 70000932          | 90/100-14           | 49M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH     |  |  |  |  |      |  |  |  |  |
| 226312             | 100/100-18          | 59R   | TT           | HARD TERRAIN         | 70001071          | 100/100-18          | 59R   | TT           | SUPER               | TERRA FORCE-EX MH     |  |  |  |  |      |  |  |  |  |
| 226318             | 110/100-18          | 64R   | TT           | HARD TERRAIN         | 70001072          | 110/100-18          | 64M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH     |  |  |  |  |      |  |  |  |  |
| 226500             | 120/90-18           | 65R   | TT           | HARD TERRAIN         | 70000970          | 120/90-18           | 65R   | TT           | SUPER               | TERRA FORCE-EX MH     |  |  |  |  |      |  |  |  |  |
| 226642             | 100/90-19           | 57M   | TT           | HARD TERRAIN         | 70000922          | 100/90-19           | 57M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH     |  |  |  |  |      |  |  |  |  |
| 226612             | 110/90-19           | 62M   | TT           | HARD TERRAIN         | 70000923          | 110/90-19           | 62M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH     |  |  |  |  |      |  |  |  |  |
| 226520             | 120/80-19           | 63M   | TT           | HARD TERRAIN         | 70000924          | 120/80-19           | 63M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH     |  |  |  |  |      |  |  |  |  |
| C-21 STONEKING     |                     |       |              |                      |                   |                     |       |              |                     |                       |  |  |  |  |      |  |  |  |  |
| 70000191           | 90/90-14            | 46M   | TT           | SUPER                | 70000976          | 90/90-14            | 46M   | TT           | SUPER               | TERRA FORCE-EX MH     |  |  |  |  |      |  |  |  |  |
| 70000233           | 90/90-14            | 46M   | TT           | SUPER                | 70000976          | 90/90-14            | 46M   | TT           | SUPER               | TERRA FORCE-EX MH     |  |  |  |  |      |  |  |  |  |
| 70000362           | 90/90-14            | 46M   | TT           | PIT CROSS            | 70001000          | 90/90-14            | 46M   | TT           | PITCROSS            | TERRA FORCE-MX MH     |  |  |  |  |      |  |  |  |  |
| 226732             | 80/100-21           | 51R   | TT           | HARD TERRAIN         | 70000931          | 80/100-21           | 51M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH     |  |  |  |  |      |  |  |  |  |
| 226655             | 90/90-21 (3.00-21)  | 54R   | TT           | HARD TERRAIN         | 70000935          | 90/90-21 (3.00-21)  | 54M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH     |  |  |  |  |      |  |  |  |  |
| 70000333           | 90/90-21 (3.00-21)  | 54R   | TT           | SUPER                | 70000920          | 90/90-21 (3.00-21)  | 54R   | TT           | SUPER               | ENDURO TRAIL-RALLY MH |  |  |  |  |      |  |  |  |  |
| 70000332           | 90/90-21 (3.00-21)  | 54R   | TT           | SUPER                | 70000920          | 90/90-21 (3.00-21)  | 54R   | TT           | SUPER               | ENDURO TRAIL-RALLY MH |  |  |  |  |      |  |  |  |  |
| C-22               |                     |       |              |                      |                   |                     |       |              |                     |                       |  |  |  |  |      |  |  |  |  |
| 226346             | 120/90-18           | 65M   | TT           | ICE SOFT             |                   |                     |       |              |                     | -                     |  |  |  |  |      |  |  |  |  |
| 226332             | 110/100-18          | 64L   | TT           | ICE                  | 70000989          | 110/100-18          | 64M   | TT           | ICE                 | TERRA FORCE-EX HT     |  |  |  |  |      |  |  |  |  |
| 70000281           | 110/100-18          | 64N   | TT           |                      | 70000966          | 110/100-18          | 64M   | TT           | SUPER LIGHT         | TERRA FORCE-EX MH     |  |  |  |  |      |  |  |  |  |
| 226638             | 110/90-19           | 62L   | TT           | ICE                  | 70000990          | 110/90-19           | 62M   | TT           | ICE                 | TERRA FORCE-EX HT     |  |  |  |  |      |  |  |  |  |
| 70000282           | 110/90-19           | 62N   | TT           |                      | 70000923          | 110/90-19           | 62M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH     |  |  |  |  |      |  |  |  |  |

|  |  |  |  |  |  |  |  |  |  |  |  |  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| C-23                                                                                | C-24                                                                                | C-25                                                                                | C-26                                                                                | C-27                                                                                | C-28                                                                                | C-29                                                                                | C-30                                                                                | E-02                                                                                | E-03                                                                                | E-05                                                                                | E-06                                                                                | E-07                                                                                |
| DISCONTINUED TYRES                                                                  |                                                                                     |                                                                                     |                                                                                     |                                                                                     | REPLACEMENT TYRES                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| Code                                                                                | Tyre size                                                                           | LI/SS                                                                               | Type (TL/TT)                                                                        | Version                                                                             | Code                                                                                | Tyre size                                                                           | LI/SS                                                                               | Type (TL/TT)                                                                        | Version                                                                             | Tread pattern                                                                       |                                                                                     |                                                                                     |
| C-23                                                                                |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 226723                                                                              | 80/100-21                                                                           | 51R                                                                                 | TT                                                                                  | SUPER                                                                               | 70001073                                                                            | 80/100-21                                                                           | 51R                                                                                 | TT                                                                                  | SUPER                                                                               | TERRA FORCE-EX MH                                                                   |                                                                                     |                                                                                     |
| 226724                                                                              | 80/100-21                                                                           | 51N                                                                                 | TT                                                                                  | ICE                                                                                 | 70000991                                                                            | 90/90-21                                                                            | 51M                                                                                 | TT                                                                                  | ICE                                                                                 | TERRA FORCE-EX HT                                                                   |                                                                                     |                                                                                     |
| 70000283                                                                            | 80/100-21                                                                           | 51R                                                                                 | TT                                                                                  |                                                                                     | 70001073                                                                            | 80/100-21                                                                           | 51R                                                                                 | TT                                                                                  | SUPER                                                                               | TERRA FORCE-EX MH                                                                   |                                                                                     |                                                                                     |
| C-24 CROSS                                                                          |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 226644                                                                              | 110/90-19                                                                           | 62M                                                                                 | TT                                                                                  | X SOFT TERRAIN                                                                      | 70000936                                                                            | 110/90-19                                                                           | 62M                                                                                 | TT                                                                                  | SAND                                                                                | TERRA FORCE-MX SAND 2                                                               |                                                                                     |                                                                                     |
| C-25 EAGLE SAND                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 226718                                                                              | 80/100-21                                                                           | 51M                                                                                 | TT                                                                                  | X SOFT TERRAIN                                                                      | 70000950                                                                            | 80/100-21                                                                           | 51M                                                                                 | TT                                                                                  | SAND                                                                                | TERRA FORCE-MX SAND                                                                 |                                                                                     |                                                                                     |
| C-26 EAGLE STONE                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 226646                                                                              | 110/90-19                                                                           | 62M                                                                                 | TT                                                                                  | X HARD TERRAIN                                                                      | 70000923                                                                            | 110/90-19                                                                           | 62M                                                                                 | TT                                                                                  | MEDIUM HARD TERRAIN                                                                 | TERRA FORCE-MX MH                                                                   |                                                                                     |                                                                                     |
| 226505                                                                              | 120/90-18                                                                           | 65M                                                                                 | TT                                                                                  | SUPER SOFT EXTREME                                                                  | 70000952                                                                            | 120/90-18                                                                           | 65M                                                                                 | TT                                                                                  | SUPER SOFT                                                                          | TERRA FORCE-EF                                                                      |                                                                                     |                                                                                     |
| C-27 EAGLE STONE                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 226720                                                                              | 80/100-21                                                                           | 51M                                                                                 | TT                                                                                  | X HARD TERRAIN                                                                      | 70000931                                                                            | 80/100-21                                                                           | 51M                                                                                 | TT                                                                                  | MEDIUM HARD TERRAIN                                                                 | TERRA FORCE-MX MH                                                                   |                                                                                     |                                                                                     |
| 226108                                                                              | 90/100-21                                                                           | 57M                                                                                 | TT                                                                                  | X HARD TERRAIN                                                                      | 70000934                                                                            | 90/100-21                                                                           | 57M                                                                                 | TT                                                                                  | MEDIUM HARD TERRAIN                                                                 | TERRA FORCE-MX MH                                                                   |                                                                                     |                                                                                     |
| C-28 TERRACROSS                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 226791                                                                              | 100/90-19                                                                           | 57M                                                                                 | TT                                                                                  | MEDIUM HARD TERRAIN                                                                 | 70000922                                                                            | 100/90-19                                                                           | 57M                                                                                 | TT                                                                                  | MEDIUM HARD TERRAIN                                                                 | TERRA FORCE-MX MH                                                                   |                                                                                     |                                                                                     |
| 226793                                                                              | 110/90-19                                                                           | 62M                                                                                 | TT                                                                                  | MEDIUM HARD TERRAIN                                                                 | 70000923                                                                            | 110/90-19                                                                           | 62M                                                                                 | TT                                                                                  | MEDIUM HARD TERRAIN                                                                 | TERRA FORCE-MX MH                                                                   |                                                                                     |                                                                                     |
| C-29 TERRACROSS                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 226795                                                                              | 80/100-21                                                                           | 51M                                                                                 | TT                                                                                  | ICE                                                                                 | 70000931                                                                            | 80/100-21                                                                           | 51M                                                                                 | TT                                                                                  | MEDIUM HARD TERRAIN                                                                 | TERRA FORCE-MX MH                                                                   |                                                                                     |                                                                                     |
| 226789                                                                              | 80/100-21                                                                           | 51M                                                                                 | TT                                                                                  |                                                                                     | 70000931                                                                            | 80/100-21                                                                           | 51M                                                                                 | TT                                                                                  | MEDIUM HARD TERRAIN                                                                 | TERRA FORCE-MX MH                                                                   |                                                                                     |                                                                                     |
| C-30 TERRACROSS                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 226792                                                                              | 100/90-19                                                                           | 57M                                                                                 | TT                                                                                  |                                                                                     | 70000922                                                                            | 100/90-19                                                                           | 57M                                                                                 | TT                                                                                  | MEDIUM HARD TERRAIN                                                                 | TERRA FORCE-MX MH                                                                   |                                                                                     |                                                                                     |
| 226796                                                                              | 110/90-19                                                                           | 62M                                                                                 | TT                                                                                  | ICE                                                                                 | 70000990                                                                            | 110/90-19                                                                           | 62M                                                                                 | TT                                                                                  | ICE                                                                                 | TERRA FORCE-EX HT                                                                   |                                                                                     |                                                                                     |
| 226794                                                                              | 110/90-19                                                                           | 62M                                                                                 | TT                                                                                  |                                                                                     | 70000923                                                                            | 110/90-19                                                                           | 62M                                                                                 | TT                                                                                  | MEDIUM HARD TERRAIN                                                                 | TERRA FORCE-MX MH                                                                   |                                                                                     |                                                                                     |
| E-02 TOURIST                                                                        |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 70000476                                                                            | 3.00-21                                                                             | 54S                                                                                 | TT                                                                                  |                                                                                     |                                                                                     | 3.00-21                                                                             | 54S                                                                                 | TT                                                                                  |                                                                                     | E-05                                                                                |                                                                                     |                                                                                     |
| E-03 TOURIST                                                                        |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 70000477                                                                            | 3.50-18                                                                             | 62R                                                                                 | TT                                                                                  |                                                                                     | 70001083                                                                            | 3.50-18                                                                             | 62S                                                                                 | TT                                                                                  |                                                                                     | E-05                                                                                |                                                                                     |                                                                                     |
| E-05                                                                                |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 70000478                                                                            | 3.00-21                                                                             | 54S                                                                                 | TT                                                                                  |                                                                                     |                                                                                     | 3.00-21                                                                             | 54S                                                                                 | TT                                                                                  |                                                                                     | E-05                                                                                |                                                                                     |                                                                                     |
| 70000479                                                                            | 4.00-19                                                                             | 71P                                                                                 | TT                                                                                  |                                                                                     | 70001084                                                                            | 4.00-19                                                                             | 71S                                                                                 | TT                                                                                  |                                                                                     | E-05                                                                                |                                                                                     |                                                                                     |
| E-06                                                                                |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 70000480                                                                            | 2.75-16                                                                             | 46P                                                                                 | TT                                                                                  |                                                                                     | 70001018                                                                            | 2.75-16                                                                             | 46S                                                                                 | TT                                                                                  |                                                                                     | E-06                                                                                |                                                                                     |                                                                                     |
| E-07 ENDURO                                                                         |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 70000453                                                                            | 120/90-17                                                                           | 64S                                                                                 | TL'                                                                                 |                                                                                     | 70001003                                                                            | 120/90B17                                                                           | 64H                                                                                 | TL/TT                                                                               |                                                                                     | ENDURO TRAIL                                                                        |                                                                                     |                                                                                     |
| 70000454                                                                            | 130/80-17                                                                           | 65T                                                                                 | TL'                                                                                 |                                                                                     | 70001004                                                                            | 130/80B17                                                                           | 65H                                                                                 | TL/TT                                                                               |                                                                                     | ENDURO TRAIL                                                                        |                                                                                     |                                                                                     |
| 70000457                                                                            | 140/80-17                                                                           | 69T                                                                                 | TL'                                                                                 |                                                                                     | 70001006                                                                            | 140/80B17                                                                           | 69H                                                                                 | TL/TT                                                                               |                                                                                     | ENDURO TRAIL                                                                        |                                                                                     |                                                                                     |
| 70000456                                                                            | 140/80-17                                                                           | 69T                                                                                 | TL'                                                                                 | DAKAR                                                                               | 70001006                                                                            | 140/80B17                                                                           | 69H                                                                                 | TL/TT                                                                               |                                                                                     | ENDURO TRAIL                                                                        |                                                                                     |                                                                                     |
| 70000462                                                                            | 150/70-17                                                                           | 69T                                                                                 | TL'                                                                                 |                                                                                     | 70001011                                                                            | 150/70B17                                                                           | 69H                                                                                 | TL/TT                                                                               |                                                                                     | ENDURO TRAIL                                                                        |                                                                                     |                                                                                     |
| 70000461                                                                            | 150/70-17                                                                           | 69T                                                                                 | TL'                                                                                 | DAKAR                                                                               | 70001010                                                                            | 150/70B17                                                                           | 69H                                                                                 | TL/TT                                                                               | DAKAR                                                                               | ENDURO TRAIL                                                                        |                                                                                     |                                                                                     |
| 70000455                                                                            | 130/80-18                                                                           | 72T                                                                                 | TL'                                                                                 |                                                                                     | 70001005                                                                            | 130/80B18                                                                           | 72H                                                                                 | TL/TT                                                                               |                                                                                     | ENDURO TRAIL                                                                        |                                                                                     |                                                                                     |
| 70000459                                                                            | 140/80-18                                                                           | 70T                                                                                 | TL'                                                                                 |                                                                                     | 70001008                                                                            | 140/80B18                                                                           | 70H                                                                                 | TL/TT                                                                               |                                                                                     | ENDURO TRAIL                                                                        |                                                                                     |                                                                                     |





| DISCONTINUED TYRES |           |       |              |         | REPLACEMENT TYRES |                    |       |              |                  |
|--------------------|-----------|-------|--------------|---------|-------------------|--------------------|-------|--------------|------------------|
| Code               | Tyre size | LI/SS | Type (TL/TT) | Version | Code              | Tyre size          | LI/SS | Type (TL/TT) | Tread pattern    |
| E-07 ENDURO        |           |       |              |         |                   |                    |       |              |                  |
| 70000458           | 140/80-18 | 70T   | TL'          | DAKAR   | 70001007          | 140/80B18          | 70H   | TL/TT        | ENDURO TRAIL     |
| 70000464           | 150/70-18 | 70T   | TL'          |         | 70001013          | 150/70B18          | 70H   | TL/TT        | ENDURO TRAIL     |
| 70000463           | 150/70-18 | 70T   | TL'          | DAKAR   | 70001012          | 150/70B18          | 70H   | TL/TT        | ENDURO TRAIL     |
| 70000450           | 100/90-19 | 57T   | TL'          |         | 70001499          | 100/90-19          | 57H   | TL/TT        | ENDURO TRAIL•    |
| 70000449           | 100/90-19 | 57T   | TL'          | DAKAR   | 70001499          | 100/90-19          | 57H   | TL/TT        | ENDURO TRAIL•    |
| 70000452           | 110/80-19 | 59T   | TL'          |         | 70001002          | 110/80-19          | 59H   | TL/TT        | ENDURO TRAIL     |
| 70000451           | 110/80-19 | 59T   | TL'          | DAKAR   | 70001001          | 110/80B19          | 59H   | TL/TT        | ENDURO TRAIL     |
| 70000466           | 90/90-21  | 54T   | TL'          |         | 70001015          | 90/90-21 (3.00-21) | 54H   | TL/TT        | ENDURO TRAIL     |
| 70000465           | 90/90-21  | 54T   | TL'          | DAKAR   | 70001014          | 90/90B21 (3.00B21) | 54H   | TL/TT        | ENDURO TRAIL     |
| E-07+ ENDURO TRAIL |           |       |              |         |                   |                    |       |              |                  |
| 70000548           | 130/80B17 | 65T   | TL'          |         | 70001037          | 130/80B17          | 65H   | TL/TT        | ENDURO TRAIL•    |
| 70000550           | 140/80B17 | 69T   | TL'          |         | 70001038          | 140/80B17          | 69H   | TL/TT        | ENDURO TRAIL•    |
| 70000549           | 140/80B17 | 69T   | TL'          | DAKAR   | 70001038          | 140/80B17          | 69H   | TL/TT        | ENDURO TRAIL•    |
| 70000554           | 150/70B17 | 69T   | TL'          |         | 70001042          | 150/70B17          | 69H   | TL/TT        | ENDURO TRAIL•    |
| 70000553           | 150/70B17 | 69T   | TL'          | DAKAR   | 70001041          | 150/70B17          | 69H   | TL/TT        | ENDURO TRAIL•    |
| 70000559           | 170/60B17 | 72T   | TL'          |         | 70001044          | 170/60B17          | 72H   | TL/TT        | ENDURO TRAIL•    |
| 70000558           | 170/60B17 | 72T   | TL'          | DAKAR   | 70001043          | 170/60B17          | 72H   | TL/TT        | ENDURO TRAIL•    |
| 70000547           | 120/80B18 | 62T   | TL'          |         | 70001036          | 120/80B18          | 62H   | TL/TT        | ENDURO TRAIL•    |
| 70000552           | 140/80B18 | 70T   | TL'          |         | 70001040          | 140/80B18          | 70H   | TL/TT        | ENDURO TRAIL•    |
| 70000551           | 140/80B18 | 70T   | TL'          | DAKAR   | 70001039          | 140/80B18          | 70H   | TL/TT        | ENDURO TRAIL•    |
| 70000557           | 150/70B18 | 70T   | TL'          |         | 70001185          | 150/70B18          | 70H   | TL/TT        | ENDURO TRAIL•    |
| 70000555           | 150/70B18 | 70T   | TL'          | DAKAR   | 70001188          | 150/70B18          | 70H   | TL/TT        | ENDURO TRAIL•    |
| 70000544           | 110/80B19 | 59T   | TL'          |         | 70001033          | 110/80B19          | 59H   | TL/TT        | ENDURO TRAIL•    |
| 70000543           | 110/80B19 | 59T   | TL'          | DAKAR   | 70001032          | 110/80B19          | 59H   | TL/TT        | ENDURO TRAIL•    |
| 70000546           | 120/70B19 | 60T   | TL'          |         | 70001035          | 120/70B19          | 60H   | TL/TT        | ENDURO TRAIL•    |
| 70000545           | 120/70B19 | 60T   | TL'          | DAKAR   | 70001034          | 120/70B19          | 60H   | TL/TT        | ENDURO TRAIL•    |
| 70000561           | 90/90B21  | 54T   | TL'          |         | 70001500          | 90/90-21 (3.00-21) | 54H   | TL/TT        | ENDURO TRAIL•    |
| 70000560           | 90/90B21  | 54T   | TL'          | DAKAR   | 70001187          | 90/90B21 (3.00B21) | 54H   | TL/TT        | ENDURO TRAIL•    |
| E-08 ENDURO        |           |       |              |         |                   |                    |       |              |                  |
| 70000566           | 120/90-17 | 64T   | TL'          |         | 70000521          | 120/90-17          | 64H   | TL           | TERRA FORCE-R    |
| 70000567           | 130/80-17 | 65T   | TL'          |         | 70000522          | 130/80-17          | 65H   | TL           | TERRA FORCE-R    |
| 70000569           | 140/80-17 | 69H   | TL'          |         | 70000525          | 140/80r17          | 69V   | TL           | TERRA FORCE-R    |
| 70000570           | 150/70-17 | 69H   | TL'          |         | 70000526          | 150/70R17          | 69V   | TL           | TERRA FORCE-R    |
| 70000572           | 4.10-18   | 60P   | TT           |         | 70001019          | 110/80-18          | 58T   | TL/TT        | ENDURO TRAIL XT• |
| 70000568           | 130/80-18 | 72T   | TL'          |         | 70001005          | 130/80B18          | 72H   | TL/TT        | ENDURO TRAIL'    |
| 70000564           | 100/90-19 | 57H   | TL'          |         | 70000520          | 100/90-19          | 57H   | TL           | TERRA FORCE-R    |
| 70000565           | 110/80-19 | 59H   | TL'          |         | 70000523          | 110/80R19          | 59V   | TL           | TERRA FORCE-R    |
| 70000571           | 2.75-21   | 45P   | TT           |         | 70001150          | 80/90-21           | 48H   | TL/TT        | ENDURO TRAIL XT• |
| 70000573           | 90/90-21  | 54T   | TL'          |         | 70000529          | 90/90-21 (3.00-21) | 54H   | TL/TT        | TERRA FORCE-R    |
| E-09 ENDURO        |           |       |              |         |                   |                    |       |              |                  |
| 70000487           | 120/90-17 | 64R   | TL'          |         | 70001021          | 120/90B17          | 64T   | TL/TT        | ENDURO TRAIL XT• |

\*More off-road oriented tread pattern.



| DISCONTINUED TYRES |           |       |              |         | REPLACEMENT TYRES |                    |       |              |                        |
|--------------------|-----------|-------|--------------|---------|-------------------|--------------------|-------|--------------|------------------------|
| Code               | Tyre size | LI/SS | Type (TL/TT) | Version | Code              | Tyre size          | LI/SS | Type (TL/TT) | Tread pattern          |
| E-09 ENDURO        |           |       |              |         |                   |                    |       |              |                        |
| 70000486           | 120/90-17 | 64R   | TL'          | DAKAR   | 70001021          | 120/90B17          | 64T   | TL/TT        | ENDURO TRAIL XT•       |
| 70000489           | 130/80-17 | 65R   | TL'          |         | 70001022          | 130/80B17          | 65T   | TL/TT        | ENDURO TRAIL XT•       |
| 70000488           | 130/80-17 | 65R   | TL'          | DAKAR   | 70001022          | 130/80B17          | 65T   | TL/TT        | ENDURO TRAIL XT•       |
| 70000493           | 140/80-17 | 69R   | TL'          |         | 70001024          | 140/80B17          | 69T   | TL/TT        | ENDURO TRAIL XT•       |
| 70000492           | 140/80-17 | 69R   | TL'          | DAKAR   | 70001024          | 140/80B17          | 69T   | TL/TT        | ENDURO TRAIL XT•       |
| 70000497           | 150/70-17 | 69R   | TL'          |         | 70001027          | 150/70B17          | 69T   | TL/TT        | ENDURO TRAIL XT•       |
| 70000496           | 150/70-17 | 69R   | TL'          | DAKAR   | 70001027          | 150/70B17          | 69T   | TL/TT        | ENDURO TRAIL XT•       |
| 70000502           | 4.10-18   | 60P   | TT           |         | 70001019          | 110/80-18          | 58T   | TL/TT        | ENDURO TRAIL XT•       |
| 70000483           | 110/80-18 | 58P   | TT           |         | 70001019          | 110/80-18          | 58T   | TL/TT        | ENDURO TRAIL XT•       |
| 70000491           | 130/80-18 | 72R   | TL'          |         | 70001023          | 130/80B18          | 72T   | TL/TT        | ENDURO TRAIL XT•       |
| 70000490           | 130/80-18 | 72R   | TL'          | DAKAR   | 70001023          | 130/80B18          | 72T   | TL/TT        | ENDURO TRAIL XT•       |
| 70000495           | 140/80-18 | 70R   | TL'          |         | 70001026          | 140/80B18          | 70T   | TL/TT        | ENDURO TRAIL XT•       |
| 70000494           | 140/80-18 | 70R   | TL'          | DAKAR   | 70001025          | 140/80B18          | 70T   | TL/TT        | ENDURO TRAIL XT•       |
| 70000500           | 150/70-18 | 70R   | TL'          |         | 70001029          | 150/70B18          | 70T   | TL/TT        | ENDURO TRAIL XT•       |
| 70000498           | 150/70-18 | 70R   | TL'          | DAKAR   | 70001028          | 150/70B18          | 70T   | TL/TT        | ENDURO TRAIL XT•       |
| 70000482           | 100/90-19 | 57R   | TL'          |         | 70001141          | 100/90-19          | 57T   | TL/TT        | ENDURO TRAIL XT•       |
| 70000481           | 100/90-19 | 57R   | TL'          | DAKAR   | 70001141          | 100/90-19          | 57T   | TL/TT        | ENDURO TRAIL XT•       |
| 70000485           | 110/80-19 | 59R   | TL'          |         | 70001020          | 110/80B19          | 59T   | TL/TT        | ENDURO TRAIL XT•       |
| 70000484           | 110/80-19 | 59R   | TL'          | DAKAR   | 70001020          | 110/80B19          | 59T   | TL/TT        | ENDURO TRAIL XT•       |
| 70000501           | 2.75-21   | 45P   | TT           |         | 70001150          | 80/90-21           | 48H   | TL/TT        | ENDURO TRAIL XT•       |
| 70000503           | 80/90-21  | 48P   | TT           |         | 70001150          | 80/90-21           | 48H   | TL/TT        | ENDURO TRAIL XT•       |
| 70000505           | 90/90-21  | 54R   | TL'          |         | 70001031          | 90/90-21 (3.00-21) | 54T   | TL/TT        | ENDURO TRAIL XT•       |
| 70000504           | 90/90-21  | 54R   | TL'          | DAKAR   | 70001030          | 90/90B21 (3.00B21) | 54T   | TL/TT        | ENDURO TRAIL XT•       |
| E-10 ENDURO        |           |       |              |         |                   |                    |       |              |                        |
| 70000510           | 140/80B17 | 69T   | TL'          |         | 70001210          | 140/80B17          | 69H   | TL/TT        | ENDURO TRAIL XT        |
| 70000509           | 140/80B17 | 69T   | TL'          | DAKAR   | 70001209          | 140/80B17          | 69H   | TL/TT        | ENDURO TRAIL XT        |
| 70000514           | 150/70B17 | 69T   | TL'          |         | 70001212          | 150/70B17          | 69H   | TL/TT        | ENDURO TRAIL XT        |
| 70000513           | 150/70B17 | 69T   | TL'          | DAKAR   | 70001211          | 150/70B17          | 69H   | TL/TT        | ENDURO TRAIL XT        |
| 70000517           | 170/60B17 | 72Q   | TL'          |         | 70001086          | 170/60B17          | 72H   | TL/TT        | ENDURO TRAIL XT        |
| 70000512           | 140/80B18 | 70T   | TL'          |         | 70001215          | 140/80B18          | 70H   | TL/TT        | ENDURO TRAIL XT        |
| 70000511           | 140/80B18 | 70T   | TL'          | DAKAR   | 70001216          | 140/80B18          | 70H   | TL/TT        | ENDURO TRAIL XT        |
| 70000516           | 150/70B18 | 70T   | TL'          |         | 70001218          | 150/70B18          | 70H   | TL/TT        | ENDURO TRAIL XT        |
| 70000515           | 150/70B18 | 70T   | TL'          | DAKAR   | 70001217          | 150/70B18          | 70H   | TL/TT        | ENDURO TRAIL XT        |
| 70000507           | 110/80B19 | 59T   | TL'          |         | 70001177          | 110/80-19          | 59T   | TL/TT        | ENDURO TRAIL XT•       |
| 70000506           | 110/80B19 | 59T   | TL'          | DAKAR   | 70001020          | 110/80B19          | 59T   | TL/TT        | ENDURO TRAIL XT•       |
| 70000508           | 120/70B19 | 60Q   | TL'          |         | 70001179          | 120/70B19          | 60T   | TL/TT        | ENDURO TRAIL XT•       |
| 70000519           | 90/90B21  | 54T   | TL'          |         | 70001031          | 90/90-21           | 54T   | TL/TT        | ENDURO TRAIL XT•       |
| 70000518           | 90/90B21  | 54T   | TL'          | DAKAR   | 70001030          | 9090B21            | 54T   | TL/TT        | ENDURO TRAIL XT•       |
| E-12 RALLY STAR    |           |       |              |         |                   |                    |       |              |                        |
| 70000334           | 140/80-18 | 70R   | TT           |         | 70000993          | 140/80-18          | 70R   | TT           | ENDURO TRAIL-RALLY PRO |
| 70000335           | 140/80-18 | 70R   | TT           |         | 70000993          | 140/80-18          | 70R   | TT           | ENDURO TRAIL-RALLY PRO |





|  |  |  |  |  |  |  |  |              |                     |                        |  |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--------------|---------------------|------------------------|--|
| E-13                                                                              | EF-05                                                                             | EF-07                                                                             | ET-01                                                                             | FT-18                                                                             | H-01                                                                              | H-02                                                                              | H-03                                                                               |              |                     |                        |  |
| DISCONTINUED TYRES                                                                |                                                                                   |                                                                                   |                                                                                   |                                                                                   | REPLACEMENT TYRES                                                                 |                                                                                   |                                                                                    |              |                     |                        |  |
| Code                                                                              | Tyre size                                                                         | LI/SS                                                                             | Type (TL/TT)                                                                      | Version                                                                           | Code                                                                              | Tyre size                                                                         | LI/SS                                                                              | Type (TL/TT) | Version             | Tread pattern          |  |
| E-13 RALLY STAR                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |              |                     |                        |  |
| 70000336                                                                          | 90/90-21 (3.00-21)                                                                | 54R                                                                               | TT                                                                                |                                                                                   | 70000994                                                                          | 90/90-21                                                                          | 54R                                                                                | TT           | SUPER LIGHT         | ENDURO TRAIL-RALLY PRO |  |
| 70000337                                                                          | 90/90-21 (3.00-21)                                                                | 54R                                                                               | TT                                                                                |                                                                                   | 70000994                                                                          | 90/90-21                                                                          | 54R                                                                                | TT           | SUPER LIGHT         | ENDURO TRAIL-RALLY PRO |  |
| EF-05 ENDURO                                                                      |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |              |                     |                        |  |
| 70000234                                                                          | 120/80-19                                                                         | 63R                                                                               | TT                                                                                | SUPER                                                                             | 70000924                                                                          | 120/80-19                                                                         | 63M                                                                                | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH      |  |
| 70000192                                                                          | 120/80-19                                                                         | 63R                                                                               | TT                                                                                | SUPER                                                                             | 70000924                                                                          | 120/80-19                                                                         | 63M                                                                                | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH      |  |
| EF-07 MAJESTIC ENDURO                                                             |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |              |                     |                        |  |
| 70000193                                                                          | 110/80-18                                                                         | 58M                                                                               | TT                                                                                | SUPER                                                                             | 70000951                                                                          | 110/80-18                                                                         | 58R                                                                                | TT           | SUPER               | TERRA FORCE-EF         |  |
| 70000236                                                                          | 110/80-18                                                                         | 58M                                                                               | TT                                                                                | SUPER                                                                             | 70000951                                                                          | 110/80-18                                                                         | 58R                                                                                | TT           | SUPER               | TERRA FORCE-EF         |  |
| 70000194                                                                          | 120/90-18                                                                         | 71R                                                                               | TT                                                                                | SUPER LIGHT                                                                       | 70000953                                                                          | 120/90-18                                                                         | 65M                                                                                | TT           | SUPER LIGHT         | TERRA FORCE-EF         |  |
| 70000195                                                                          | 120/90-18                                                                         | 71R                                                                               | TT                                                                                | SUPER                                                                             | 70000954                                                                          | 120/90-18                                                                         | 65R                                                                                | TT           | SUPER               | TERRA FORCE-EF         |  |
| 70000235                                                                          | 120/90-18                                                                         | 71R                                                                               | TT                                                                                | REINF SUPER LIGHT                                                                 | 70000953                                                                          | 120/90-18                                                                         | 65M                                                                                | TT           | SUPER LIGHT         | TERRA FORCE-EF         |  |
| 70000237                                                                          | 120/90-18                                                                         | 65M                                                                               | TT                                                                                | SUPER                                                                             | 70000954                                                                          | 120/90-18                                                                         | 65R                                                                                | TT           | SUPER               | TERRA FORCE-EF         |  |
| 70000238                                                                          | 130/90-18                                                                         | 69R                                                                               | TT                                                                                | SUPER LIGHT                                                                       |                                                                                   |                                                                                   |                                                                                    |              |                     | -                      |  |
| 70000196                                                                          | 130/90-18                                                                         | 69R                                                                               | TT                                                                                | SUPER LIGHT                                                                       |                                                                                   |                                                                                   |                                                                                    |              |                     | -                      |  |
| 70000239                                                                          | 130/90-18                                                                         | 69R                                                                               | TT                                                                                | SUPER                                                                             |                                                                                   |                                                                                   |                                                                                    |              |                     | -                      |  |
| 70000197                                                                          | 130/90-18                                                                         | 69R                                                                               | TT                                                                                | SUPER                                                                             |                                                                                   |                                                                                   |                                                                                    |              |                     | -                      |  |
| 70000198                                                                          | 140/80-18                                                                         | 70R                                                                               | TT                                                                                | SUPER SOFT EXTREME                                                                | 70000955                                                                          | 140/80-18                                                                         | 70M                                                                                | TT           | SUPER SOFT          | TERRA FORCE-EF         |  |
| 70000199                                                                          | 140/80-18                                                                         | 70R                                                                               | TT                                                                                | SUPER LIGHT                                                                       | 70000956                                                                          | 140/80-18                                                                         | 70R                                                                                | TT           | SUPER LIGHT         | TERRA FORCE-EF         |  |
| 70000200                                                                          | 140/80-18                                                                         | 70R                                                                               | TT                                                                                | SUPER                                                                             | 70000957                                                                          | 140/80-18                                                                         | 70R                                                                                | TT           | SUPER               | TERRA FORCE-EF         |  |
| 70000242                                                                          | 140/80-18                                                                         | 70R                                                                               | TT                                                                                | SUPER                                                                             | 70000957                                                                          | 140/80-18                                                                         | 70R                                                                                | TT           | SUPER               | TERRA FORCE-EF         |  |
| 70000241                                                                          | 140/80-18                                                                         | 70R                                                                               | TT                                                                                | SUPER LIGHT                                                                       | 70000956                                                                          | 140/80-18                                                                         | 70R                                                                                | TT           | SUPER LIGHT         | TERRA FORCE-EF         |  |
| 70000240                                                                          | 140/80-18                                                                         | 70R                                                                               | TT                                                                                | SUPER SOFT EXTREME                                                                | 70000955                                                                          | 140/80-18                                                                         | 70M                                                                                | TT           | SUPER SOFT          | TERRA FORCE-EF         |  |
| ENDURO TRAIL+                                                                     |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |              |                     |                        |  |
| 70001017                                                                          | 100/90B19                                                                         | 57H                                                                               | TL/TT                                                                             |                                                                                   | 70001499                                                                          | 100/90-19                                                                         | 57H                                                                                | TL/TT        |                     | ENDURO TRAIL+          |  |
| 70001186                                                                          | 90/90B21 (3.00B21)                                                                | 54H                                                                               | TL/TT                                                                             |                                                                                   | 70001500                                                                          | 90/90-21 (3.00-21)                                                                | 54H                                                                                | TL/TT        |                     | ENDURO TRAIL+          |  |
| ET-01 TRIAL                                                                       |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |              |                     |                        |  |
| 70000339                                                                          | 4.00-18                                                                           | 64M                                                                               | TL'                                                                               |                                                                                   |                                                                                   |                                                                                   |                                                                                    |              |                     | -                      |  |
| 70000340                                                                          | 4.00-18                                                                           | 64M                                                                               | TL'                                                                               | X PRO                                                                             |                                                                                   |                                                                                   |                                                                                    |              |                     | -                      |  |
| 70000338                                                                          | 2.75-21                                                                           | 45M                                                                               | TL'                                                                               |                                                                                   |                                                                                   |                                                                                   |                                                                                    |              |                     | -                      |  |
| FT-18 FLAT TRACK                                                                  |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |              |                     |                        |  |
| 70000355                                                                          | 27x7-19                                                                           | NHS                                                                               | TT                                                                                |                                                                                   | 70001079                                                                          | 130/80-19 (27x7-19)                                                               | NHS                                                                                | TT           | SOFT                | FLAT TRACK             |  |
| 70000354                                                                          | 27.5x7.5-19                                                                       | NHS                                                                               | TT                                                                                |                                                                                   | 70001081                                                                          | 140/80-19 (27.5x7.5-19)                                                           | NHS                                                                                | TT           | SOFT                | FLAT TRACK             |  |
| H-01                                                                              |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |              |                     |                        |  |
| 70000007                                                                          | 2.75-19 (80/100-19)                                                               | 43P                                                                               | TT                                                                                |                                                                                   | 70000912                                                                          | 2.75-19                                                                           | 43P                                                                                | TT           |                     | H-06                   |  |
| 70000008                                                                          | 3.00-19                                                                           | 49P                                                                               | TT                                                                                |                                                                                   | 70000913                                                                          | 3.00-19                                                                           | 49P                                                                                | TT           |                     | H-06                   |  |
| 70000009                                                                          | 3.25-19                                                                           | 54P                                                                               | TT                                                                                |                                                                                   | 70000916                                                                          | 3.25-19                                                                           | 54P                                                                                | TT           |                     | H-06                   |  |
| H-02                                                                              |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |              |                     |                        |  |
| 70000010                                                                          | 2.50-19                                                                           | 41L                                                                               | TT                                                                                |                                                                                   | 70000899                                                                          | 2.50-19                                                                           | 41P                                                                                | TT           |                     | H-02                   |  |
| 70000011                                                                          | 3.00-19                                                                           | 57P                                                                               | TT                                                                                |                                                                                   | 70000900                                                                          | 3.00-19                                                                           | 57P                                                                                | TT           |                     | H-02                   |  |
| 70000012                                                                          | 3.50-19                                                                           | 63P                                                                               | TT                                                                                |                                                                                   | 70000901                                                                          | 3.50-19                                                                           | 63P                                                                                | TT           |                     | H-02                   |  |
| 70000013                                                                          | 4.00-19                                                                           | 71P                                                                               | TT                                                                                |                                                                                   | 70000903                                                                          | 4.00-19                                                                           | 71P                                                                                | TT           |                     | H-02                   |  |
| 70000014                                                                          | 4.00-19                                                                           | 71P                                                                               | TT                                                                                | SIDE CAR                                                                          | 70000902                                                                          | 4.00-19                                                                           | 71P                                                                                | TT           | SIDE CAR            | H-02                   |  |

|                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |  |  |
| H-03                                                                                | H-04                                                                                | H-05                                                                                | H-06                                                                                | H-11                                                                                | H-14                                                                                | H-15                                                                                | H-17                                                                                | H-18                                                                                | M-02                                                                                | MC-7                                                                                | MC-18                                                                               |
| DISCONTINUED TYRES                                                                  |                                                                                     |                                                                                     |                                                                                     |                                                                                     | REPLACEMENT TYRES                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| Code                                                                                | Tyre size                                                                           | LI/SS                                                                               | Type (TL/TT)                                                                        | Version                                                                             | Code                                                                                | Tyre size                                                                           | LI/SS                                                                               | Type (TL/TT)                                                                        | Version                                                                             | Tread pattern                                                                       |                                                                                     |
| H-03                                                                                |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 70000015                                                                            | 2.75-18                                                                             | 48P                                                                                 | TT                                                                                  |                                                                                     | 70000904                                                                            | 2.75-18                                                                             | 48P                                                                                 | TT                                                                                  |                                                                                     | H-03                                                                                |                                                                                     |
| 70000018                                                                            | 3.50-18                                                                             | 62P                                                                                 | TT                                                                                  |                                                                                     | 70000907                                                                            | 3.50-18                                                                             | 62P                                                                                 | TT                                                                                  |                                                                                     | H-03                                                                                |                                                                                     |
| 70000016                                                                            | 3.00-18                                                                             | 52P                                                                                 | TT                                                                                  |                                                                                     | 70000905                                                                            | 3.00-18                                                                             | 52P                                                                                 | TT                                                                                  |                                                                                     | H-03                                                                                |                                                                                     |
| 70000017                                                                            | 3.25-18 (90/100-18)                                                                 | 59P                                                                                 | TT                                                                                  |                                                                                     | 70000906                                                                            | 3.25-18 (90/100-18)                                                                 | 59P                                                                                 | TT                                                                                  |                                                                                     | H-03                                                                                |                                                                                     |
| H-04                                                                                |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 70000019                                                                            | 2.50-16                                                                             | 41L                                                                                 | TT                                                                                  |                                                                                     | 70000908                                                                            | 2.50-16 (70/100-16)                                                                 | 41P                                                                                 | TT                                                                                  |                                                                                     | H-04                                                                                |                                                                                     |
| 70000020                                                                            | 3.25-18                                                                             | 59P                                                                                 | TT                                                                                  |                                                                                     | 70000909                                                                            | 3.25-18                                                                             | 59P                                                                                 | TT                                                                                  |                                                                                     | H-04                                                                                |                                                                                     |
| H-05                                                                                |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 70000021                                                                            | 3.25-16                                                                             | 55P                                                                                 | TT                                                                                  |                                                                                     | 70000914                                                                            | 3.25-16                                                                             | 55P                                                                                 | TT                                                                                  |                                                                                     | H-06                                                                                |                                                                                     |
| H-06                                                                                |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 70000025                                                                            | 3.50-16                                                                             | 64S                                                                                 | TT                                                                                  |                                                                                     | 70000917                                                                            | 3.50-16                                                                             | 58P                                                                                 | TT                                                                                  |                                                                                     | H-06                                                                                |                                                                                     |
| 70000022                                                                            | 2.75-16                                                                             | 46P                                                                                 | TT                                                                                  |                                                                                     | 70000910                                                                            | 2.75-16 (2 3/4-16)                                                                  | 46P                                                                                 | TT                                                                                  |                                                                                     | H-06                                                                                |                                                                                     |
| 223123                                                                              | 2.75-18                                                                             | 48P                                                                                 | TT                                                                                  |                                                                                     | 70000911                                                                            | 2.75-18                                                                             | 48P                                                                                 | TT                                                                                  | REINFORCED                                                                          | H-06                                                                                |                                                                                     |
| 70000024                                                                            | 3.25-18 (90/100-18)                                                                 | 59P                                                                                 | TT                                                                                  |                                                                                     | 70000915                                                                            | 3.25-18 (90/100-18)                                                                 | 59P                                                                                 | TT                                                                                  |                                                                                     | H-06                                                                                |                                                                                     |
| 70000026                                                                            | 3.50-18                                                                             | 62P                                                                                 | TT                                                                                  |                                                                                     | 70000918                                                                            | 3.50-18                                                                             | 62P                                                                                 | TT                                                                                  |                                                                                     | H-06                                                                                |                                                                                     |
| 70000027                                                                            | 4.00-18                                                                             | 64S                                                                                 | TT                                                                                  |                                                                                     | 70000919                                                                            | 4.00-18                                                                             | 64S                                                                                 | TT                                                                                  |                                                                                     | H-06                                                                                |                                                                                     |
| H-11                                                                                |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 70000037                                                                            | 130/90-16                                                                           | 67T                                                                                 | TT                                                                                  |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     | -                                                                                   |                                                                                     |
| H-14 LIGHTNING                                                                      |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 70000038                                                                            | 90/90-19 (3.00-19)                                                                  | 52T                                                                                 | TT                                                                                  |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     | -                                                                                   |                                                                                     |
| H-15 LIGHTNING                                                                      |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 70000039                                                                            | 110/90-18 (4.00-18)                                                                 | 64T                                                                                 | TT                                                                                  |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     | -                                                                                   |                                                                                     |
| H-17                                                                                |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 223382                                                                              | 130/70-18                                                                           | 63H                                                                                 | TL                                                                                  |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     | -                                                                                   |                                                                                     |
| H-18 FLAT TRACK                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 70000356                                                                            | 130/80-19 (27*7-19)                                                                 | NHS                                                                                 | TT                                                                                  |                                                                                     | 70001079                                                                            | 130/80-19 (27*7-19)                                                                 | NHS                                                                                 | TT                                                                                  | SOFT                                                                                | FLAT TRACK                                                                          |                                                                                     |
| 70000357                                                                            | 130/80-19 (27*7-19)                                                                 | NHS                                                                                 | TT                                                                                  |                                                                                     | 70001080                                                                            | 130/80-19 (27*7-19)                                                                 | NHS                                                                                 | TT                                                                                  | SUPER SOFT                                                                          | FLAT TRACK                                                                          |                                                                                     |
| 70000359                                                                            | 140/80-19 (27.5*7.5-19)                                                             | NHS                                                                                 | TT                                                                                  |                                                                                     | 70001081                                                                            | 140/80-19 (27.5*7.5-19)                                                             | NHS                                                                                 | TT                                                                                  | SOFT                                                                                | FLAT TRACK                                                                          |                                                                                     |
| 70000360                                                                            | 140/80-19 (27.5*7.5-19)                                                             | NHS                                                                                 | TT                                                                                  |                                                                                     | 70001082                                                                            | 140/80-19 (27.5*7.5-19)                                                             | NHS                                                                                 | TT                                                                                  | SUPER SOFT                                                                          | FLAT TRACK                                                                          |                                                                                     |
| H-18 HIGHWAY                                                                        |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 70000083                                                                            | 130/80-19 (27*7-19)                                                                 | 71H                                                                                 | TL'                                                                                 |                                                                                     | 70001058                                                                            | 130/80-19 (27*7-19)                                                                 | 71H                                                                                 | TL/TT                                                                               | STREET                                                                              | FLAT TRACK                                                                          |                                                                                     |
| 70000084                                                                            | 140/80-19 (27.5*7.5-19)                                                             | 71H                                                                                 | TL'                                                                                 |                                                                                     | 70001059                                                                            | 140/80-19 (27.5*7.5-19)                                                             | 71H                                                                                 | TL/TT                                                                               | STREET                                                                              | FLAT TRACK                                                                          |                                                                                     |
| M-02                                                                                |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 70000798                                                                            | 2-19 (2.00-19)                                                                      | 24B                                                                                 | TT                                                                                  |                                                                                     | 70001442                                                                            | 2.00-19 (2-19)                                                                      | 24B                                                                                 | TT                                                                                  |                                                                                     | H-02                                                                                |                                                                                     |
| 70000797                                                                            | 2 1/4-19 (2.25-19)                                                                  | 30B                                                                                 | TT                                                                                  |                                                                                     | 70001443                                                                            | 2.25-19 (2 1/4-19)                                                                  | 30B                                                                                 | TT                                                                                  |                                                                                     | H-02                                                                                |                                                                                     |
| MC-7                                                                                |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 70000063                                                                            | 3.00-18                                                                             | 52R                                                                                 | TL'                                                                                 |                                                                                     | 70001255                                                                            | 3.00-18                                                                             | 52S                                                                                 | TL'                                                                                 | REINFORCED                                                                          | MC-7                                                                                |                                                                                     |
| MC-18                                                                               |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 70000587                                                                            | 3.50-10                                                                             | 51P                                                                                 | TL'                                                                                 | WHITE WALL                                                                          |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     | -                                                                                   |                                                                                     |
| 70000040                                                                            | 110/80-17                                                                           | 57P                                                                                 | TL'                                                                                 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     | -                                                                                   |                                                                                     |
| 81808                                                                               | 90/80-17                                                                            | 46P                                                                                 | TL                                                                                  |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     | -                                                                                   |                                                                                     |
| 592964                                                                              | 90/80-17                                                                            | 46P                                                                                 | TL                                                                                  | RACING SOFT                                                                         |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     | -                                                                                   |                                                                                     |
| 70000041                                                                            | 90/80-17                                                                            | 46P                                                                                 | TL'                                                                                 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     | -                                                                                   |                                                                                     |





| DISCONTINUED TYRES |                     |       |              |                      | REPLACEMENT TYRES |           |       |              |                   |
|--------------------|---------------------|-------|--------------|----------------------|-------------------|-----------|-------|--------------|-------------------|
| Code               | Tyre size           | LI/SS | Type (TL/TT) | Version              | Code              | Tyre size | LI/SS | Type (TL/TT) | Tread pattern     |
| MC-25 BOGART       |                     |       |              |                      |                   |           |       |              |                   |
| 70000043           | 100/80-17           | 52S   | TL'          |                      | 70001252          | 100/80-17 | 52S   | TL/TT        | STREET FORCE      |
| 70000042           | 100/80-17           | 52R   | TL'          |                      | 70001230          | 100/80-17 | 52H   | TL/TT        | STREET FORCE      |
| 70000045           | 130/70-17           | 62S   | TL'          |                      | 70001232          | 130/70-17 | 62H   | TL/TT        | STREET FORCE      |
| 70000044           | 130/70-17           | 62R   | TL'          |                      | 70001253          | 130/70-17 | 62S   | TL/TT        | STREET FORCE      |
| MC-32 WIN SCOOT    |                     |       |              |                      |                   |           |       |              |                   |
| 70000709           | 120/70-10           | 54P   | TL/TT        |                      |                   |           |       |              | -                 |
| 70000712           | 120/90-10           | 57L   | TL'          |                      |                   |           |       |              | -                 |
| 70000711           | 120/80-16           | 60P   | TL'          |                      |                   |           |       |              | -                 |
| MC-34              |                     |       |              |                      |                   |           |       |              |                   |
| 70000737           | 100/90-10           | 56P   | TL'          |                      |                   |           |       |              | -                 |
| S-03               |                     |       |              |                      |                   |           |       |              |                   |
| 70000732           | 4.00-8              | 63J   | TT           |                      |                   |           |       |              | -                 |
| S-04               |                     |       |              |                      |                   |           |       |              |                   |
| 70000733           | 4.00-8C             | 66L   | TT           |                      |                   |           |       |              | -                 |
| SW-05 SPEEDWAY     |                     |       |              |                      |                   |           |       |              |                   |
| 70000343           | 3.75-19             | 61P   | TT           |                      | 70001190          | 3.75-19   | 61P   | TT           | SPEEDWAY          |
| SW-07 SPEEDWAY     |                     |       |              |                      |                   |           |       |              |                   |
| 70000344           | 3.75-19             | 61P   | TT           |                      | 70001139          | 3.75-19   | 61P   | TT           | SPEEDWAY          |
| 70001151           | 3.75-19             | 61P   | TL           |                      | 70001140          | 3.75-19   | 61P   | TL           | SPEEDWAY          |
| 70000346           | 3.75-19             | 61P   | TT           |                      | 70001139          | 3.75-19   | 61P   | TT           | SPEEDWAY          |
| SW-08 ICE SPEEDWAY |                     |       |              |                      |                   |           |       |              |                   |
| 70000342           | 3.00-21             | 57P   | TT           | ICE SPEEDWAY         |                   |           |       |              | -                 |
| 70000341           | 2.50-23             | 48P   | TT           | ICE SPEEDWAY         |                   |           |       |              | -                 |
| SW-10 SPEED STAR   |                     |       |              |                      |                   |           |       |              |                   |
| 70000347           | 3.00-17             | 50P   | TT           |                      | 70000998          | 3.00-17   | 50P   | TT           | SPEEDWAY          |
| SW-11 SPEEDWAY     |                     |       |              |                      |                   |           |       |              |                   |
| 70000348           | 2 1/4-19 (2.25-19)  | 30P   | TT           |                      |                   |           |       |              | -                 |
| SW-12 SPEEDWAY     |                     |       |              |                      |                   |           |       |              |                   |
| 70000350           | 2.75-23             | 48P   | TT           |                      | 70000997          | 2.75-23   | 48P   | TT           | SPEEDWAY          |
| 70000349           | 2.75-23             | 48P   | TT           |                      | 70000997          | 2.75-23   | 48P   | TT           | SPEEDWAY          |
| SW-13 SPEEDWAY     |                     |       |              |                      |                   |           |       |              |                   |
| 70000351           | 2.75-22             | 50R   | TT           |                      | 70000996          | 2.75-22   | 50R   | TT           | SPEEDWAY          |
| 70000352           | 2.75-22             | 50R   | TT           |                      | 70000996          | 2.75-22   | 50R   | TT           | SPEEDWAY          |
| SW-14 SPEEDWAY     |                     |       |              |                      |                   |           |       |              |                   |
| 70000353           | 2.50-10             | NHS   | TT           |                      |                   |           |       |              | -                 |
| SX30               |                     |       |              |                      |                   |           |       |              |                   |
| 226786             | 60/100-14           | 30M   | TT           | INTERMEDIATE TERRAIN | 70000926          | 60/100-14 | 29M   | TT           | TERRA FORCE-MX MH |
| 226787             | 80/100-12 (2.50-12) | 50M   | TT           | INTERMEDIATE TERRAIN | 70000930          | 80/100-12 | 50M   | TT           | TERRA FORCE-MX MH |
| TERRA FORCE-EF     |                     |       |              |                      |                   |           |       |              |                   |
| 70000201           | 120/90-18           | 65M   | TT           | SUPER LIGHT          | 70000953          | 120/90-18 | 65M   | TT           | TERRA FORCE-EF    |
| 70000244           | 120/90-18           | 65R   | TT           | SUPER                | 70000954          | 120/90-18 | 65R   | TT           | TERRA FORCE-EF    |



| DISCONTINUED TYRES |                     |       |              |                     | REPLACEMENT TYRES |                     |       |              |                    |
|--------------------|---------------------|-------|--------------|---------------------|-------------------|---------------------|-------|--------------|--------------------|
| Code               | Tyre size           | LI/SS | Type (TL/TT) | Version             | Code              | Tyre size           | LI/SS | Type (TL/TT) | Tread pattern      |
| TERRA FORCE-EF     |                     |       |              |                     |                   |                     |       |              |                    |
| 70000243           | 120/90-18           | 65M   | TT           | SUPER LIGHT         | 70000953          | 120/90-18           | 65R   | TT           | TERRA FORCE-EF     |
| 70000246           | 140/80-18           | 70R   | TT           | SUPER               | 70000957          | 140/80-18           | 70R   | TT           | TERRA FORCE-EF     |
| 70000245           | 140/80-18           | 70M   | TT           | SUPER LIGHT         | 70000956          | 140/80-18           | 70R   | TT           | TERRA FORCE-EF     |
| 70000250           | 90/90-21            | 54R   | TT           | SUPER               | 70000961          | 90/90-21 (3.00-21)  | 54R   | TT           | TERRA FORCE-EF     |
| 70000207           | 90/90-21            | 54R   | TT           | SUPER LIGHT         | 70000960          | 90/90-21            | 54R   | TT           | TERRA FORCE-EF     |
| 70000249           | 90/90-21            | 54R   | TT           | SUPER LIGHT         | 70000960          | 90/90-21 (3.00-21)  | 54R   | TT           | TERRA FORCE-EF     |
| 70000248           | 90/100-21           | 57R   | TT           | SUPER               | 70000959          | 90/100-21           | 57R   | TT           | TERRA FORCE-EF     |
| 70000206           | 90/100-21           | 57R   | TT           | SUPER               | 70000959          | 90/100-21           | 57R   | TT           | TERRA FORCE-EF     |
| 70000247           | 90/100-21           | 57R   | TT           | SUPER LIGHT         | 70000958          | 90/100-21           | 57R   | TT           | TERRA FORCE-EF     |
| TERRA FORCE-EH     |                     |       |              |                     |                   |                     |       |              |                    |
| 70000209           | 120/90-18           | 65M   | TT           | SUPER SOFT EXTREME  | 70000952          | 120/90-18           | 65M   | TT           | TERRA FORCE-EF     |
| 70000210           | 140/80-18           | 70M   | TT           | SUPER SOFT EXTREME  | 70000955          | 140/80-18           | 70M   | TT           | TERRA FORCE-EF     |
| 70000251           | 120/90-18           | 65M   | TT           | SUPER SOFT EXTREME  | 70000952          | 120/90-18           | 65M   | TT           | TERRA FORCE-EF     |
| 70000252           | 140/80-18           | 70M   | TT           | SUPER SOFT EXTREME  | 70000962          | 140/80-18           | 70M   | TT           | TERRA FORCE-EF PRO |
| TERRA FORCE-MX MH  |                     |       |              |                     |                   |                     |       |              |                    |
| 70000117           | 70/100-10           | 41J   | TT           | MEDIUM HARD TERRAIN | 70000927          | 70/100-10           | 41M   | TT           | TERRA FORCE-MX MH  |
| 70000118           | 70/100-10 (2.50-10) | 41J   | TT           |                     | 70000927          | 70/100-10           | 41M   | TT           | TERRA FORCE-MX MH  |
| 70000113           | 60/100-12           | 36J   | TT           | MEDIUM HARD TERRAIN | 70000925          | 60/100-12           | 36M   | TT           | TERRA FORCE-MX MH  |
| 70000114           | 60/100-12           | 36J   | TT           |                     | 70000925          | 60/100-12           | 36M   | TT           | TERRA FORCE-MX MH  |
| 70000123           | 80/100-12           | 50M   | TT           | MEDIUM HARD TERRAIN | 70000930          | 80/100-12 (2.50-12) | 50M   | TT           | TERRA FORCE-MX MH  |
| 70000124           | 80/100-12           | 50M   | TT           |                     | 70000930          | 80/100-12 (2.50-12) | 50M   | TT           | TERRA FORCE-MX MH  |
| 70000999           | 90/100-12           | 46M   | TT           | PIT CROSS           | 70001366          | 90/100-12           | 46M   | TT           | TERRA FORCE-MX IT  |
| 70000115           | 60/100-14           | 29M   | TT           | MEDIUM HARD TERRAIN | 70000926          | 60/100-14           | 29M   | TT           | TERRA FORCE-MX MH  |
| 70000116           | 60/100-14           | 29M   | TT           |                     | 70000926          | 60/100-14           | 29M   | TT           | TERRA FORCE-MX MH  |
| 70000294           | 60/100-14           | 30M   | TT           | WIN FRIC            |                   |                     |       |              | -                  |
| 70000321           | 60/100-14           | 29M   | TT           | SPIKE               |                   |                     |       |              | -                  |
| 70001000           | 90/90-14            | 46M   | TT           | PIT CROSS           | 70001367          | 90/90-14            | 46M   | TT           | TERRA FORCE-MX IT  |
| 70000127           | 90/100-14           | 49M   | TT           | MEDIUM HARD TERRAIN | 70000932          | 90/100-14           | 49M   | TT           | TERRA FORCE-MX MH  |
| 70000128           | 90/100-14           | 49M   | TT           |                     | 70000932          | 90/100-14           | 49M   | TT           | TERRA FORCE-MX MH  |
| 70000129           | 90/100-16           | 51M   | TT           | MEDIUM HARD TERRAIN | 70000933          | 90/100-16           | 51M   | TT           | TERRA FORCE-MX MH  |
| 70000213           | 90/100-16           | 51M   | TT           | SUPER SOFT EXTREME  | 70000973          | 90/100-16           | 51M   | TT           | TERRA FORCE-EX MH  |
| 70000255           | 90/100-16           | 51M   | TT           | SUPER SOFT EXTREME  | 70000973          | 90/100-16           | 51M   | TT           | TERRA FORCE-EX MH  |
| 70000130           | 90/100-16           | 51M   | TT           | MEDIUM HARD TERRAIN | 70000933          | 90/100-16           | 51M   | TT           | TERRA FORCE-MX MH  |
| 70000119           | 70/100-17           | 40M   | TT           | MEDIUM HARD TERRAIN | 70000928          | 70/100-17           | 40M   | NHS          | TERRA FORCE-MX MH  |
| 70000120           | 70/100-17           | 40M   | TT           |                     | 70000928          | 70/100-17           | 40M   | NHS          | TERRA FORCE-MX MH  |
| 70000102           | 100/100-18          | 59M   | TT           | MEDIUM TO HARD      | 70001071          | 100/100-18          | 59R   | TT           | TERRA FORCE-EX MH  |
| 70000101           | 100/100-18          | 59M   | TT           |                     | 70001071          | 100/100-18          | 59R   | TT           | TERRA FORCE-EX MH  |
| 70000106           | 110/100-18          | 64M   | TT           | MEDIUM TO HARD      | 70000966          | 110/100-18          | 64M   | TT           | TERRA FORCE-EX MH  |
| 70000105           | 110/100-18          | 64M   | TT           |                     | 70000966          | 110/100-18          | 64M   | TT           | TERRA FORCE-EX MH  |
| 70000211           | 120/90-18           | 65M   | TT           | SUPER SOFT EXTREME  | 70000968          | 120/90-18           | 65M   | TT           | TERRA FORCE-EX MH  |
| 70000111           | 120/90-18           | 65M   | TT           | MEDIUM TO HARD      | 70000970          | 120/90-18           | 65R   | TT           | TERRA FORCE-EX MH  |





| TERRA FORCE-MX MH   |                     |       |              |                     | TERRA FORCE-MX SAND |                    |       |              |                     | TERRA FORCE-MX SM     |  |  |  |  |
|---------------------|---------------------|-------|--------------|---------------------|---------------------|--------------------|-------|--------------|---------------------|-----------------------|--|--|--|--|
| DISCONTINUED TYRES  |                     |       |              |                     | REPLACEMENT TYRES   |                    |       |              |                     |                       |  |  |  |  |
| Code                | Tyre size           | LI/SS | Type (TL/TT) | Version             | Code                | Tyre size          | LI/SS | Type (TL/TT) | Version             | Tread pattern         |  |  |  |  |
| TERRA FORCE-MX MH   |                     |       |              |                     |                     |                    |       |              |                     |                       |  |  |  |  |
| 70000112            | 120/90-18           | 65M   | TT           | MEDIUM TO HARD      | 70000970            | 120/90-18          | 65R   | TT           | SUPER               | TERRA FORCE-EX MH     |  |  |  |  |
| 70000253            | 120/90-18           | 65M   | TT           | SUPER SOFT          | 70000968            | 120/90-18          | 65M   | TT           | SUPER SOFT          | TERRA FORCE-EX MH     |  |  |  |  |
| 70000103            | 100/90-19           | 57M   | TT           | MEDIUM HARD TERRAIN | 70000922            | 100/90-19          | 57M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH     |  |  |  |  |
| 70000104            | 100/90-19           | 57M   | TT           | MEDIUM HARD TERRAIN | 70000922            | 100/90-19          | 57M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH     |  |  |  |  |
| 70000107            | 110/90-19           | 62M   | TT           | MEDIUM HARD TERRAIN | 70000923            | 110/90-19          | 62M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH     |  |  |  |  |
| 70000108            | 110/90-19           | 62M   | TT           | MEDIUM HARD TERRAIN | 70000923            | 110/90-19          | 62M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH     |  |  |  |  |
| 70000109            | 120/80-19           | 63M   | TT           | MEDIUM HARD TERRAIN | 70000924            | 120/80-19          | 63M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH     |  |  |  |  |
| 70000110            | 120/80-19           | 63M   | TT           | MEDIUM HARD TERRAIN | 70000924            | 120/80-19          | 63M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH     |  |  |  |  |
| 70000212            | 70/100-19           | 42M   | TT           | SUPER               | 70000971            | 70/100-19          | 42M   | TT           | SUPER               | TERRA FORCE-EX MH     |  |  |  |  |
| 70000254            | 70/100-19           | 42M   | TT           | SUPER               | 70000971            | 70/100-19          | 42M   | TT           | SUPER               | TERRA FORCE-EX MH     |  |  |  |  |
| 70000121            | 70/100-19           | 42M   | TT           | MEDIUM HARD TERRAIN | 70000929            | 70/100-19          | 42M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH     |  |  |  |  |
| 70000122            | 70/100-19           | 42M   | TT           |                     | 70000929            | 70/100-19          | 42M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH     |  |  |  |  |
| 70000125            | 80/100-21           | 51M   | TT           | MEDIUM HARD TERRAIN | 70000931            | 80/100-21          | 51M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH     |  |  |  |  |
| 70000126            | 80/100-21           | 51M   | TT           | MEDIUM HARD TERRAIN | 70000931            | 80/100-21          | 51M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH     |  |  |  |  |
| 70000133            | 90/90-21            | 54M   | TT           | MEDIUM HARD TERRAIN | 70000935            | 90/90-21 (3.00-21) | 54M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH     |  |  |  |  |
| 70000215            | 90/100-21           | 57M   | TT           | SUPER LIGHT         | 70000974            | 90/100-21          | 57M   | TT           | SUPER LIGHT         | TERRA FORCE-EX MH     |  |  |  |  |
| 70000214            | 90/100-21           | 57M   | TT           | SUPER               | 70000975            | 90/100-21          | 57M   | TT           | SUPER               | TERRA FORCE-EX MH     |  |  |  |  |
| 70000256            | 90/100-21           | 57M   | TT           | SUPER LIGHT         | 70000974            | 90/100-21          | 57M   | TT           | SUPER LIGHT         | TERRA FORCE-EX MH     |  |  |  |  |
| 70000257            | 90/100-21           | 57M   | TT           | SUPER               | 70000975            | 90/100-21          | 57M   | TT           | SUPER               | TERRA FORCE-EX MH     |  |  |  |  |
| 70000132            | 90/100-21           | 57M   | TT           |                     | 70000934            | 90/100-21          | 57M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH     |  |  |  |  |
| 70000131            | 90/100-21           | 57M   | TT           | MEDIUM HARD TERRAIN | 70000934            | 90/100-21          | 57M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH     |  |  |  |  |
| 70000134            | 90/90-21 (3.00-21)  | 54M   | TT           | MEDIUM HARD TERRAIN | 70000935            | 90/90-21 (3.00-21) | 54M   | TT           | MEDIUM HARD TERRAIN | TERRA FORCE-MX MH     |  |  |  |  |
| TERRA FORCE-MX SAND |                     |       |              |                     |                     |                    |       |              |                     |                       |  |  |  |  |
| 70000142            | 80/100-12           | 50M   | TT           |                     |                     |                    |       |              |                     | -                     |  |  |  |  |
| 70000141            | 80/100-12 (2.50-12) | 50M   | TT           | SAND                |                     |                    |       |              |                     | -                     |  |  |  |  |
| 70000145            | 90/100-16           | 51M   | TT           | SAND                |                     |                    |       |              |                     | -                     |  |  |  |  |
| 70000146            | 90/100-16           | 51M   | TT           | SAND                |                     |                    |       |              |                     | -                     |  |  |  |  |
| 70000135            | 100/90-19           | 57M   | TT           | SAND                | 70001066            | 100/90-19          | 57M   | TT           |                     | TERRA FORCE-MX SAND 2 |  |  |  |  |
| 70000136            | 100/90-19           | 57M   | TT           | SAND                | 70000136            | 100/90-19          | 57M   | TT           |                     | TERRA FORCE-MX SAND 2 |  |  |  |  |
| 70000137            | 110/90-19           | 62M   | TT           | SAND                | 70000936            | 110/90-19          | 62M   | TT           | SAND                | TERRA FORCE-MX SAND 2 |  |  |  |  |
| 70000138            | 110/90-19           | 62M   | TT           | SAND                | 70000936            | 110/90-19          | 62M   | TT           | SAND                | TERRA FORCE-MX SAND 2 |  |  |  |  |
| 70000139            | 120/80-19           | 63M   | TT           | SAND                |                     |                    |       | TT           |                     | -                     |  |  |  |  |
| 70000140            | 120/80-19           | 63M   | TT           | SAND                |                     |                    |       | TT           |                     | -                     |  |  |  |  |
| 70000143            | 80/100-21           | 51M   | TT           | SAND                | 70000950            | 80/100-21          | 51M   | TT           | SAND                | TERRA FORCE-MX SAND   |  |  |  |  |
| 70000144            | 80/100-21           | 51M   | TT           | SAND                | 70000950            | 80/100-21          | 51M   | TT           | SAND                | TERRA FORCE-MX SAND   |  |  |  |  |
| TERRA FORCE-MX SM   |                     |       |              |                     |                     |                    |       |              |                     |                       |  |  |  |  |
| 70000161            | 70/100-10           | 41J   | TT           | SOFT MEDIUM TERRAIN | 70000941            | 70/100-10          | 41M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM     |  |  |  |  |
| 70000162            | 70/100-10 (2.50-10) | 41J   | TT           |                     | 70000941            | 70/100-10          | 41M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM     |  |  |  |  |
| 70000159            | 60/100-12           | 36J   | TT           | SOFT MEDIUM TERRAIN | 70000940            | 60/100-12          | 36J   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM     |  |  |  |  |
| 70000160            | 60/100-12           | 36J   | TT           | SOFT MEDIUM TERRAIN | 70000940            | 60/100-12          | 36M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM     |  |  |  |  |
| 70000169            | 80/100-12           | 50M   | TT           | SOFT MEDIUM TERRAIN | 70000945            | 80/100-12          | 50M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM     |  |  |  |  |




| TERRA FORCE-MX SM  |            |       |              |                     |                   |                     |       |              |                     |                   |  |
|--------------------|------------|-------|--------------|---------------------|-------------------|---------------------|-------|--------------|---------------------|-------------------|--|
| DISCONTINUED TYRES |            |       |              |                     | REPLACEMENT TYRES |                     |       |              |                     |                   |  |
| Code               | Tyre size  | LI/SS | Type (TL/TT) | Version             | Code              | Tyre size           | LI/SS | Type (TL/TT) | Version             | Tread pattern     |  |
| TERRA FORCE-MX SM  |            |       |              |                     |                   |                     |       |              |                     |                   |  |
| 70000170           | 80/100-12  | 50M   | TT           | SOFT TO MEDIUM      | 70000945          | 80/100-12 (2.50-12) | 50M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM |  |
| 70000297           | 80/100-12  | 50M   | TT           | WIN FRIC            |                   |                     |       |              |                     | -                 |  |
| 70000164           | 70/100-14  | 40M   | TT           |                     | 70000942          | 70/100-14           | 40M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM |  |
| 70000163           | 70/100-14  | 40M   | TT           | SOFT MEDIUM TERRAIN | 70000942          | 70/100-14           | 40M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM |  |
| 70000174           | 90/100-14  | 49M   | TT           |                     | 70000947          | 90/100-14           | 49M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM |  |
| 70000173           | 90/100-14  | 49M   | TT           | SOFT MEDIUM TERRAIN | 70000947          | 90/100-14           | 49M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM |  |
| 70000298           | 90/100-14  | 49M   | TT           | WIN FRIC            |                   |                     |       |              |                     | -                 |  |
| 70000325           | 90/100-14  | 49M   | TT           | SPIKE               |                   |                     |       |              |                     | -                 |  |
| 70000175           | 90/100-16  | 51M   | TT           | SOFT MEDIUM TERRAIN | 70000948          | 90/100-16           | 51M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM |  |
| 70000299           | 90/100-16  | 51M   | TT           | WIN FRIC            | 70001074          | 90/100-16           | 51M   | TT           | ICE                 | TERRA FORCE-EX HT |  |
| 70000176           | 90/100-16  | 51M   | TT           | SOFT MEDIUM TERRAIN | 70000948          | 90/100-16           | 51M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM |  |
| 70000326           | 90/100-16  | 51M   | TT           | SPIKE               | 70001074          | 90/100-16           | 51M   | TT           | ICE                 | TERRA FORCE-EX HT |  |
| 70000295           | 70/100-17  | 40M   | TT           | WIN FRIC            |                   |                     |       |              |                     | -                 |  |
| 70000165           | 70/100-17  | 40M   | TT           | SOFT MEDIUM TERRAIN | 70000943          | 70/100-17           | 40M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM |  |
| 70000166           | 70/100-17  | 40M   | TT           |                     | 70000943          | 70/100-17           | 40M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM |  |
| 70000322           | 70/100-17  | 40M   | TT           | SPIKE               |                   |                     |       |              |                     | -                 |  |
| 70000147           | 100/100-18 | 59M   | TT           | SOFT TO MEDIUM      | 70001071          | 100/100-18          | 59R   | TT           | SUPER               | TERRA FORCE-EX MH |  |
| 70000148           | 100/100-18 | 59M   | TT           | SOFT TO MEDIUM      | 70001071          | 100/100-18          | 59R   | TT           | SUPER               | TERRA FORCE-EX MH |  |
| 70000217           | 110/100-18 | 64M   | TT           | SUPER LIGHT         | 70000977          | 110/100-18          | 64R   | TT           | SUPER LIGHT         | TERRA FORCE-EX SM |  |
| 70000151           | 110/100-18 | 64M   | TT           | SOFT TO MEDIUM      | 70000977          | 110/100-18          | 64R   | TT           | SUPER LIGHT         | TERRA FORCE-EX SM |  |
| 70000152           | 110/100-18 | 64M   | TT           |                     | 70000977          | 110/100-18          | 64R   | TT           | SUPER LIGHT         | TERRA FORCE-EX SM |  |
| 70000259           | 110/100-18 | 64M   | TT           |                     | 70000977          | 110/100-18          | 64R   | TT           | SUPER LIGHT         | TERRA FORCE-EX SM |  |
| 70000220           | 120/90-18  | 65M   | TT           | SUPER LIGHT         | 70000978          | 120/90-18           | 65R   | TT           | SUPER LIGHT         | TERRA FORCE-EX SM |  |
| 70000158           | 120/90-18  | 65M   | TT           | SOFT TO MEDIUM      | 70000979          | 120/90-18           | 65R   | TT           | SUPER               | TERRA FORCE-EX SM |  |
| 70000262           | 120/90-18  | 57M   | TT           | SUPER LIGHT         | 70000978          | 120/90-18           | 65R   | TT           | SUPER LIGHT         | TERRA FORCE-EX SM |  |
| 70000261           | 120/90-18  | 57M   | TT           | SUPER               | 70000979          | 120/90-18           | 65R   | TT           | SUPER               | TERRA FORCE-EX SM |  |
| 70000157           | 120/90-18  | 65M   | TT           | SOFT TO MEDIUM      | 70000979          | 120/90-18           | 65R   | TT           | SUPER               | TERRA FORCE-EX SM |  |
| 70000219           | 120/90-18  | 65M   | TT           | SUPER               | 70000979          | 120/90-18           | 65R   | TT           | SUPER               | TERRA FORCE-EX SM |  |
| 70000150           | 100/90-19  | 57M   | TT           | SOFT MEDIUM TERRAIN | 70000937          | 100/90-19           | 57M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM |  |
| 70000258           | 100/90-19  | 57M   | TT           | SUPER LIGHT         | 70000937          | 100/90-19           | 57M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM |  |
| 70000216           | 100/90-19  | 57M   | TT           | SUPER LIGHT         | 70000937          | 100/90-19           | 57M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM |  |
| 70000154           | 110/90-19  | 62M   | TT           | SOFT MEDIUM TERRAIN | 70000938          | 110/90-19           | 62M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM |  |
| 70000260           | 110/90-19  | 62M   | TT           | SUPER LIGHT         | 70000938          | 110/90-19           | 62M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM |  |
| 70000218           | 110/90-19  | 62M   | TT           | SUPER LIGHT         | 70000938          | 110/90-19           | 62M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM |  |
| 70000156           | 120/80-19  | 63M   | TT           | SOFT MEDIUM TERRAIN | 70000939          | 120/80-19           | 63M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM |  |
| 70000296           | 70/100-19  | 42M   | TT           | WIN FRIC            | 70001075          | 70/100-19           | 42M   | TT           | ICE                 | TERRA FORCE-EX HT |  |
| 70000167           | 70/100-19  | 42M   | TT           | SOFT MEDIUM TERRAIN | 70000944          | 70/100-19           | 42M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM |  |
| 70000168           | 70/100-19  | 42M   | TT           | SOFT MEDIUM TERRAIN | 70000944          | 70/100-19           | 42M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM |  |
| 70000323           | 70/100-19  | 42M   | TT           | SPIKE               | 70001075          | 70/100-19           | 42M   | TT           | ICE                 | TERRA FORCE-EX XT |  |
| 70000149           | 100/90-19  | 57M   | TT           | SOFT MEDIUM TERRAIN | 70000937          | 100/90-19           | 57M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM |  |
| 70000153           | 110/90-19  | 62M   | TT           | SOFT MEDIUM TERRAIN | 70000938          | 110/90-19           | 62M   | TT           | SOFT MEDIUM TERRAIN | TERRA FORCE-MX SM |  |





| DISCONTINUED TYRES |                    |       |              |                     | REPLACEMENT TYRES |                    |       |              |                   |
|--------------------|--------------------|-------|--------------|---------------------|-------------------|--------------------|-------|--------------|-------------------|
| Code               | Tyre size          | LI/SS | Type (TL/TT) | Version             | Code              | Tyre size          | LI/SS | Type (TL/TT) | Tread pattern     |
| TERRA FORCE-MX SM  |                    |       |              |                     |                   |                    |       |              |                   |
| 70000155           | 120/80-19          | 63M   | TT           | SOFT MEDIUM TERRAIN | 70000939          | 120/80-19          | 63M   | TT           | TERRA FORCE-MX SM |
| 70000171           | 80/100-21          | 51M   | TT           | SOFT MEDIUM TERRAIN | 70000946          | 80/100-21          | 51M   | TT           | TERRA FORCE-MX SM |
| 70000172           | 80/100-21          | 51M   | TT           | SUPER LIGHT         | 70000921          | 80/100-21          | 51M   | TT           | TERRA FORCE-EX SM |
| 70000263           | 90/90-21           | 54M   | TT           | SUPER LIGHT         | 70000963          | 90/90-21           | 54R   | TT           | TERRA FORCE-EF SM |
| 70000264           | 90/90-21           | 54M   | TT           | SUPER               | 70000964          | 90/90-21           | 54R   | TT           | TERRA FORCE-EF SM |
| 70000221           | 90/90-21 (3.00-21) | 54M   | TT           | SUPER LIGHT         | 70000963          | 90/90-21           | 54R   | TT           | TERRA FORCE-EF SM |
| 70000222           | 90/90-21 (3.00-21) | 54M   | TT           | SUPER               | 70000964          | 90/90-21           | 54R   | TT           | TERRA FORCE-EF SM |
| 70000177           | 90/90-21           | 54M   | TT           | SOFT MEDIUM TERRAIN | 70000949          | 90/90-21           | 54M   | TT           | TERRA FORCE-MX SM |
| 70000178           | 90/90-21 (3.00-21) | 54M   | TT           | SOFT MEDIUM TERRAIN | 70000949          | 90/90-21           | 54M   | TT           | TERRA FORCE-MX SM |
| TERRA FORCE-R      |                    |       |              |                     |                   |                    |       |              |                   |
| 70000520           | 100/90-19          | 57H   | TL'          |                     | 70001293          | 100/90-19          | 57H   | TL/TT        | ENDURO TRAIL-SP   |
| 70000522           | 130/80-17          | 65H   | TL'          |                     | 70001294          | 130/80B17          | 65H   | TL/TT        | ENDURO TRAIL-SP   |
| TOURING FORCE-SC   |                    |       |              |                     |                   |                    |       |              |                   |
| 70000628           | 100/90-10          | 61J   | TL'          | REINFORCED          | 70001195          | 100/90-10          | 61M   | TL'          | TOURING FORCE-SC  |
| 70000625           | 100/70-14          | 53L   | TL'          | REINFORCED          | 70001586          | 100/70-14          | 53P   | TL'          | TOURING FORCE-SC  |
| 70000636           | 110/80-14          | 59P   | TL'          |                     | 70001433          | 110/80-14          | 59S   | TL'          | TOURING FORCE-SC  |
| 70000662           | 130/80-15          | 63P   | TL'          |                     | 70001434          | 130/80-15          | 63S   | TL'          | TOURING FORCE-SC  |
| 70000681           | 90/80-16           | 51P   | TL'          |                     | 70001435          | 90/80-16           | 51S   | TL'          | TOURING FORCE-SC  |
| 70000661           | 130/70-16          | 61P   | TL'          |                     | 70001197          | 130/70-16          | 61S   | TL           | TOURING FORCE-SC  |
| XT-434             |                    |       |              |                     |                   |                    |       |              |                   |
| 70000300           | 80/100-21          | 51M   | TT           | WIN FRIC            | 70000991          | 90/90-21           | 51M   | TT           | TERRA FORCE-EX HT |
| 228257             | 80/100-21          | 51M   | TT           | SPIKE               | 70000991          | 90/90-21           | 51M   | TT           | TERRA FORCE-EX HT |
| 70000300           | 80/100-21          | 51M   | TT           | SPIKE               | 70000991          | 90/90-21           | 51M   | TT           | TERRA FORCE-EX HT |
| XT-444             |                    |       |              |                     |                   |                    |       |              |                   |
| 70000301           | 90/90-21 (3.00-21) | 51M   | TT           | WIN FRIC            | 70000991          | 90/90-21 (3.00-21) | 51M   | TT           | TERRA FORCE-EX HT |
| 228256             | 3.00-21            | 51M   | TT           | WIN FRIC SPIKE      | 70000991          | 90/90-21 (3.00-21) | 51M   | TT           | TERRA FORCE-EX HT |
| 70000328           | 3.00-21            | 51M   | TT           | SPIKE               | 70000991          | 90/90-21 (3.00-21) | 51M   | TT           | TERRA FORCE-EX HT |
| XT-454             |                    |       |              |                     |                   |                    |       |              |                   |
| 70000223           | 110/100-18         | 54M   | TT           | SUPER SOFT EXTREME  | 70000967          | 110/100-18         | 64M   | TT           | TERRA FORCE-EX MH |
| 70000302           | 110/100-18         | 64M   | TT           | WIN FRIC            | 70000989          | 110/100-18         | 64M   | TT           | TERRA FORCE-EX HT |
| 228062             | 110/100-18         | 64M   | TT           |                     | 70000966          | 110/100-18         | 64M   | TT           | TERRA FORCE-EX MH |
| 228254             | 110/100-18         | 64M   | TT           | WIN FRIC SPIKE      | 70000989          | 110/100-18         | 64M   | TT           | TERRA FORCE-EX HT |
| 70000329           | 110/100-18         | 64M   | TT           | SPIKE               | 70000989          | 110/100-18         | 64M   | TT           | TERRA FORCE-EX HT |
| 70000303           | 110/90-19          | 62M   | TT           | WIN FRIC            | 70000990          | 110/90-19          | 62M   | TT           | TERRA FORCE-EX HT |
| 228255             | 110/90-19          | 62M   | TT           |                     | 70000990          | 110/90-19          | 62M   | TT           | TERRA FORCE-EX HT |
| 70000330           | 110/90-19          | 62M   | TT           | SPIKE               | 70000990          | 110/90-19          | 62M   | TT           | TERRA FORCE-EX HT |
| XT-754             |                    |       |              |                     |                   |                    |       |              |                   |
| 228058             | 90/100-16          | 52M   | TT           |                     | 70000933          | 90/100-16          | 51M   | TT           | TERRA FORCE-MX MH |
| 228067             | 90/100-16          | 52M   | TT           | WIN FRIC            | 70001074          | 90/100-16          | 51M   | TT           | TERRA FORCE-EX HT |
| 70000284           | 110/100-18         | 64P   | TT           |                     | 70000966          | 110/100-18         | 64M   | TT           | TERRA FORCE-EX MH |
| 70000224           | 120/90-18          | 65M   | TT           | SUPER LIGHT         | 70000981          | 120/90-18          | 65M   | TT           | TERRA FORCE-EX XT |



| DISCONTINUED TYRES |            |       |              |                | REPLACEMENT TYRES |            |       |              |                   |
|--------------------|------------|-------|--------------|----------------|-------------------|------------|-------|--------------|-------------------|
| Code               | Tyre size  | LI/SS | Type (TL/TT) | Version        | Code              | Tyre size  | LI/SS | Type (TL/TT) | Tread pattern     |
| XT-754             |            |       |              |                |                   |            |       |              |                   |
| 70000286           | 120/90-18  | 65P   | TT           |                | 70000987          | 120/90-18  | 65R   | TT           | TERRA FORCE-EX XT |
| 70000265           | 120/90-18  | 65M   | TT           | SUPER LIGHT    | 70000981          | 120/90-18  | 65M   | TT           | TERRA FORCE-EX XT |
| 228041             | 100/100-19 | 62M   | TT           |                |                   |            |       |              | -                 |
| 70000285           | 110/90-19  | 62M   | TT           |                | 70000986          | 110/90-19  | 62R   | TT           | TERRA FORCE-EX XT |
| XT-914             |            |       |              |                |                   |            |       |              |                   |
| 228079             | 80/100-21  | 51R   | TT           |                | 70000931          | 80/100-21  | 51M   | TT           | TERRA FORCE-MX MH |
| XT-946             |            |       |              |                |                   |            |       |              |                   |
| 228024             | 110/100-18 | 64M   | TT           |                | 70000966          | 110/100-18 | 64M   | TT           | TERRA FORCE-EX MH |
| 70001152           | 120/100-18 | 68M   | TT           | SUPER LIGHT    | 70000992          | 120/100-18 | 68M   | TT           | TERRA FORCE-EX MH |
| 70000304           | 120/100-18 | 68M   | TT           | ICE SOFT       |                   |            |       |              | -                 |
| 228025             | 120/100-18 | 68M   | TT           |                | 70000992          | 120/100-18 | 68M   | TT           | TERRA FORCE-EX MH |
| 70000305           | 120/90-19  | 64M   | TT           | SUPER LIGHT    | 70000984          | 120/90-19  | 66N   | TT           | STONE KING        |
| XT-994             |            |       |              |                |                   |            |       |              |                   |
| 70000306           | 80/100-21  | 51M   | TT           | WIN FRIC       | 70000991          | 90/90-21   | 51M   | TT           | TERRA FORCE-EX HT |
| 70000331           | 80/100-21  | 51M   | TT           | SPIKE          | 70000991          | 90/90-21   | 51M   | TT           | TERRA FORCE-EX HT |
| 228264             | 80/100-21  | 51R   | TT           | WIN FRIC SPIKE | 70000991          | 90/90-21   | 51M   | TT           | TERRA FORCE-EX HT |







### Mitas Motorcycle Tires

Škofjeloška cesta 6,  
4000 Kranj, Slovenia  
Phone: +386 4 206 58 83

[info-moto@mitas-tires.com](mailto:info-moto@mitas-tires.com)



Printing errors and mistakes reserved. 2025 | 2

XAVIER DE SOULTRAIT

**KEEP ON RIDING**

[mitas-moto.com](http://mitas-moto.com)     [@mitasmoto](https://www.instagram.com/mitasmoto)

**Mitas**